



[Home](#) > [Products](#) > [MxL661](#)

# MxL661

Hybrid Silicon TV Tuner

ACTIVE

Order Now

Overview

Documentation & Design Tools

Parts & Purchasing

## Overview

Parameters

Description

Features

Applications

Information	
Min Temp (°C)	-20
Max Temp (°C)	85
Package	QFN24 4x4

[Show more](#)

## Documentation & Design Tools

All Types

Type	Title	Version	Date	File Size
------	-------	---------	------	-----------

[Register](#) for a myMxL account or [Login](#) to myMxL to view all Technical Documentation & Design Tools.

## Parts & Purchasing

Part Number	Min Temp	Max Temp	Status
MxL661-AG-R	-20	85	Active
MxL661-AG-T	-20	85	Active

### Part Status Legend

**Active** - the part is released for sale, standard product.  
**EOL (End of Life)** - the part is no longer being manufactured, there may or may not be inventory still in stock.  
**CF (Contact Factory)** - the part is still active but customers should check with the factory for availability. Longer lead-times may apply.  
**PRE (Pre-introduction)** - the part has not been introduced or the part number is an early version available for sample only.  
**OBS (Obsolete)** - the part is no longer being manufactured and may not be ordered.  
**NRND (Not Recommended for New Designs)** - the part is not recommended for new designs.



### COMPANY

About MaxLinear  
Quality  
Social  
Responsibilities

### INFORMATION

Product News  
Privacy Policy  
Terms of Use  
Terms and Condition of Sale  
Do Not Sell or Share My Personal Information

### CONTACT US

Contact Us  
Sales & Distributions

### CAREERS

**Maximize Your Potential**  
Join the MaxLinear team and help shape the future of networking and communications technology.  
  
MaxLinear Careers →  
Search US Jobs →  
Search International Jobs →