



Connector

PS-14SLA-D4C2

Type

- Input/Output (IO) Connectors
- Board to Board Connectors
- Board to FPC/FFC Connectors
- Board to Cable Connectors
- Circular Connectors
- Rectangular Connectors
- Fiber Optic Connectors
- Coaxial Connectors
- Cable to Cable Connectors
- Memory Card Connectors
- Memory Module Connectors
- High-current Connectors
- Charging & Discharging Plug
- Tool

Standard

Part Number Search

Search

- > Search Filter
- > Application
- > Alphabetical Search

Product Details

Part Number	PS-14SLA-D4C2
Status	Active
Features	2.54mm pitch for board to wire connection (inside device), 14 pos., Socket housing
Number of Positions	14 pos.
Contact Pitch (mm)	2.54 mm
Connector Type	Socket housing
Connector Style	
Wire Termination Style	
PCB Mounting Method	-
Number of Rows	2
Recommended PCB Thickness (mm)	-
Applicable Wire Insulation Diameter (mm)	
Material of Contact	-
Finish of Contact in Connecting Area	-
Finish of Contact in Terminal Area	
Material of Housing	PBT(UL94V-0)
Color of Housing	Black

- > Stock Search
- > Technical Resources
- > Search for Sales and Distributor Contacts
- > Latest Products

Contact Us
Connector (Japan) >

Contact Us
Connector (Overseas) >

Contact Us
User Interface Solutions >

Contact Us
Motion Sensing & Control >

Part Number	PS-14SLA-D4C2
Status	Active
Polarization Function	TRUE
Locking Feature	Friction
Mounting-side Contact Length (mm)	-
Documents	PDF Download 
Stock Search	Stock Search >
RoHS compliant	10 substances (2011/65/EU)
REACH compliant	
Issue of Certificates	Issue of Certificates >
Remarks	

Notice

- The values specified in this web site are only for reference. The products and their specifications are subject to change without notice. Contact our sales staff for further information before considering or ordering any of our products.
For purchase, a product specification must be agreed upon.
- Users are requested to provide protection circuits and redundancy circuits to ensure safety of the equipment, and sufficiently review the suitability of JAE's products to the equipment.
- The products presented in this web site are designed for the uses recommended below. We strongly suggest you contact our sales staff when considering use of any of the products in any other way than the recommended applications or for a specific use that requires an extremely high reliability.
 - Applications that require consultation:
 - *Please contact us if you are considering use involving a quality assurance program that you specify or that is peculiar to the industry, such as:
Automotive electrical components, train control, telecommunications devices (mainline), traffic light control, electric power, combustion control, fire prevention or security systems, disaster evention equipment, etc.
 - *We may separately give you our support with a quality assurance program that you specify, when you think of a use such as :
Aviation or space equipment, submarine repeaters, nuclear power control systems, medical equipment for life support, etc.
 - Recommended applications include:
 - *Computers, office appliances, telecommunications devices (terminals, mobile units),

measuring equipment, audiovisual equipment, home electric appliances, factory automation equipment, etc

For Inquiries about
Connector Products



Japan Aviation Electronics Industry, Ltd.

- Connector User Interface Solutions Motion Sensing & Control | Search Filter Application Alphabetical Search Stock Search
- Company Sustainability Investors Latest Company Information Latest Products Information Site Map Contact Us

This site uses cookies to improve its performance, enhance your user experience and tailor advertising. By using this site you consent to the use of cookies as described in our usage policy unless you have changed your cookie settings. Please click [here](#) for more information.

Accept and Hide This Message