






Hexadecimal inverse


		Complement coded				
		C	1	2	4	8
16 P o s i t i o n s	0	●	●	●	●	●
	1	●	●	●	●	●
	2	●	●	●	●	●
	3	●	●	●	●	●
	4	●	●	●	●	●
	5	●	●	●	●	●
	6	●	●	●	●	●
	7	●	●	●	●	●
	8	●	●	●	●	●
	9	●	●	●	●	●
	A	●	●	●	●	●
	B	●	●	●	●	●
	C	●	●	●	●	●
	D	●	●	●	●	●
	E	●	●	●	●	●
	F	●	●	●	●	●

Compliance: RohS III (2015/863/EU)

Tolerances: DIN ISO-2768-1m 0.5-6: ±0.1 mm 6-30: ±0.2 mm			Date	Name	SMR 15116			
			10/08	dr				
Torque	05/24	dr						
Packaging	02/15	dr						
Packaging	06/12	dr	knitter-switch			30 16 19		Page
Soldering conditions	10/09	dr						1/3
Material	05/09	dr						
Modifications	Date	Name						

Specifications:



Contact rating:	non-switching: 400mA, 42V switching: 100mA, 42V
Contact resistance:	80mOhm max.
Insulation resistance:	100MOhm min. at 250V DC for 1 minute +/-5sec.
Dielectric strength:	250V DC (50Hz/60Hz) for 1 minute
Operating temperature:	-50°C to +125°C
Storage temperature:	-55°C to +135°C
Mechanical life:	25 000 cycles
Operating force:	2.5 Ncm max.
Material:	Cover / spring plate / guide plate: stainless steel Contact / terminal: phosphor bronze, min. 0.07µm gold plated over min. 0.3µm nickel Rotor / base: LCP, UL94V-0 O-ring: silicone Actuator color: ivory
Protection:	IP67
Soldering conditions:	



Compliance: RohS III (2015/863/EU)

Tolerances: DIN ISO-2768-1m 0.5-6: ±0.1 mm 6-30: ±0.2 mm			Date	Name	SMR 15116	
			10/08	dr		
Torque	05/24	dr			30 16 19	
Packaging	02/15	dr				
Packaging	06/12	dr				
Soldering conditions	10/09	dr	knitter-switch		Page	
Material	05/09	dr				
Modifications	Date	Name			2/3	

Packaging:



Type	Packaging unit
SMR 15116	70 pcs. per stick
SMR 15116 T	1300 pcs. per reel

Tolerances on tape: $\pm 0.20\text{mm}$
Compliance: RohS III (2015/863/EU)

Tolerances:			Date	Name	SMR 15116		
			10/08	dr			
Torque	05/24	dr			knitter-switch		
Packaging	02/15	dr					
Packaging	06/12	dr					
Soldering conditions	10/09	dr					
Material	05/09	dr			30 16 19		
Modifications	Date	Name					
					Page		
					3/3		