

9

8

7

6

5

4

3

2



1

E


E




引き出し方向
PULL DIRECTION

CONNECTOR SERIES No.
501951**39




29.4	25.4	24	—	15.1	11.5	14.1	5019512230	22				
				14.6		13.6	5019512130	21				
				14.1		13.1	5019512030	20				
				13.6		12.6	5019511930	19				
				13.1		12.1	5019511830	18				
				12.6		11.6	5019511730	17				
				12.1		11.1	5019511630	16				
				11.6		10.6	5019511530	15				
				11.1		10.1	5019511430	14				
				10.6		9.6	5019511330	13				
				10.1		9.1	5019511230	12				
				9.6		8.6	5019511130	11				
21.4	17.4	16	7.5	9.1	8.1	5019511030	10					
				8.6	7.6	5019510930	9					
				8.1	7.1	5019510830	8					
				7.6	6.6	5019510730	7					
G	F	E CARRIER TAPE WIDTH	D	(C)	(B)	(A)	EMBOSSED PACKAGE ORDER NO.	CIRCUITS				
									7.1	6.1	5019510630	6
									6.6	5.6	5019510530	5
									6.1	5.1	5019510430	4










断面図 (参考)




7.7	9.1	9.4	6.5	9.8	5019511430	14
7.2	8.6	8.9	6	9.3	5019511330	13
6.7	8.1	8.4	5.5	8.8	5019511230	12
6.2	7.6	7.9	5	8.3	5019511130	11
5.7	7.1	7.4	4.5	7.8	5019511030	10
5.2	6.6	6.9	4	7.3	5019510930	9
4.7	6.1	6.4	3.5	6.8	5019510830	8
4.2	5.6	5.9	3	6.3	5019510730	7
3.7	5.1	5.4	2.5	5.8	5019510630	6
3.2	4.6	4.9	2	5.3	5019510530	5
2.7	4.1	4.4	1.5	4.8	5019510430	4
E	D	C	B	A	EMBOSSED TAPE ORDER NO.	CIRCUITS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:					
mm		10:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 611684 DRWN: SKAWAKAMI 2019/02/07 CHK'D: TRSUZUKI 2019/02/07 APPR: RTAKEUCHI 2019/02/08 INITIAL REVISION: DRWN: SKAWAKAMI 2018/11/26 APPR: RTAKEUCHI 2019/02/01					
ANGULAR TOL		± 1.0 °							
4 PLACES		± 0.2							
3 PLACES		± 0.2							
2 PLACES		± 0.2							
1 PLACE		± 0.2							
0 PLACES		± 0.2							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		501951	



FPC構成推奨仕様
STRUCTURE OF FPC

FFC構成推奨仕様
STRUCTURE OF FFC

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS mm		SCALE 10:1		CURRENT REV DESC: EC NO: 611684 DRWN: SKAWAKAMI 2019/02/07 CHK'D: TRSUZUKI 2019/02/07 APPR: RTAKEUCHI 2019/02/08 GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 1.0 ° 4 PLACES ± 0.2 3 PLACES ± 0.2 2 PLACES ± 0.2 1 PLACE ± 0.2 0 PLACES ± 0.2 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				 0.5 FPC CONN. HSG ASSY EASY ON VERTICAL (LOW-HALOGEN)					
PRODUCT CUSTOMER DRAWING													
DOCUMENT NUMBER								DOC TYPE		DOC PART		REVISION	
5019511005-SD								PSD		000		B	
MATERIAL NUMBER								CUSTOMER				SHEET NUMBER	
SEE CHART								3 OF 4					
THIRD ANGLE PROJECTION 		DRAWING A3-SIZE		SERIES 501951									

