Home > Products > Connectivity > Wired > MoCA > MxL3706

MxL3706

Order Now

MoCA 2.0 Channel Bonding Coaxial Networking IC

★ ACTIVE

Overview   Documentation & Design Tools   Parts & Purchasing

Overview

Parameters   Description   Features   Applications   Press Releases

Information	
Standard	MoCA 2.0
Data Interfaces	PCIe, SGMII
Host Options	Hosted
Min Temp (°C)	-40
Max Temp (°C)	85
Package	QFN68 8x8

> Show more

Documentation & Design Tools

All Types

Type	Title	Version	Date	File Size

Register for a myMxL account or Login to myMxL to view all Technical Documentation & Design Tools.

Parts & Purchasing

Part Number	Min Temp	Max Temp	Status
MXL3706-AQ-R	-40	85	Active
MXL3706-AQ-T	-40	85	Active

Part Status Legend
Active - the part is released for sale, standard product.
EOL (End of Life) - the part is no longer being manufactured, there may or may not be inventory still in stock.
CF (Contact Factory) - the part is still active but customers should check with the factory for availability. Longer lead-times may apply.
PRE (Pre-introduction) - the part has not been introduced or the part number is an early version available for sample only.
OBS (Obsolete) - the part is no longer being manufactured and may not be ordered.
NRND (Not Recommended for New Designs) - the part is not recommended for new designs.