

1201730
<https://www.phoenixcontact.com/us/products/1201730>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail perforated, Pack of 25 (50 m), similar to EN 60715, material: Steel, galvanized, passivated with a thick layer, Standard profile, color: silver

Commercial data

| | |
|--------------------------------------|---------------------|
| Item number | 1201730 |
| Packing unit | 25 m |
| Minimum order quantity | 50 m |
| Sales key | BE72 |
| Product key | BE7244 |
| Catalog page | Page 532 (C-3-2019) |
| GTIN | 4017918017460 |
| Weight per piece (including packing) | 1,260 g |
| Weight per piece (excluding packing) | 1,260 g |
| Customs tariff number | 72166190 |
| Country of origin | DE |

NS 35/15 PERF 2000MM - DIN rail perforated

1201730

<https://www.phoenixcontact.com/us/products/1201730>




Technical data

Product properties

| | |
|--------------|----------|
| Product type | DIN rail |
|--------------|----------|

Dimensions

| | |
|---------------------|---|
| Dimensional drawing |  |
| Width | 35 mm |
| Hole width | 15 mm |
| Hole height | 6.2 mm |
| Depth | 15 mm |
| Length | 2000 mm |
| Drill hole spacing | 25 mm |
| Diameter | 4.2 mm |
| Hole diameter | 4.2 mm |

Material specifications

| | |
|----------|---|
| Color | silver-colored |
| Material | Steel |
| Coating | galvanized, passivated with a thick layer |

Standards and regulations

| | |
|----------------------------------|---------------------|
| Connection in acc. with standard | IEC / EN |
| Tests | similar to EN 60715 |

NS 35/15 PERF 2000MM - DIN rail perforated




1201730

<https://www.phoenixcontact.com/us/products/1201730>

Drawings

Dimensional drawing



NS 35/15 PERF 2000MM - DIN rail perforated



1201730

<https://www.phoenixcontact.com/us/products/1201730>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-13.0 | 27400602 |
|-------------|----------|

ETIM

| | |
|----------|----------|
| ETIM 9.0 | EC001285 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121700 |
|-------------|----------|

NS 35/15 PERF 2000MM - DIN rail perforated



1201730

<https://www.phoenixcontact.com/us/products/1201730>

Environmental product compliance

| | |
|---|--|
| EU RoHS | |
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
| China RoHS | |
| Environment friendly use period (EFUP) | EFUP-E |
| | No hazardous substances above the limits |
| EU REACH SVHC | |
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |

Phoenix Contact 2025 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com