



| LOC | DIST | REVISIONS |     |                           |           |     |      |  |
|-----|------|-----------|-----|---------------------------|-----------|-----|------|--|
|     |      | P         | LTR | DESCRIPTION               | DATE      | DWN | APVD |  |
|     |      |           |     |                           |           |     |      |  |
| GP  | 00   |           | D1  | REVISED PER ECO-11-004835 | 13APR2011 | RK  | HMR  |  |
|     |      |           | E   | REVISED PER ECO-14-000886 | 20FEB2014 | JW  | SH   |  |
|     |      |           | E1  | REVISED PER ECO-14-010419 | 11JUL2014 | JW  | SH   |  |
|     |      |           | F   | REVISED PER ECO-15-013594 | 25SEP2015 | JW  | SH   |  |






SCALE 3:1

- 1 MATERIAL: COPPER ALLOY.
- 2 TIN PLATING PER ASTM B 545, 1.25µm MINIMUM THICKNESS, ALL OVER NICKEL FLASH PER QQ-N-290. NON-PLATED EDGES ARE PERMISSIBLE.
- 3 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 4 PADS AND VIAS CHASSIS GROUND.
- 5 REFERENCE APPLICATION SPEC 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESSES.
- 6 COMPANY LOGO IN APPROXIMATE AREA SHOWN
- 7 DATE CODE AND PART NUMBER IN APPROXIMATE AREA SHOWN
- 8 MATERIAL: NICKEL SILVER ALLOY(NO PLATING)




1761015-18-3  
SCALE 3:1



SECTION A-A

|                                                                                                                 |        |                                                                                      |                                                   |           |
|-----------------------------------------------------------------------------------------------------------------|--------|--------------------------------------------------------------------------------------|---------------------------------------------------|-----------|
| SUPERSEDED BY:<br>1761015-3                                                                                     | NO     | 8                                                                                    | 1X6 CAGE ASSEMBLY                                 | 1761015-3 |
|                                                                                                                 | FINISH | MATERIAL                                                                             | DESCRIPTION                                       | PART NO   |
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                                          |        | DWN W. VAN SCYK 11FEB2004<br>CHK M. PHILLIPS 11FEB2004<br>APVD M. PHILLIPS 11FEB2004 | TE Connectivity                                   |           |
| DIMENSIONS:<br>mm                                                                                               |        | PRODUCT SPEC<br>108-1950<br>APPLICATION SPEC<br>114-13120                            | NAME<br>ASSEMBLY,<br>CAGE, PRESS FIT,<br>1X6, SFP |           |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC ±<br>1 PLC ±<br>2 PLC ±0.10<br>3 PLC ±<br>4 PLC ±<br>ANGLES ±2° |        | WEIGHT                                                                               | SIZE CAGE CODE DRAWING NO<br>A100779C=1761015     |           |
| MATERIAL                                                                                                        |        | Customer Drawing                                                                     | RESTRICTED TO<br>SCALE 4:1 SHEET 1 OF 4 REV F     |           |

| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| GP  | 00   | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN  
W. VAN SCOY

CHK  
M. PHILLIPS

APVD  
M. PHILLIPS

11FEB2004

11FEB2004

11FEB2004

DIMENSIONS:

mm

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

±

±

±0.10

±

±

±2°

±

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

Customer Drawing

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

ASSEMBLY,  
CAGE, PRESS FIT,  
1X6, SFP

A100779

C=1761015

-

TE Connectivity

SCALE

4:1

SHEET

2

OF

4

REV

F

