


## Data Sheet | Item Number: 734-136/108-000

THT male header; 1.0 x 1.0 mm solder pin; straight; 100% protected against mismatching; Threaded flange; Pin spacing 3.5 mm; 6-pole; light gray

<https://www.wago.com/734-136/108-000>




Color: ■ light gray



Dimensions in mm

$L = (\text{pole no.} \times \text{pin spacing}) + 9.5 \text{ mm}$   
 $L_1 = (\text{pole no.} \times \text{pin spacing}) + 4.9 \text{ mm}$



Male connector, 734 Series, light gray

This male connector (item number 734-136/108-000) simplifies electrical installations. Dimensions: (30.5 x 14.8 x 8.5) mm (width x height x depth).

The contact surface is coated with tin. THT is used to solder the pcb connector.



| Notes              |                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Safety Information | The MCS – MULTI CONNECTION SYSTEM includes connectors without breaking capacity in accordance with DIN EN 61984. When used as intended, these connectors must not be connected/disconnected when live or under load. When used as intended, these connectors must not be connected/disconnected when live or under load. The circuit design should ensure header pins, which can be touched, are not live when unmated. |
| Variants:          | Other pole numbers<br>Gold-plated or partially gold-plated contact surfaces<br>Other versions (or variants) can be requested from WAGO Sales or configured at <a href="https://configurator.wago.com/">https://configurator.wago.com/</a> .                                                                                                                                                                             |

| Electrical data                 |        |                |        |
|---------------------------------|--------|----------------|--------|
| Ratings per                     |        | IEC/EN 60664-1 |        |
| Overvoltage category            | III    | III            | II     |
| Pollution degree                | 3      | 2              | 2      |
| Nominal voltage                 | 160 V  | 160 V          | 320 V  |
| Rated impulse withstand voltage | 2.5 kV | 2.5 kV         | 2.5 kV |
| Rated current                   | 10 A   | 10 A           | 10 A   |
| Approvals per                   |        | UL 1059        |        |
| Use group                       | B      | C              | D      |
| Rated voltage                   | 300 V  | -              | 300 V  |
| Rated current                   | 10 A   | -              | 10 A   |
| Approvals per                   |        | CSA            |        |
| Use group                       | B      | C              | D      |
| Rated voltage                   | 300 V  | -              | 300 V  |
| Rated current                   | 10 A   | -              | 10 A   |

| Connection Data            |   |
|----------------------------|---|
| Total number of potentials | 6 |
| Number of connection types | 1 |
| Number of levels           | 1 |
| Connection 1               |   |
| Pole number                | 6 |

| Physical data           |                        |
|-------------------------|------------------------|
| Pin spacing             | 3.5 mm / 0.138 inches  |
| Width                   | 30.5 mm / 1.201 inches |
| Height                  | 14.8 mm / 0.583 inches |
| Height from the surface | 10.3 mm / 0.406 inches |
| Depth                   | 8.5 mm / 0.335 inches  |
| Solder pin length       | 4.5 mm                 |
| Solder pin dimensions   | 1 x 1 mm               |
| Drilled hole diameter   | 1.4 (+0.1) mm          |

| Mechanical data          |     |
|--------------------------|-----|
| Variable coding          | Yes |
| Anti-rotation protection | Yes |



| Plug-in connection                 |                     |
|------------------------------------|---------------------|
| Contact type (pluggable connector) | Male connector/plug |
| Connector (connection type)        | for PCB             |
| Mismating protection               | Yes                 |
| Mating direction to the PCB        | 90 °                |
| Locking of plug-in connection      | Threaded flange     |

| PCB contact                         |                                          |
|-------------------------------------|------------------------------------------|
| PCB contact                         | THT                                      |
| Solder pin arrangement              | over the entire male connector (in-line) |
| Number of solder pins per potential | 1                                        |

| Material data                      |                                                                          |
|------------------------------------|--------------------------------------------------------------------------|
| Note (material data)               | <a href="#">Information on material specifications can be found here</a> |
| Color                              | light gray                                                               |
| Material group                     | I                                                                        |
| Insulation material (main housing) | Polyamide (PA66)                                                         |
| Flammability class per UL94        | V0                                                                       |
| Contact material                   | Electrolytic copper (E <sub>Cu</sub> )                                   |
| Contact Plating                    | Tin                                                                      |
| Fire load                          | 0.031 MJ                                                                 |
| Weight                             | 2.1 g                                                                    |

| Environmental requirements                                                                          |                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--|------------------------------------------------------------------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------|------------------------------------------|----------------------------------------------|----------------------------------------------------|-----------|--------------------------------------------------|--------------|-----------------------------------------------|------------------------|---------|-----------------|-----------------|------------------------------------------------|--------|-----------------------------------------------------|--------|---------------------------------------------------------------------------------|----------------------------------------------------|-----------|--------------------------------------------------|--------------|-----------------------------------------------|------------------------|-----|-----------------|-----------------|------------------------------------------------------------------|--------|-----------------------------------------------------------------------|--------|------------|-----------------------------------------------------|
| Limit temperature range                                                                             | -60 ... +100 °C                                     | <table><tr><th colspan="2">Environmental Testing</th></tr><tr><td>Test specification:<br/>Railway applications –<br/>Rolling stock –<br/>Electronic equipment</td><td>DIN EN 50155 (VDE 0115-200):2022-06</td></tr><tr><td>Test procedure:<br/>Railway applications –<br/>Rolling stock equipment –<br/>Vibration and shock tests</td><td>DIN EN 61373 (VDE 0115-0106):2011-04</td></tr><tr><td>Spectrum/Mounting location</td><td>Service life test, Category 1, Class A/B</td></tr><tr><td>Functional test with noise-like oscillations</td><td>Test passed according to Section 8 of the standard</td></tr><tr><td>Frequency</td><td>f<sub>1</sub> = 5 Hz to f<sub>2</sub> = 150 Hz</td></tr><tr><td>Acceleration</td><td>0.101g (highest test level used for all axes)</td></tr><tr><td>Test duration per axis</td><td>10 min.</td></tr><tr><td>Test directions</td><td>X, Y and Z axes</td></tr><tr><td>Monitoring of contact faults and interruptions</td><td>Passed</td></tr><tr><td>Voltage drop measurement before and after each axis</td><td>Passed</td></tr><tr><td>Simulated service life test through increased levels of noise-like oscillations</td><td>Test passed according to Section 9 of the standard</td></tr><tr><td>Frequency</td><td>f<sub>1</sub> = 5 Hz to f<sub>2</sub> = 150 Hz</td></tr><tr><td>Acceleration</td><td>0.572g (highest test level used for all axes)</td></tr><tr><td>Test duration per axis</td><td>5 h</td></tr><tr><td>Test directions</td><td>X, Y and Z axes</td></tr><tr><td>Extended testing: Monitoring of contact faults and interruptions</td><td>Passed</td></tr><tr><td>Extended testing: Voltage drop measurement before and after each axis</td><td>Passed</td></tr><tr><td>Shock test</td><td>Test passed according to Section 10 of the standard</td></tr></table> | Environmental Testing |  | Test specification:<br>Railway applications –<br>Rolling stock –<br>Electronic equipment | DIN EN 50155 (VDE 0115-200):2022-06 | Test procedure:<br>Railway applications –<br>Rolling stock equipment –<br>Vibration and shock tests | DIN EN 61373 (VDE 0115-0106):2011-04 | Spectrum/Mounting location | Service life test, Category 1, Class A/B | Functional test with noise-like oscillations | Test passed according to Section 8 of the standard | Frequency | f <sub>1</sub> = 5 Hz to f <sub>2</sub> = 150 Hz | Acceleration | 0.101g (highest test level used for all axes) | Test duration per axis | 10 min. | Test directions | X, Y and Z axes | Monitoring of contact faults and interruptions | Passed | Voltage drop measurement before and after each axis | Passed | Simulated service life test through increased levels of noise-like oscillations | Test passed according to Section 9 of the standard | Frequency | f <sub>1</sub> = 5 Hz to f <sub>2</sub> = 150 Hz | Acceleration | 0.572g (highest test level used for all axes) | Test duration per axis | 5 h | Test directions | X, Y and Z axes | Extended testing: Monitoring of contact faults and interruptions | Passed | Extended testing: Voltage drop measurement before and after each axis | Passed | Shock test | Test passed according to Section 10 of the standard |
| Environmental Testing                                                                               |                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Test specification:<br>Railway applications –<br>Rolling stock –<br>Electronic equipment            | DIN EN 50155 (VDE 0115-200):2022-06                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Test procedure:<br>Railway applications –<br>Rolling stock equipment –<br>Vibration and shock tests | DIN EN 61373 (VDE 0115-0106):2011-04                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Spectrum/Mounting location                                                                          | Service life test, Category 1, Class A/B            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Functional test with noise-like oscillations                                                        | Test passed according to Section 8 of the standard  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Frequency                                                                                           | f <sub>1</sub> = 5 Hz to f <sub>2</sub> = 150 Hz    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Acceleration                                                                                        | 0.101g (highest test level used for all axes)       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Test duration per axis                                                                              | 10 min.                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Test directions                                                                                     | X, Y and Z axes                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Monitoring of contact faults and interruptions                                                      | Passed                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Voltage drop measurement before and after each axis                                                 | Passed                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Simulated service life test through increased levels of noise-like oscillations                     | Test passed according to Section 9 of the standard  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Frequency                                                                                           | f <sub>1</sub> = 5 Hz to f <sub>2</sub> = 150 Hz    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Acceleration                                                                                        | 0.572g (highest test level used for all axes)       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Test duration per axis                                                                              | 5 h                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Test directions                                                                                     | X, Y and Z axes                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Extended testing: Monitoring of contact faults and interruptions                                    | Passed                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Extended testing: Voltage drop measurement before and after each axis                               | Passed                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Shock test                                                                                          | Test passed according to Section 10 of the standard |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |
| Processing temperature                                                                              | -35 ... +60 °C                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |  |                                                                                          |                                     |                                                                                                     |                                      |                            |                                          |                                              |                                                    |           |                                                  |              |                                               |                        |         |                 |                 |                                                |        |                                                     |        |                                                                                 |                                                    |           |                                                  |              |                                               |                        |     |                 |                 |                                                                  |        |                                                                       |        |            |                                                     |



| Environmental Testing                                                 |                                           |
|-----------------------------------------------------------------------|-------------------------------------------|
| Shock pulse form                                                      | Half sine                                 |
| Acceleration                                                          | 5g (highest test level used for all axes) |
| Shock duration                                                        | 30 ms                                     |
| Number of shocks (per axis)                                           | 3 pos. und 3 neg.                         |
| Test directions                                                       | X, Y and Z axes                           |
| Extended testing: Monitoring of contact faults and interruptions      | Passed                                    |
| Extended testing: Voltage drop measurement before and after each axis | Passed                                    |
| Vibration and shock stress for rolling stock equipment                | Passed                                    |

| Commercial data       |                        |
|-----------------------|------------------------|
| Product Group         | 3 (Multi Conn. System) |
| PU (SPU)              | 100 pcs                |
| Packaging type        | Box                    |
| Country of origin     | PL                     |
| GTIN                  | 4045454618650          |
| Customs tariff number | 85366930000            |

| Product Classification |                      |
|------------------------|----------------------|
| UNSPSC                 | 39121409             |
| eCl@ss 10.0            | 27-44-04-02          |
| eCl@ss 9.0             | 27-44-04-02          |
| ETIM 9.0               | EC002637             |
| ETIM 10.0              | EC002637             |
| ECCN                   | NO US CLASSIFICATION |

| Environmental Product Compliance          |                                      |
|-------------------------------------------|--------------------------------------|
| RoHS Compliance Status                    | Compliant,With Exemption             |
| RoHS Exemption                            | 6(c)                                 |
| SCIP notification number (Austria)        | ef117ec8-6fbe-4baf-99cb-cd4fafd4a949 |
| SCIP notification number (Belgium)        | e42cb08a-0628-428a-83b5-6a76d10be370 |
| SCIP notification number (Bulgaria)       | 82f5fb2b-6b5b-404c-8b53-ea191d0b64f7 |
| SCIP notification number (Czech Republic) | 917528fb-85c7-4daf-861a-3d71f79a9a91 |
| SCIP notification number (Denmark)        | 3626818b-cb90-4483-9472-5dae5783d886 |
| SCIP notification number (Finland)        | 7507349f-cffc-4d11-a977-8dabec7d8271 |
| SCIP notification number (France)         | 0eaf0458-8d21-49de-a7d7-6cf42fdbac1c |
| SCIP notification number (Germany)        | 936a494d-9675-4c45-9eb9-dc37e5028a1d |
| SCIP notification number (Hungary)        | ac62dd12-75fe-44d7-a1a3-fa5c7664dfe3 |
| SCIP notification number (Italy)          | 4b5c46c8-f061-4f5d-87ca-62a1c2261719 |
| SCIP notification number (Netherlands)    | 2b009a62-a9e0-48b6-9f02-2f65d7d3710d |
| SCIP notification number (Poland)         | 6be699bc-0808-44c6-93bd-e4c09477e423 |
| SCIP notification number (Romania)        | 570ed781-393e-474e-9a8a-f8c2c2ec4ba9 |
| SCIP notification number (Sweden)         | 3370eb64-eef9-4680-a06a-c305714caf2e |



Approvals / Certificates

General approvals



| Approval                             | Standard | Certificate Name |
|--------------------------------------|----------|------------------|
| CSA<br>DEKRA Certification B.V.      | C22.2    | 1465035          |
| UL<br>Underwriters Laboratories Inc. | UL 1977  | E 45171          |

Declarations of conformity and manufacturer's declarations



| Approval                      | Standard | Certificate Name |
|-------------------------------|----------|------------------|
| Railway<br>WAGO GmbH & Co. KG | -        | Railway Ready    |

Approvals for marine applications



| Approval                  | Standard  | Certificate Name |
|---------------------------|-----------|------------------|
| BV<br>Bureau Veritas S.A. | IEC 60998 | 11915/E0 BV      |

Downloads

Environmental Product Compliance

| Compliance Search                                   |
|-----------------------------------------------------|
| Environmental Product Compliance<br>734-136/108-000 |



Documentation

| Additional Information                               |
|------------------------------------------------------|
| Technical Section<br>03.04.2019<br>pdf<br>2027.26 KB |



CAD/CAE-Data

| CAD data                        |
|---------------------------------|
| 2D/3D Models<br>734-136/108-000 |



| CAE data                        |
|---------------------------------|
| ZUKEN Portal<br>734-136/108-000 |



| PCB Design                                                     |
|----------------------------------------------------------------|
| Symbol and Footprint<br>via SamacSys<br>734-136/108-000        |
| Symbol and Footprint<br>via Ultra Librarian<br>734-136/108-000 |



1 Compatible Products

1.1 System counterpart

1.1.1 Female connector/socket



**Item No.: 734-106/107-000**  
1-conductor female connector; CAGE CLAMP®; 1.5 mm²; Pin spacing 3.5 mm; 6-pole; 100% protected against mismatching; Screw flange; light gray



**Item No.: 2734-106/107-000**  
1-conductor female connector; push-button; Push-in CAGE CLAMP®; 1.5 mm²; Pin spacing 3.5 mm; 6-pole; 100% protected against mismatching; Screw flange; light gray

1.2 Optional Accessories

1.2.1 Coding

1.2.1.1 Coding




**Item No.: 734-159**  
Coding key; to be snapped above top level; black



**Item No.: 734-130**  
Coding key; to be snapped above top level; white

Installation Notes

Coding



Coding a male header – fitting coding key(s).