





PRODUCT NUMBER SEE SHEET 2




spec ref		*		dr		Vicking Liu		2015/10/13		projection		MM		size		A3		scale		3:2			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Vicking Liu		2015/11/22						ecn no									
ASME Y14.5				chr		Fancy Zhang		2015/11/22															
				appr		Pei-Ming Zheng		2015/11/22															
										product family		PwrBlade+		rel level								Released	
surface				linear		0.X		±0.5				title		24S + 6HP		dwg no		10106124-6006009		rev		A	
				0.XX		±0.25																	
				0.XXX		±0.10																	
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.		Product - Customer Drw		sheet 1 of 3									



Copyright FCI.

CODE	DESCRIPTION
E	MLBF SIGNAL CONTACT, ROW A (3.43)
F	MLBF SIGNAL CONTACT, ROW B (3.43)
G	MLBF SIGNAL CONTACT, ROW C (3.43)
H1	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Vicking Liu	2015/10/13	projection 	MM 	size	A3	scale	3:2
eng	Vicking Liu	2015/11/22			ecn no	-		
chr	Fancy Zhang	2015/11/22			rel level	Released		
appr	Pei-Ming Zheng	2015/11/22	product family	PwrBlade+				
FCi		title 24S + 6HP RA STB HEADER			dwg no 10106124-6006009		rev A	
www.fci.com		cat. no.		Product - Customer Drw			sheet 2 of 3	

PDS: Rev :A

STATUS:Released

Printed: Nov 23, 2015

A

B

C

D

A


B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION: 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION: GS-12-658.
APPLICATION SPECIFICATION: GS-20-141.
PRODUCT PACKAGED IN TRAYS: GS-14-1502.



dr	Vicking Liu	2015/10/13	projection	MM	size	A3	scale	3:2	
eng	Vicking Liu	2015/11/22			ecn no	-			
chr	Fancy Zhang	2015/11/22							
appr	Pei-Ming Zheng	2015/11/22	product family		PwrBlade+	rel level Released			
www.fci.com			cat. no.			Product - Customer Drw			sheet 3 of 3
title			24S + 6HP			dwg no			rev
RA STB HEADER						10106124-6006009			A