Product data sheet

Specifications



APC Universal Transfer Switch 10-Circuit 120/240V

UTS10BI

Discontinued on: Aug 28, 2025

To be end-of-service on: Aug 28, 2026

Discontinued

Main

Product or component type	Transfer switch
Main Input Voltage	120 V 240 V
Output voltage	120 V 240 V
Other Output Voltage	240 V
Input Connection Type	IEC 60320 C14
Number of cables	1
Provided equipment	Bypass fast-ons Hardwire panel User manual Installation guide Warranty card
Network frequency	47...63 Hz
Max line current	20 A

Complementary

Colour	Black
Height	595 mm
Width	394 mm
Depth	84 mm
Product weight	12.5 kg
Mounting location	Front Side Top
Mounting preference	No preference
mounting mode	Not rack-mountable
USB compatible	無

Environmental

Product certifications	cTUVus
Ambient air temperature for operation	-25…40 °C
Relative humidity	5…95 %
Operating altitude	0...10000 ft

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Downloaded from Arrow.com.

Ambient air temperature for storage	-40…85 °C
Storage altitude	0…15240 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	67.9 cm
Package 1 Width	21.3 cm
Package 1 Length	47.5 cm
Package 1 Weight	13.18 kg

Contractual warranty

Warranty (in months)	24

Downloaded from Arrow.com.

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	0faaa581-e733-4efc-987a-3938986edbd8
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

End of life manual availability	End of Life Information
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Downloaded from Arrow.com.