

Specification Sheet

Part Number: 110-70083



Advanced TLC technology provides operational reliability and durability resulting in fewer repairs and an extended lifespan.
Lightweight tool with the most technologically advanced ergonomic design for reducing work-related risks such as fatigue and injury that effect productivity.
Tension dial offers 33 precise, easy-to-read settings (with ¼" increments) that reduce subjectivity or the need for fine tuning.
Tension lock-in mechanism prevents operator from changing tension setting during critical applications.

EVO 7 Mechanical Hand Tool, Standard hand span 3.5", 1/pkg

| | |
|---------------------|---|
| Article Number | 110-70083 |
| Type | EVO7 |
| Color | Black (BK) |
| Quantity Per | carton |
| Product Description | HellermannTyton's EVO 7 mechanical hand tool is ergonomically designed to reduce the risks of repetitive stress injuries to operators while simultaneously increasing productivity. The EVO 7 Tension/Lock/Cut Technology delivers performance, safety and comfort for operators. Available in a standard grip span (EVO 7) or short grip span (EVO 7SP) for smaller hands. Additional accessories are available. |

| | |
|--------------------------------|--|
| Short Description | EVO 7 Mechanical Hand Tool, Standard hand span 3.5", 1/pkg |
| Global Part Name | EVO7-MET/PL-BK |
| Cable Ties | T18, T30, T40, T50, T80, IT18, IT50 |
| Tension Setting Tools | Adjustable |
| Cable Tie Width Max (Imperial) | 0.19 |
| Material | Plastic (PL) Metal (MET) |
| Material Shortcut | MET PL |
| US MIL SPEC | MS90387-1 SAE-AS90387 |
| UV Resistant (Yes/No) | No |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| Certification/Specification | CAGE Code 53421 |
| Package Quantity (Imperial) | 1 |

| | |
|---------------------------|------------|
| Package Quantity (Metric) | 1 |
| Customs Number | 8205599000 |

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).