# molex

Part Number: 314032910

**Product Description :** 2.54mm MX64 Sealed Single Row Crimp Housing, MX64 Terminal, Gray, 2 Circuits,

Key D, with CPA Lock
Series Number: 31403

**Status:** Active

**Product Category :** Connector Housings **Engineering Number :** CVP-314032910



#### **Documents & Resources**

#### **Drawings**

314032910 sd.pdf

PK-31300-256-001.pdf

#### **3D Models and Design Files**

STEP AP242

**SOLIDWORKS** 

Creo

#### **Specifications**

314020000-000.pdf

AS-31402-000-001.pdf

PS-31402-000-001.pdf

TS-31402-001-1X2-001.pdf

# **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Compliant
China RoHS	Not Relevant
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Relevant
REACH SVHC	Contains Dodecamethylcyclohexasiloxane; Decamethylcyclopentasiloxane; Octamethylcyclotetrasiloxane per

	D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

# **Compliance Statements**

- EU RoHS
- REACH SVHC
- Low-Halogen

# **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### **Substances of Interest**

PFAS

# **EU RoHS Certificate of Compliance**

# Additional Product Compliance Information

#### **Part Details**

#### **General**

Status	Active
Category	Connector Housings
Series	31403
Description	2.54mm MX64 Sealed Single Row Crimp Housing, MX64 Terminal, Gray, 2 Circuits, Key D, with CPA Lock
Application	Power, Wire-to-Board
Product Name	MX64
UPC	884982778016

# **Physical**

Circuits (maximum)	2
Color - Resin	Gray
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	Yes

Lock to Mating Part	Yes
Material - Resin	PBT
Net Weight	4.710/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.54mm
Polarization	D
Polarized to Mating Part	Yes
Temperature Range - Operating	-40° to +125°C

# Mates With / Use With

# Mates with Part(s)

Description	Part Number
Mates With	Sensors, Other USCAR Interfaces

# Use with Part(s)

Description	Part Number
MX64 Female Terminals	<u>33467</u>
MX64 Female Terminals	<u>33468</u>

This document was generated on Sep 24, 2025