





LOC		DIST		REVISIONS					
-		-		DESCRIPTION			DATE	DWN	APVD
		P	LTR						
			A	GTP PER ECN-21-132299			24DEC2021	JY	SZ



2321666-1 AS SHOWN

1. MATERIALS:
CAGE ASSEMBLY- NICKEL SILVER ALLOY PER ASTM B 122.
EMI SPRING- COPPER ALLOY, NICKEL PLATED.
HOUSING- POLYESTER LCP WITH 94V-0.
CHICKLET- POLYESTER LCP WITH 94V-0.
CONTACT- COPPER ALLOY.
- △

CONTACT FINISH: 0.76µm GOLD ON MATING END, 1.25µm MATT TIN ON SOLDER TAIL, ALL OVER 1.27µm NICKEL.
- △

DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
4. MINIMUM PCB THICKNESS OF 1.57.
- △

THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS.
- △


CROSS-HATCHED AREAS REPRESENT ZONES ON THE PCB THAT COME IN CONTACT WITH OR BE IN CLOSE PROXIMITY TO THE PLASTIC HOUSING OR THE CONNECTOR CAGE. INDICATED AREAS TO BE CONSIDERED TRACE FREE.
- △

PART NUMBER AND DATE CODE MAKED IN APPROXIMATE AREA SHOWN.
- △


HATCHED AREA IS PLACEMENT ZONE FOR LED. LED SHOULD BE CENTERED WITHIN ZONE. RECOMMEND 0805 PACKAGE.

23	△ 2	WITH HS & WITHOUT LP	2321666-3
22	△ 2	WITHOUT HS & WITHOUT LP	2321666-2
22	△ 2	WITH HS & WITHOUT LP	2321666-1
DIM A SEE SHEET 4	CONTACT FINISH	DESCRIPTION	PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: TIM XUE 22JUN2017 CHK: SEAN HAN 22JUN2017 APVD: SEAN HAN 22JUN2017	TE TE Connectivity CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS, THRU BEZEL, 2X1 ZQSFPP+ STACKED WITH HS
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH -	PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015	
MATERIAL SEE NOTE 1	-	WEIGHT -	
CUSTOMER DRAWING		SIZE: A1 CAGE CODE: 00779 DRAWING NO: C=2321666	
SCALE: 4:1		SHEET: 1 OF 6	REV: A

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	







2321666-2
SCALE 5:1



2321666-2
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN 22JUN2017		TE TE Connectivity			
				CHK TIM XUE 22JUN2017					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SEAN HAN		NAME		CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS, THRU BEZEL, 2X1 ZQSFP+ STACKED WITH HS	
				SEAN HAN 22JUN2017					
mm				APVD		PRODUCT SPEC		RESTRICTED TO	


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



2321666-3 AS SHOWN



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TIM XUE	22JUN2017	 TE Connectivity			
		CHK	SEAN HAN	22JUN2017				
DIMENSIONS:		APVD	SEAN HAN	22JUN2017	NAME	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS, THRU BEZEL, 2X1 ZOSFP+ STACKED WITH HS		
mm		PRODUCT SPEC						
		108-60102						
		APPLICATION SPEC						
		114-60015			SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
MATERIAL		-			A1	000779	C=2321666	-
SEE NOTE 1		-			CUSTOMER DRAWING			
					SCALE	4:1	SHEET 3 of 6	REV A

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION




0.10
BOTTOM OF CUTOUT IN PANEL
TO TOP OF PC BOARD



SECTION U-U
SCALE 4:1





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TIM XUE	22JUN2017	TE Connectivity			
DIMENSIONS:		CHK SEAN HAN	22JUN2017				
mm		APVD SEAN HAN	22JUN2017	NAME			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC			
		0 PLC		108-60102			
		1 PLC		APPLICATION SPEC			
		2 PLC		114-60015			
MATERIAL		3 PLC		SIZE			
SEE NOTE 1		4 PLC		CAGE CODE			
		ANGLES		DRAWING NO			
		FINISH		2321666			
		WEIGHT		RESTRICTED TO			
		CUSTOMER DRAWING		A100779			
				SCALE			
				4:1			
				SHEET			
				4			
				OF			
				6			
				REV			
				A			

LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TIM XUE	22JUN2017	 TE Connectivity			
		CHK	SEAN HAN	22JUN2017				
DIMENSIONS:		APVD	SEAN HAN	22JUN2017	NAME	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS, THRU BEZEL, 2X1 ZOSFP+ STACKED WITH HS		
mm		PRODUCT SPEC						
		108-60102						
		APPLICATION SPEC						
		114-60015			SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
MATERIAL		WEIGHT			A1	000779	C=2321666	-
SEE NOTE 1		CUSTOMER DRAWING			SCALE		4:1	SHEET
							5	of 6
							REV	A

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TIM XUE 22JUN2017	 TE Connectivity					
DIMENSIONS:		CHK SEAN HAN 22JUN2017						
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD SEAN HAN 22JUN2017	NAME	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS, THRU BEZEL, 2X1 ZQSFP+ STACKED WITH HS				
	0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH	PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015						
MATERIAL	SEE NOTE 1	WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
			A1	00779	C=2321666	-		
CUSTOMER DRAWING			SCALE	1:1	SHEET	6 OF 6	REV	A