



Introducing SOLARLOK Slim Junction Box Assemblies

 **Tyco Electronics**
Our commitment. Your advantage.

SOLARLOK Slim Junction Box Assemblies



KEY FEATURES

- Only 52mm in width
- Only 15.5mm in height
- Requires no potting of the inside of the junction box
- Offers different diodes to optimize diode performance
- Terminates the foil leads from the module by using a spring clamp to clamp to the contact rail inside the junction box eliminating the need for soldering or welding

DESCRIPTION

The SOLARLOK slim junction box assembly is a 2-rail junction box with cable and SOLARLOK connectors put together as an assembly to be applied to either crystalline pv modules or thin-film pv modules.

APPLICATIONS

Thin-film photovoltaic modules

2-rail crystalline photovoltaic modules

ELECTRICAL

Current rating:

- 3 amp current rating available for thin-film applications
- 12 amp current rating available for crystalline applications

Withstanding voltage:

- TUV: 1000VDC
- UL: 600VDC

MECHANICAL

Robust housing material sealed to IP67

Connectors are rated to IP67

Connectors have the latching locking feature

Junction box lid uses two latches for securing the lid to the lower box housing

Temperature rating: -40°C to +85°C

MATERIALS

Housing: PPO material, UL UV F1 rated

Socket and Pin contacts: CuZn

Solar wire used in the cable assemblies

APPLICATIONS AND SPECIFICATION

Product specification # 114-106002

Application specification #108-106024


Meets: DIN VDE V 0126-3-2006, DIN V VDE V 0126-5-2008

UL 1741: Component recognition pending



SOLARLOK Slim Junction Box Assemblies

PRODUCT DIMENSIONS



PRODUCT OFFERING

Part Number	Contact Rails	Diodes	Rated Current	Cable Length	Wire Size
1971158-1	2	1	12 amp	600 mm	2.5 mm
1971158-2	2	1	3 amp	600 mm	2.5 mm

FOR MORE INFORMATION

www.tycoelectronics.com/solar

Technical Support

Internet:	www.tycoelectronics.com/help
USA:	+1 (800) 522-6752
Canada:	+1 (905) 470-4425
Mexico & Central America:	+ 52 (0) 55-1106-0814
South America:	+55 (0) 11-2103-6000
Germany:	+49 (0) 6251-133-1999
UK:	+ 44 (0) 8706-080208
France:	+33 (0) 1-3420-8686
Netherlands:	+31 (0) 73-6246-999
China:	+86 (0) 400-820-6015

Tyco Electronics
Berwyn, PA

www.tycoelectronics.com/solar

© 2010 Tyco Electronics Corporation. All Rights Reserved.

7-1773458-3 CIS PDF MS 08/2010

SOLARLOK, TE (logo) and Tyco Electronics are trademarks.

While Tyco Electronics has made every reasonable effort to ensure the accuracy of the information in this catalog, Tyco Electronics does not guarantee that it is error-free, nor does Tyco Electronics make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. Tyco Electronics reserves the right to make any adjustments to the information contained herein at any time without notice. Tyco Electronics expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this catalog are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult Tyco Electronics for the latest dimensions and design specifications.

 **Tyco Electronics**
Our commitment. Your advantage.