

https://www.phoenixcontact.com/us/products/1602996



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimp contact, Pin, turned, contact diameter: 1 mm, connection cross section: $0.5~\text{mm}^2$... 1 mm², contact material: CuZn , Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1241571

Your advantages

- · Crimping connection: vibration- and temperature-resistant assembly
- · High tensile strength of the connection
- · Low contact resistance
- Easy production monitoring

Commercial data

Item number	1602996
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	AB36
Product key	ABREAD
GTIN	4046356242837
Weight per piece (including packing)	0.21 g
Weight per piece (excluding packing)	0.163 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/us/products/1602996



Technical data

Notes

Order information:	Contact release tool not necessary for the 12- and 17-pos. crimp
	versions of the M23-PRO series
duct properties	
Product type	Crimp contact
Contact material type	turned
**	·
	duct properties Product type Contact material type

Со

Contact connection type	Pin
Connection method	Crimp connection
Conductor connection	

0.5 mm² ... 1 mm²

Material specifications

Connection cross section

Material Contact	CuZn
Material Metal surface contact area (middle layer)	Ni
Material Metal surface contact area (top layer)	Au

Dimensions

Diameter (Contact diameter)	1 mm	

Mechanical properties

Mechanical data

Insertion/withdrawal cycles	100
,	



https://www.phoenixcontact.com/us/products/1602996



Classifications

UNSPSC 21.0

ECLASS

	ECLASS-13.0	27440204
	ECLASS-15.0	27440204
ETIM		
	ETIM 9.0	EC000796
UN	ISPSC	

39121500



https://www.phoenixcontact.com/us/products/1602996



Environmental product compliance

EU RoHS

20 1.01.0	
Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	e5b4d7ce-4883-4ea1-b43c-d9f4578c72ab

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com