

## KPA4CUP, Copper Terminal, 1-Hole, #14 Sol-#4 Str

By Burndy  
Catalog # [KPA4CUP](#)



SCRULUG™ Mechanical Terminal for Copper Cable; 1-Hole;  
Accommodates: #14 Sol - #4 Str; 1.28" Length; .50" Width.

### Features

- High copper alloy terminal (unplated) for joining a wide range of cable to equipment pads or terminal blocks
- Tongue and body are 1-piece design, pressure bar equalizes pressure over the conductor and prevents the screw from cutting into the cable

### Application

For Joining A Wide Range Of Copper Cable To Equipment Pads Or Terminal Blocks

### General

Catalog Number	KPA4CUP
Connector Type	Terminal
EU RoHS Indicator	Yes
Hardware Type	5/16 DIA.SLOT ROBERTSON
Installation Torque	45 LBS/in
Recommended in-lb	
Material	Copper
Physical Attribute - Number of Holes	1
Physical Attribute - Number of Screws	1
Physical Attribute - Screw Type	Slot
Plated	N
Plating Type	Unplated
Sub Brand	SCRULUG
Trade Name	SCRULUG™
Type	Bolted Lugs & Terminals
UPC	781810354360
UPC 14 Digit GTIN	00781810354360

### Dimensions

Dimension - Bolt Size fraction	1/4
Dimension - D inch	0.71 in
Dimension - Height fraction	1 in
Dimension - Height inch	1.00 in
Dimension - Height mm	25.4 mm
Dimension - Hole Size inch	0.28 in
Dimension - Hole Size mm	7 mm
Dimension - L Length Overall mm	33 mm

Dimension - Length Overall inch	1.28 in
Dimension - N inch	0.33 in
Dimension - Pad Width inch	0.50 in
Dimension - Strip Length inch	9/16
Dimension - Stud Size inch	1/4

### Conductor Related

Conductor - Copper Solid Size	14;13;12;11;10;9;8;7;6;5;4
Conductor - Copper Solid Size Range	14-4
Conductor - Copper Str Size	14;12;10;9;8;7;6;5;4
Conductor - Copper Str Size Range	14-4
Conductor Size	14-4 AWG
Conductor Type	<ul style="list-style-type: none"> <li>• CU C Str-Size</li> <li>• CU C Solid-Size</li> </ul>

### Certifications And Compliance

Certification - CSA Approved	Yes
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Industry Standard(s)	UL 486A-486B
Standards - Industry Standards Met	UL 486A-486B
Standards - RoHS Compliance	CM
Status	
UL Listed	Yes

### Logistics

Minimum Pack Quantity	1
-----------------------	---

### Product Assets

[3D Models - KPA4CUP\\_MODEL-IGES](#)  
[3D Models - KPA4CUP\\_MODEL-PDF](#)  
[3D Models - KPA4CUP\\_MODEL-STEP](#)  
[Catalogs - BURNDY Master Catalog - Section A - Mechanical](#)  
[Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog](#)  
[Customer Notices - Prop 65 Notice](#)  
[Interactive Catalog - BURNDY Full-Line Digital Catalog](#)  
[Product Cross Section Image\(s\) - BUR\\_KPA\\_Lineart](#)  
[Sales Drawings - SD..207546-01](#)



A Hubbell brand

©2025 Hubbell Incorporated. All rights reserved  
BRDY-KPA4CUP-SPEC-EN | REV 3/2025