Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Rack PDU, Switched, 2U, 30A, 120V, (16)5-20



AP7902B

Overview

Lead time Usually in Stock	
----------------------------	--

Main

Colour	Black
product or component type	PDU
PDU type	Switched
Cord length	3.05 m
Number of cables	1
provided equipment	Cord retention bracket(s) Horizontal mounting brackets User manual Installation guide

Complementary

Input Voltage	100 V
	120 V
Height	8.9 cm
Width	44.5 cm
Output Voltage	120 V
Depth	11.4 cm
net weight	4.5 kg
mounting location	Front
	Rear
Mounting preference	No preference
Input Plug Type	NEMA L5-30P
input riug Type	NEIVIA LO-SUP
mounting mode	Rack-mounted
	Nack mounted
Rack units	2U
Mounting position	Horizontal
[In] rated current	24 A
Permissible voltage	100120 V
Input current limits	30 A
Load capacity	2880 VA
Network frequency	50/60 Hz
Outliet to a sound source tit	
Outlet type and quantity	16 NEMA 5-20R

Environment

Product certifications	cUL listed
	CSA
	Industry Canada
	UL listed
	OE HOLOGO
Standards	FCC part 15 class A
	ICES-003
	UL 60950
	OF 90920
Ambient air temperature for	045 °C
operation	
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for	-2565 °C
storage	
Storage Relative Humidity	095 %
Storage altitude	0.000000000015240.000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14 cm
Package 1 Width	36.8 cm
Package 1 Length	50.8 cm
Package 1 Weight	6.55 kg

Contractual warranty

Warranty 2 years repair or replace

Sustainability

Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Energy Efficient Product

Take-Back Program Available

Well-being performance

Lead Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

Eu Rohs Directive

Compliant with Exemptions

Environmental Disclosure

Product Environmental Profile

Circularity Profile

End of Life Information