

**Part Number**: <u>1731121036</u>

**Product Description :** FCT Machined Contact,

Female, Crimp, 1.30µm Gold Plating, Split Tine, 22-18

AWG, 1000 Pieces

Series Number: 173112

**Status:** Active

**Product Category :** D-Sub Contacts

**Engineering Number:** FK20SL18-13V-6096



#### **Documents & Resources**

#### **Drawings**

1731121036 sd.pdf

STEP AP242

**SOLIDWORKS** 

<u>Creo</u>

#### **Specifications**

1731120004-PK-000.pdf

2195600650-000.pdf

# **Product Environment Compliance**

## **Compliance**

GADSL/IMDS	Not Relevant
China RoHS	<u>⊚</u> per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

#### **Compliance Statements**

- EU RoHS
- REACH SVHC

• Low-Halogen

### **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## **Substances of Interest**

PFAS

**EU RoHS Certificate of Compliance** 

**Additional Product Compliance Information** 

### **Part Details**

#### **General**

Status	Active
Category	D-Sub Contacts
Series	173112
Description	FCT Machined Contact, Female, Crimp, 1.30µm Gold Plating, Split Tine, 22-18 AWG, 1000 Pieces
Contact Type	Machined Crimp
Magnetic	Yes
Product Name	FCT Products
Туре	Standard Density
UPC	191130082506

#### **Electrical**

Current - Maximum per Contact	7.5A
•	

### **Physical**

Durability (mating cycles min)	500
Gender	Female
Material - Contact	Copper Alloy
Material - Plating Mating	Gold over Nickel
Material - Plating Termination	Gold over Nickel
Net Weight	0.100/g

Orientation	Straight
Packaging Type	Bag
Plating min - Mating	1.300µm
Plating min - Termination	1.300µm
Temperature Range - Operating	-55° to +130°C
Termination Style	Crimp
Wire Size (AWG)	18, 20, 22

## Mates With / Use With

## Use with Part(s)

Description	Part Number
Use With	FCT Standard-Density Connectors

# **Application Tooling**

# Global

Description	Part Number
FCT Installation and Removal Tool for D-Subs	<u>1731121744</u>

This document was generated on Sep 10, 2025