

https://www.phoenixcontact.com/us/products/2902747



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Adapter for mounting short circuit-proof hybrid motor starters of type ELR-H51 ... on 35 mm DIN rails



Commercial data

Item number	2902747
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C470
Product key	DK7455
Catalog page	Page 37 (C-5-2019)
GTIN	4046356673617
Weight per piece (including packing)	94.1 g
Weight per piece (excluding packing)	82.6 g
Customs tariff number	85369095
Country of origin	DE



https://www.phoenixcontact.com/us/products/2902747



Technical data

Product properties

Product type	Assembly adapter
Product family	CONTACTRON

Approvals

UKCA

Certificate	UKCA-compliant
Octimoato	ONOA-compliant

Mounting

Mounting type	DIN rail mounting



https://www.phoenixcontact.com/us/products/2902747



Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/2902747



UL Listed

Approval ID: E228652



cUL ListedApproval ID: E228652



https://www.phoenixcontact.com/us/products/2902747



Classifications

UNSPSC 21.0

_	\sim	$\Lambda \cap \cap$
		A.7.7

	ECLASS-13.0	27371392
ETIM		
	ETIM 9.0	EC002498
UNSPSC		

39121100



https://www.phoenixcontact.com/us/products/2902747



Environmental product compliance

EU RoHS

20 1.01.0	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com