

**Part Number :** 2166580100

**Product Description :** RAST 2.5 and R-Power Semi-Automatic IDC Machine

**Series Number :** 207122

**Status :** Active

**Product Category :** Crimp Presses and Crimp Hand Tools



## Documents & Resources

### Tooling Specifications

2166580100-000.pdf

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### Substances of Interest

- PFAS

EU RoHS Certificate of ComplianceAdditional Product Compliance Information**Part Details****General**

Status	Active
Category	Crimp Presses and Crimp Hand Tools
Series	207122
Description	RAST 2.5 and R-Power Semi-Automatic IDC Machine
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	toolingsupport@molex.com
Product Name	RAST 2.5, RAST R-Power
Tool Type	Electric Press
UPC	193264766369
Warranty Disclaimer	<p>CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.</p>

## Applicable Parts

Description	Part Number
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 3 Circuits, All Position Keys, Voided Circuit 1	<u>917160042</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 3 Circuits, Position Key C Removed, Voided Circuit 1	<u>917160043</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Key D Removed	<u>917160502</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Keys A & D Removed	<u>917160503</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, All Position Keys, Polarizing Rib Between Circuits 2 & 3	<u>917160506</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Keys B & C Removed	<u>917160530</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Keys A, C & E Removed	<u>917160549</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, All Position Keys, Polarizing Rib Between Circuits 1 & 2	<u>917160550</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Keys A, B & D Removed	<u>917160554</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect,	<u>917160555</u>

Female, 4 Circuits, Position Keys A, C & E Removed, Black Color Stripe	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Keys C & D Removed	<u>917161004</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Keys A, B, E & F Removed	<u>917161007</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, All Position Keys, Polarizing Rib Between Circuits 2 & 3	<u>917161008</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, All Position Keys, Voided Circuits 2, 3 & 4	<u>917161009</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Key C Removed, Voided Circuit 2	<u>917161010</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Key D Removed, Voided Circuit 2	<u>917161011</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Key B Removed, Voided Circuit 2	<u>917161012</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Key A Removed, Voided Circuit 2	<u>917161013</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Keys B, C, D & E Removed	<u>917161014</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, All Position Keys, Polarizing Rib Between Circuits 3 &	<u>917161015</u>

4, Voided Circuits 2, 3 & 4, Red Color Stripe	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys C, E, F & G Removed	<u>917161503</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys Removed, Polarizing Rib Between Circuits 2 & 3	<u>917161504</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys D & F Removed, Voided Circuits 2 & 5	<u>917161505</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys C & F Removed, Voided Circuit 2	<u>917161510</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Polarizing Rib Between Circuits 1 & 2, Voided Circuits 3 & 5	<u>917161514</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Polarizing Rib Between Circuits 2 & 3, Voided Circuits 2 & 5	<u>917161515</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys C & F Removed, Polarizing Rib Between Circuits 3 & 4	<u>917161516</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys C & E Removed	<u>917161517</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Voided Circuits 2 & 4	<u>917161518</u>
2.50mm Pitch Appli-Mate RAST 2.5	

IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys C & E Removed, Voided Circuits 2, 4, 5 & 6	<u>917161521</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Polarizing Rib Between Circuits 4 & 5	<u>917161523</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Voided Circuits 2, 4, 5 & 6	<u>917161524</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Voided Circuits 2 & 6	<u>917161525</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Voided Circuits 2 & 5	<u>917161526</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys A, B, D, F & G Removed, Voided Circuits 2 & 5, Green Color Stripe	<u>917161528</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Key D Removed	<u>917161529</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Voided Circuits 1, 2, 3 & 5	<u>917161531</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys D & F Removed, Voided Circuits 1, 2, 3 & 5	<u>917161532</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys B, D & F Removed, Voided Circuits 4 &	<u>917161535</u>

5	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, All Position Keys Removed, Polarizing Rib Between Circuits 2 & 3	<u>917162002</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, All Position Keys, Voided Circuit 2	<u>917162007</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, All Position Keys, Voided Circuit 6	<u>917162008</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, Position Keys B, C, E & G Removed, Voided Circuit 2, Blue Color Stripe	<u>917162009</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, Position Keys B, D & F Removed, Voided Circuit 4 & 6, Blue Color Stripe	<u>917162011</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, All Position Keys, Voided Circuit 2, Blue Color Stripe	<u>917162012</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, Position Keys B, D, E, F & H Removed, Voided Circuit 2, Blue Color Stripe	<u>917162013</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, Position Keys C, D, E, F & H Removed, Voided Circuit 6, Blue Color Stripe	<u>917162016</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, Position Keys C, D, E & F Removed, Voided Circuit 6, Blue Color Stripe	<u>917162017</u>

2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, All Position Keys, Voided Circuit 2, Black Color Stripe	<u>917162019</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, All Position Keys, Polarizing Rib Between Circuits 3 & 4	<u>917162502</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, Position Keys C, F, H & I Removed	<u>917162503</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, Position Keys B, C, D, H & I Removed	<u>917162504</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, Position Keys C & F Removed	<u>917162506</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, Position Keys C, F, H & I Removed, Blue Color Stripe	<u>917162507</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, All Position Keys, Blue Color Stripe	<u>917162508</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, Position Keys A, C, D, E, G & I Removed, Blue Color Stripe	<u>917162509</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, All Position Keys, Black Color Stripe	<u>917162511</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, Position Keys C, F, H & I Removed, Black Color Stripe	<u>917162512</u>

2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 9 Circuits, All Position Keys, Polarizing Rib Between Circuits 2 & 3	<u>917163004</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 9 Circuits, Position Keys B, C, E, G, I & J Removed, Voided Circuits 2, 5 & 8, Green Color Stripe	<u>917163005</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 9 Circuits, All Position Keys, Voided Circuits 2, 5 & 8, Green Color Stripe	<u>917163006</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 9 Circuits, Position Keys B, C, E, F, G & I Removed, Voided Circuits 2, 5 & 8, Green Color Stripe	<u>917163008</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 10 Circuits, All Position Keys Removed, Polarizing Rib Between Circuits 2 & 3	<u>917163502</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 10 Circuits, All Position Keys, Voided Circuits 2, 5, 7 & 9	<u>917163503</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 12 Circuits, Position Keys B, C, D, E, J, K & I Removed, Voided Circuits 2, 5, 8 & 11, Green Color Stripe	<u>917164502</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 12 Circuits, All Position Keys, Voided Circuits 2, 5, 8 & 11, Green Color Stripe	<u>917164503</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 12 Circuits, Position Keys C,	<u>917164505</u>

D, E, G, H, I, K, L & M Removed, Voided Circuits 2, 5, 8 & 11, Green Color Stripe	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 13 Circuits, All Position Keys, Voided Circuits 4, 6, 8, 10 & 12	<u>917165002</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key A Removed	<u>917170003</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key B Removed	<u>917170004</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key C Removed	<u>917170005</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key D Removed	<u>917170006</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys B & D Removed	<u>917170007</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys A & C Removed	<u>917170008</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys A & D Removed	<u>917170009</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys A & B Removed	<u>917170010</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys B & C Removed	<u>917170011</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2	<u>917170012</u>

Circuits, Position Keys C & D Removed	
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, All Position Keys, Polarizing Rib Between Circuits 2 & 3	<u>917170017</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, All Position Keys, Polarizing Rib Between Circuits 1 & 2	<u>917170018</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, All Position Keys, Blue Color Stripe	<u>917170019</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys B & C Removed, Green Color Stripe	<u>917170021</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys A & D Removed, Green Color Stripe	<u>917170022</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, All Position Keys, Green Color Stripe	<u>917170023</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key D Removed, Polarizing Rib Between Circuits 1 & 2, Red Color Stripe	<u>917170024</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys A & C Removed, Polarizing Rib Between Circuits 1 & 2, Red Color Stripe	<u>917170025</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key A Removed, Polarizing Rib Between Circuits 2 & 3	<u>917170026</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2	<u>917170027</u>

Circuits, All Position Keys, Polarizing Rib Between Circuits 2 & 3, Red Color Stripe	
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key A Removed, Red Color Stripe	<u>917170028</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, All Position Keys, Red Color Stripe	<u>917170029</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys B, C & D Removed, Polarizing Rib Between Circuits 1 & 2, Red Color Stripe	<u>917170030</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key A Removed, Polarizing Rib Between Circuits 2 & 3, Red Color Stripe	<u>917170031</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key B Removed, Red Color Stripe	<u>917170032</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key D Removed, Yellow Color Stripe	<u>917170033</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, All Position Keys, Polarizing Rib Between Circuits 1 & 2, Red Color Stripe	<u>917170036</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys B & D Removed, Polarizing Rib Between Circuits 1 & 2, Red Color Stripe	<u>917170037</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 3 Circuits, All Position Keys, Polarizing Rib Between Circuits 4 & 5	<u>917171005</u>

5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 3 Circuits, All Position Keys, Polarizing Rib Between Circuits 1 & 2	<u>917171007</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Keys A, B, D, E, & G Removed	<u>917172007</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Keys B, C, G, H & I Removed, Green Color Stripe	<u>917173002</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, Position Keys A, C, E, G, I, K & M Removed	<u>917175001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 3 Circuits, Position Keys A & D Removed, Polarizing Rib Between 1 & 2	<u>917800001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 3 Circuits, Position Keys A & D Removed, Polarizing Rib Between 2 & 3	<u>917800003</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 3 Circuits, Position Keys A, C & D Removed, Polarizing Rib Between 1 & 2, Blue Color Stripe	<u>917800009</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 4 Circuits, Position Keys A & E Removed, Polarizing Rib Between 1 & 2	<u>917800501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 4 Circuits, Position Keys A & E Removed	<u>917800502</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 3 Circuits, Position Keys A,	<u>917800503</u>

B & E Removed, Red Color Stripe	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 4 Circuits, Position Keys A, D & E Removed, Black Color Stripe	<u>917800504</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 5 Circuits, Position Keys A & F Removed, Polarizing Rib Between 2 & 3	<u>917801001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 5 Circuits, Position Keys A & F Removed, Polarizing Rib Between 1 & 2	<u>917801002</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 6 Circuits, Position Keys A & G Removed, Polarizing Rib Between 2 & 3	<u>917801501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 6 Circuits, Position Keys A & G Removed, Polarizing Rib Between 5 & 6	<u>917801502</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 6 Circuits, Position Keys A & G Removed, Polarizing Rib Between 2 & 3, Black Color Stripe	<u>917801503</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 6 Circuits, Position Keys A & G Removed, Polarizing Rib Between 1 & 2	<u>917801505</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 6 Circuits, Position Keys A & G Removed, Polarizing Rib Between 4 & 5	<u>917801506</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 6 Circuits, Position Keys A	<u>917801507</u>

<b>&amp; G Removed</b>	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 7 Circuits, Position Keys A & H Removed, Polarizing Rib Between 1 & 2 and 5 & 6	<u>917802001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 7 Circuits, Position Keys A & H Removed, Polarizing Rib Between 2 & 3, Black Color Stripe	<u>917802003</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 7 Circuits, Position Keys A & H Removed, Polarizing Rib Between 5 & 6	<u>917802004</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 8 Circuits, Position Keys A & I Removed, Polarizing Ribs Between 1 & 2 and 6 & 7	<u>917802501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 8 Circuits, Position Keys A & I Removed, Polarizing Rib Between 2 & 3	<u>917802504</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 9 Circuits, Position Keys A & J Removed, Polarizing Ribs Between 1 & 2 and 7 & 8	<u>917803001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 9 Circuits, Position Keys A & J Removed, Polarizing Rib Between 2 & 3, Black Color Stripe	<u>917803008</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 10 Circuits, Position Keys A & K Removed, Polarizing Ribs Between 1 & 2 and 8 & 9	<u>917803501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches,	<u>917803502</u>

Female, 10 Circuits, Position Keys A & K Removed, Polarizing Rib Between 9 & 10, Red Color Stripe	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 11 Circuits, Position Keys A & L Removed, Polarizing Ribs Between 1 & 2 and 9 & 10	<u>917804001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 12 Circuits, Position Keys A & M Removed, Polarizing Ribs Between 1 & 2 and 10 & 11	<u>917804501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 12 Circuits, Position Keys A & M Removed, Polarizing Rib Between 2 & 3	<u>917804503</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 12 Circuits, Position Keys A & M Removed, Polarizing Rib Between 2 & 3, Voiced Circuits 2, 5, 8 & 10	<u>917804504</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 13 Circuits, Position Keys A & N Removed, Polarizing Ribs Between 1 & 2 and 11 & 12	<u>917805001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 14 Circuits, Position Keys A & O Removed, Polarizing Ribs Between 1 & 2 and 12 & 13	<u>917805501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 15 Circuits, Position Keys A & P Removed, Polarizing Ribs Between 1 & 2 and 13 & 14	<u>917806001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 15 Circuits, Position Keys A & P Removed, Polarizing Ribs	<u>917806426</u>

Between 1 & 2 and 13 & 14, Voided Circuits 2, 4, 6, 8, 10, 12 & 14	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 16 Circuits, Position Keys A & Q Removed, Polarizing Ribs Between 1 & 2 and 14 & 15	<u>917806501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 17 Circuits, Position Keys A & R Removed, Polarizing Ribs Between 1 & 2 and 15 & 16	<u>917807001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 17 Circuits, Position Keys A & R Removed, Polarizing Ribs Between 3 & 4 and 15 & 16, Voided Circuits 2, 4, 6, 8, 10, 12, 14 and 16	<u>917807002</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 18 Circuits, Position Keys A & S Removed, Polarizing Ribs Between 1 & 2 and 16 & 17	<u>917807501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 19 Circuits, Position Keys A & T Removed, Polarizing Ribs Between 1 & 2 and 17 & 18	<u>917808001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 20 Circuits, Position Keys A & U Removed, Polarizing Ribs Between 1 & 2 and 18 & 19	<u>917808501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A & D Removed, Polarizing Rib Between 1 & 2	<u>917809001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A & D Removed, Polarizing Rib Between 2 & 3	<u>917809002</u>

5.00mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A & D Removed	<u>917809003</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A, C & D Removed, Polarizing Rib Between 1 & 2, Red Color Stripe	<u>917809004</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A, B & D Removed, Polarizing Rib Between 1 & 2, Green Color Stripe	<u>917809005</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A, C & D Removed, Polarizing Rib Between 2 & 3, Blue Color Stripe	<u>917809006</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A, B & D Removed, Polarizing Rib Between 2 & 3, Black Color Stripe	<u>917809007</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A, C & D Removed, Polarizing Rib Between 1 & 2	<u>917809008</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A, B & D Removed, Polarizing Rib Between 1 & 2	<u>917809011</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 3 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Blue Color Stripe, Glow-Wire Capable	<u>930370001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 3 Circuits, Beaded Terminal, Locking Pips, All	<u>930370014</u>

Position Keys, Open Endwalls, Glow-Wire Capable	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 3 Circuits, Beaded Terminal, Locking Pips, All Position Keys, 1 Open and 1 Slotted Endwall, Green Color Stripe, Glow- Wire Capable	<u>930370016</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 3 Circuits, Beaded Terminal, Locking Pips, Positions A, B & C Removed, Open Endwalls, Glow-Wire Capable	<u>930370252</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 4 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	<u>930370501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 5 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	<u>930371001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 5 Circuits, Beaded Terminal, Locking Pips, Positions A, D & F Removed, Open Endwalls, Glow-Wire Capable	<u>930371251</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 6 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	<u>930371501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 7 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	<u>930372001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 8 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	<u>930372501</u>

2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 8 Circuits, Beaded Terminal, Locking Pips, Positions A, B, C, D, E, F, G, H & I Removed, Slotted Endwalls, Polarizing Rib Between Circuits 2 and 3, Glow-Wire Capable	<u>930372502</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 9 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	<u>930373001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 10 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	<u>930373501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 11 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	<u>930374001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 12 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	<u>930374501</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 13 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	<u>930375001</u>
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 2 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Open Endwalls, Glow-Wire Capable	<u>930379001</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 2 Circuits, with Locking Pips and Slots, Fully Coded	<u>930390001</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 2 Circuits, with Locking Pips and Slots, Fully	<u>930390012</u>

Coded, Black	
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 3 Circuits, with Locking Pips and Slots, Fully Coded	<u>930391001</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 4 Circuits, with Locking Pips and Slots, Fully Coded	<u>930392001</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 4 Circuits, with Locking Pips and Slots, Fully Coded	<u>930392003</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 5 Circuits, with Locking Pips and Slots, Fully Coded	<u>930393001</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 6 Circuits, with Locking Pips and Slots, Fully Coded	<u>930394001</u>
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 7 Circuits, with Locking Pips and Slots, Fully Coded	<u>930395001</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Positions B & D Removed, Open Endwalls, Glow-Wire Capable	<u>930500003</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Position B Removed, Open Endwalls, Glow-Wire Capable	<u>930500005</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Position D Removed, Open Endwalls, Glow-Wire Capable	<u>930500006</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Positions A & C Removed, Open Endwalls, Glow-Wire Capable	<u>930500007</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Positions A & B Removed, Open Endwalls, Glow-Wire Capable	<u>930500008</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Positions C & D Removed, Open	<u>930500009</u>

Endwalls, Glow-Wire Capable	
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, All Position Keys, Open Endwalls, Polarizing Rib Between Circuits 1 & 2, Glow-Wire Capable	<u>930500016</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Positions A, B & C Removed, Open Endwalls, Glow-Wire Capable	<u>930500018</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 4 Circuits, Positions B & C Removed, Open Endwalls, Circuit 2 Voided, Glow-Wire Capable	<u>930500525</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 4 Circuits, All Position Keys, 1 Narrow and 1 Open Endwall, Glow-Wire Capable	<u>930500534</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 4 Circuits, All Position Keys, 1 Closed and 1 Open Endwall, Glow-Wire Capable	<u>930500752</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 5 Circuits, Positions C, D & E Removed, Open Endwalls, Glow-Wire Capable	<u>930501002</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 5 Circuits, Positions C & D Removed, Open Endwalls, Glow-Wire Capable	<u>930501004</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 5 Circuits, Positions A, D, E & F Removed, Open Endwalls, Circuits 2, 3 & 4 Voided, Glow-Wire Capable	<u>930501031</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 6 Circuits, All Position Keys, Open Endwalls, Circuits 2 & 4 Voided, Glow-Wire Capable	<u>930501502</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 6 Circuits,	<u>930501503</u>

Positions A, D, E & F Removed, Open Endwalls, Glow-Wire Capable	
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 6 Circuits, Position F Removed, Open Endwalls, Glow-Wire Capable	<u>930501529</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 6 Circuits, Positions D & F Removed, Open Endwalls, Glow-Wire Capable	<u>930501545</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 6 Circuits, Positions C, E & G Removed, Open Endwalls, Glow-Wire Capable	<u>930501546</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 7 Circuits, Positions B, C, F & H Removed, Open Endwalls, Glow-Wire Capable	<u>930502004</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 7 Circuits, All Position Keys, Open Endwalls, Polarizing Rib Between Circuits 6 & 7, Glow-Wire Capable	<u>930502009</u>
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 7 Circuits, Positions B, C, F & H Removed, Open Endwalls, Circuits 2 & 3 Voided, Glow-Wire Capable	<u>930502010</u>

---

This document was generated on Sep 22, 2025