



Part Number : [2196711112](#)
Product Description : Pre-Crimped Lead Mini-Fit
Sigma/TPA2 Female-to-Pigtail, Tin (Sn) Plating,
150.00mm Length, 18 AWG, Black
Series Number : 219671
Status : Active
Product Category : Power and Signal Cable
Assemblies




Documents & Resources

Drawings
[2196711112 sd.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|--|
| GADSL/IMDS | Not Relevant |
| China RoHS |  per SJ/T 11365-2006 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2025)4165-DC (25 June 2025) |
| EU RoHS | Compliant per EU 2015/863 |

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

| | |
|------------------------|--|
| Status | Active |
| Category | Power and Signal Cable Assemblies |
| Series | 219671 |
| Description | Pre-Crimped Lead Mini-Fit Sigma/TPA2 Female-to-Pigtail, Tin (Sn) Plating, 150.00mm Length, 18 AWG, Black |
| Application | Power, Wire-to-Board, Wire-to-Wire |
| Assembly Configuration | Pre-crimped Lead Only |
| Connector to Connector | Mini-Fit Sigma/TPA2-to-Pigtail |
| Product Name | Mini-Fit Sigma,Mini-Fit TPA2 |
| UPC | 195842811041 |

Electrical

| | |
|-------------------------------|------------|
| Current - Maximum per Contact | 11.5A |
| Voltage - Maximum | 600V AC/DC |

Physical

| | |
|--------------------------------|----------------|
| Cable Length | 150.00mm |
| Circuits (Loaded) | 1 |
| Circuits (maximum) | 1 |
| Color - Resin | Black |
| Gender | Female-Pigtail |
| Material - Metal | Brass |
| Material - Plating Mating | Tin |
| Material - Plating Termination | Tin |
| Net Weight | 1.609/g |
| Number of Rows | 1 |
| Packaging Type | Bag |

| | |
|-----------------------------|----------------------|
| Plating min - Mating | 2.500µm |
| Single Ended | Yes |
| Termination Interface Style | Crimp or Compression |
| Wire/Cable Type | UL 11028 |
| Wire Size (AWG) | 18 |

Mates With / Use With

Use with Part(s)

| Description | Part Number |
|--|---------------|
| Mini-Fit TPA2 and Mini-Fit Sigma Dual Row Receptacle Housings | <u>172708</u> |
| Mini-Fit TPA2 and Mini-Fit Sigma Single Row Receptacle Housings | <u>200453</u> |

This document was generated on Sep 17, 2025