



Part Number : [2065600150](#)

Series Number : 206560

Product Category : Antennas

Product Description : 1558MHz-1610MHz
GNSS Flex Antenna, 150.00mm Cable Length,
Compatible with U.FL / I-PEX MHF Connectors

Status : Active

Documents & Resources

Drawings

[Drawing_2065600150_sd.pdf](#)

[Packaging Design Drawing_2065600050-001.pdf](#)

3D Models and Design Files

[3D Model_2065600150_stp.zip](#)


Specifications

[Application Specification_2065600050-AS.pdf](#)

[Product Specification_2065600050-PS.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474

- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Antennas
Series	206560
Description	1558MHz-1610MHz GNSS Flex Antenna, 150.00mm Cable Length, Compatible with U.FL / I-PEX MHF Connectors
Component Type	Flexible Antenna with Cable
Function	Signal
Product Family	GNSS/GPS Antennas
Product Name	1558MHz-1610MHz GNSS Flexible
Protocol	BeiDou, GLONASS, GPS
Type	GNSS Antenna, Internal
UPC	191128769129

Electrical

Band#1 F_End (MHz)	1564
Band#1 F_Start (MHz)	1558
Band#2 F_End (MHz)	1578
Band#2 F_Start (MHz)	1572
Band#3 F_End (MHz)	1605
Band#3 F_Start (MHz)	1599
Electrical Connectivity	Cable
Peak Gain (dBi)	0.8 @ 1561 MHz, 0.9 @ 1575 MHz, 1.3 @ 1602 MHz
Return Loss - S11 (dB)	< -8
Total Efficiency	>70% @ 1575 MHz, >70% @ 1561 MHz, >71% @ 1602 MHz

Physical

Cable Length	150.00mm
--------------	----------

Length	40.40mm
Mounting Style	Adhesive
Net Weight	0.712/g
Packaging Type	PET Film
Polarization	Linear
Radiation Pattern	Omnidirectional
Thickness	0.10mm
Width	15.40mm

Mates With / Use With

Mates with Part(s)

Description	Part Number
50 Ohms, MCRF, PCB Vertical Jack Receptacle, SMT, 1.25mm Mounted Height	<u>734120110</u>

This document was generated on Jul 29, 2024