

# NS 35/15 WH PERF(5,2X25)2000MM - DIN rail perforated



1206476  
<https://www.phoenixcontact.com/us/products/1206476>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail perforated, Pack of 25 (50 m), similar to EN 60715, material: Steel, galvanized, white passivated, Standard profile, color: silver

## Commercial data

Item number	1206476
Packing unit	25 m
Minimum order quantity	50 m
Sales key	BE72
Product key	BE7243
Catalog page	Page 533 (C-3-2019)
GTIN	4017918170899
Weight per piece (including packing)	1,286 g
Weight per piece (excluding packing)	1,286 g
Customs tariff number	72166190
Country of origin	DE

# NS 35/15 WH PERF(5,2X25)2000MM - DIN rail perforated



1206476  
<https://www.phoenixcontact.com/us/products/1206476>

## Technical data

### Product properties

Product type	DIN rail
--------------	----------

### Dimensions

Dimensional drawing	
Width	35 mm
Hole width	25 mm
Hole height	5.2 mm
Depth	15 mm
Length	2000 mm
Drill hole spacing	36 mm

### Material specifications

Color	silver-colored
Material	Steel
Coating	galvanized, white passivated

### Standards and regulations

Connection in acc. with standard	IEC / EN
Tests	similar to EN 60715

# NS 35/15 WH PERF(5,2X25)2000MM - DIN rail perforated




1206476

<https://www.phoenixcontact.com/us/products/1206476>

## Drawings

Dimensional drawing



# NS 35/15 WH PERF(5,2X25)2000MM - DIN rail perforated



1206476  
<https://www.phoenixcontact.com/us/products/1206476>

## Classifications

### ECLASS

ECLASS-13.0	27400602
-------------	----------

### ETIM

ETIM 9.0	EC001285
----------	----------

### UNSPSC

UNSPSC 21.0	39121700
-------------	----------

# NS 35/15 WH PERF(5,2X25)2000MM - DIN rail perforated



1206476  
<https://www.phoenixcontact.com/us/products/1206476>

## Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)