

DIN-Power coding pin



Image is for illustration purposes only. Please refer to product description.

Part number	09 04 000 9908
Specification	DIN-Power coding pin
HARTING eCatalogue	https://harting.com/09040009908

Identification

Category	Accessories
Series	DIN 41612
Type of accessory	Coding pin
Description of the accessory	for types D, E, F, FM, 2F, MH

Material properties

Material (accessories)	Thermoplastic
Colour (accessories)	Black
Material flammability class acc. to UL 94	V-0
RoHS	compliant
ELV status	compliant
China RoHS	e
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Not contained

Specifications and approvals

Railway classification	F4/I3 acc. to NFF 16-101/102
------------------------	------------------------------


Commercial data

Packaging size	100
Net weight	0.038 g
Country of origin	Germany

Commercial data

European customs tariff number	85389099
GTIN	5713140008182
eCl@ss	27440203 Coding for industrial connectors
ETIM	EC002311
UNSPSC 24.0	39121421

Coding pin



To avoid accidental and incorrect mating of adjacent connectors a coding system is required. The coding is achieved by means of a coding pin which is inserted into the selected chamber of the female connector (the contact cavity must be filled with a female contact!). The opposite male contact must be removed with the help of the specially designed tool. It's recommended to use a number of coding pins in relation to the total number of contacts per connector: 3 pins for 64 contacts, 7 pins for 160 contacts.