

# APC Smart-UPS VT Maintenance Bypass Panel, 20-30kVA, 208V, floor mount

SBPSU20K30FC1M1

- ! Discontinued on: Sep 21, 2023
- ! End-of-service on: Feb 21, 2024

Overview		
Lead time	Usually Ships within 4 Weeks	

## Main

Main Input Voltage	208 V 3 phases	
Main Output Voltage	120 V 208 V 3 phases	
Output connector type	Hard wire 5-wire (3P + N + E) 1	
Number of cables	1	
Provided equipment	l Iser manual	

# **Physical**

Colour	Black
Height	148.6 cm
Width	34.9 cm
Depth	82.6 cm
Net weight	107.27 kg
Mounting location	Front
Mounting preference	No preference
Mounting mode	Not rack-mountable

# Input

Network frequency	50/60 Hz
Number of input connectors	1 hard wire 5-wire (3P + N + E)

## **Output**

Maximum configurable power in 30000 W

## **Conformance**

Standards	UL 1778
Product certifications	cUL listed

## **Environmental**

Ambient air temperature for operation	040 °C
Relative humidity	095 %
Operating altitude	03333 ft
Ambient air temperature for storage	040 °C
Storage Relative Humidity	095 %
Storage altitude	03048 m

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	158.8 cm
Package 1 Width	92.7 cm
Package 1 Length	45.1 cm
Package 1 Weight	130.91 kg

# **Contractual warranty**

Warranty

1 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Ø	<b>Environmental</b>	footprint

Environmental Disclosure Product Environmental Profile

#### **Use Better**

#### 

EU RoHS Directive Compliant with Exemptions

## **Use Again**

♡ R	epack and	remanufacture
-----	-----------	---------------

End of life manual availability End of Life Information

Take-back Y