



+ TERMINALS & SPLICES

PCB TERMINALS



✓ Active

TE CONNECTIVITY (TE)
093 PIN REC 28-26 PTPPHBZ

AMP-IN | AMP-IN and PC Board Disconnects

350221-1
TE Internal Number: 350221-1

EU RoHS Compliant
EU ELV Compliant

Terminal Type Receptacle
Mating Pin Diameter 2.36 mm [.093 in]
Wire Insulation Diameter .81 – 1.45 mm [.032 – .057 in]
Wire Size (AWG) 28 – 26
Wire Size (mm²) .08 – .15

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

DOCUMENTATION

Product Drawings

RECEPTACLE, .093 DIAMETER, 28-26 AWG, .032-.057 INSULATION, P.C. CONTACT

PDF (TIFF AVAILABLE)

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Product Specifications

Application Specification

.058 And .093 Diameter Printed Circuit (PC) Board Pins And Disconnect Receptacle Contacts

PDF

English

Product Specification

.058 Diameter Printed Circuit Board Disconnect System

PDF

English

.093 Dieameter Printed Circuit Board Disconnect System

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Mounting Style Stud Mount
Terminates To Wire/Cable
Insulated Wire Support Yes

Configuration Features

Stud Hole No
Terminal Angle Straight

Body Features

Plating Material Pre-Tin

Contact Features

Terminal Type Receptacle
Mating Pin Diameter 2.36 mm [.093 in]
Terminal Size Miniature
Terminal Orientation Straight
Contact Plating Material Tin

Termination Features

Termination Method Crimp

Dimensions

Wire Insulation Diameter .81 – 1.45 mm [.032 – .057 in]

Wire Size (AWG) 28 – 26

Wire Size (mm²) .08 – .15

Receptacle Stock Thickness .3 mm [.012 in]

Packaging Features

Packaging Method Package

Packaging Quantity 7000

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF