

DELPHI Connection Systems

Catalog

Customer Service

Comparison List (0)

Samples Request

Find by Feature

Browse by Category

Browse by Application

Share

12015909

Search

Enter part number or keyword

Search Results (1)

Search

Options

1 Result(s): [All] - 12015909

☐ Compare

☐ 12015909 - Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2

☐ Compare

Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2

Part # 12015909



Question about this product?

Attributes

Documents (3)

Part # :	12015909
Part # :	12015909
Part # :	12015909
Part # :	✔ 12015909
Part # :	12015909
Part # :	12015909
Part # :	12015909
Part # :	12015909
Part # :	12015909
Part # :	12015909
Part # :	12015909
Part # :	12015909
Part # :	12015909
Part # :	12015909
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	✔ Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2

Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Description :	Ring Unsealed Tin Plating Terminal, Cable Range 1.00 - 2.00 mm2
Product Type :	Terminal
Product Type :	Terminal
Product Type :	Terminal
Product Type :	✔ Terminal
Product Type :	Terminal
Product Type :	Terminal
Product Type :	Terminal
Product Type :	Terminal
Product Type :	Terminal
Product Type :	Terminal
Product Type :	Terminal
Product Type :	Terminal
Product Type :	Terminal
Product Type :	Terminal
Product Type :	Terminal
Product Type :	Terminal
Status :	Active
Status :	Active
Status :	Active
Status :	✔ Active
Status :	Active
Status :	Active
Status :	Active
Status :	Active
Status :	Active
Status :	Active
Status :	Active
Status :	Active
Status :	Active
Status :	Active
Status :	Active
Status :	Active
Status :	Active
Terminal Family :	RING
Terminal Family :	RING
Terminal Family :	RING
Terminal Family :	✔ RING
Terminal Family :	RING
Terminal Family :	RING
Terminal Family :	RING
Terminal Family :	RING

Terminal Family :	RING
Terminal Family :	RING
Terminal Family :	RING
Terminal Family :	RING
Terminal Family :	RING
Terminal Family :	RING
Terminal Family :	RING
Sealable :	Unsealed
Sealable :	Unsealed
Sealable :	Unsealed
Sealable :	✔ Unsealed
Sealable :	Unsealed
Sealable :	Unsealed
Sealable :	Unsealed
Sealable :	Unsealed
Sealable :	Unsealed
Sealable :	Unsealed
Sealable :	Unsealed
Sealable :	Unsealed
Sealable :	Unsealed
Sealable :	Unsealed
Sealable :	Unsealed
Weight [g] :	2
Weight [g] :	2
Weight [g] :	2
Weight [g] :	✔ 2
Weight [g] :	2
Weight [g] :	2
Weight [g] :	2
Weight [g] :	2
Weight [g] :	2
Weight [g] :	2
Weight [g] :	2
Weight [g] :	2
Weight [g] :	2
Weight [g] :	2
Weight [g] :	2
Weight [g] :	2
Plating :	Tin
Plating :	Tin
Plating :	Tin
Plating :	✔ Tin
Plating :	Tin
Plating :	Tin
Plating :	Tin
Plating :	Tin
Plating :	Tin

Plating :	Tin
Plating :	Tin
Plating :	Tin
Plating :	Tin
Minimum Cable Diameter [mm] :	3.36
Minimum Cable Diameter [mm] :	3.36
Minimum Cable Diameter [mm] :	3.36
Minimum Cable Diameter [mm] :	 3.36
Minimum Cable Diameter [mm] :	3.36
Minimum Cable Diameter [mm] :	3.36
Minimum Cable Diameter [mm] :	3.36
Minimum Cable Diameter [mm] :	3.36
Minimum Cable Diameter [mm] :	3.36
Minimum Cable Diameter [mm] :	3.36
Minimum Cable Diameter [mm] :	3.36
Minimum Cable Diameter [mm] :	3.36
Minimum Cable Diameter [mm] :	3.36
Maximum Cable Diameter [mm] :	3.97
Maximum Cable Diameter [mm] :	3.97
Maximum Cable Diameter [mm] :	3.97
Maximum Cable Diameter [mm] :	 3.97
Maximum Cable Diameter [mm] :	3.97
Maximum Cable Diameter [mm] :	3.97
Maximum Cable Diameter [mm] :	3.97
Maximum Cable Diameter [mm] :	3.97
Maximum Cable Diameter [mm] :	3.97
Maximum Cable Diameter [mm] :	3.97
Maximum Cable Diameter [mm] :	3.97
Maximum Cable Diameter [mm] :	3.97
Maximum Cable Diameter [mm] :	3.97
Maximum Cable Diameter [mm] :	3.97
Minimum Cable Core Cross Section [mm2] :	1.00
Minimum Cable Core Cross Section [mm2] :	1.00
Minimum Cable Core Cross Section [mm2] :	1.00
Minimum Cable Core Cross Section [mm2] :	 1.00
Minimum Cable Core Cross Section [mm2] :	1.00
Minimum Cable Core Cross Section [mm2] :	1.00
Minimum Cable Core Cross Section [mm2] :	1.00
Minimum Cable Core Cross Section [mm2] :	1.00

Inside Ring Diameter [mm] :	10.34
Inside Ring Diameter [mm] :	10.34
Inside Ring Diameter [mm] :	10.34
Inside Ring Diameter [mm] :	10.34
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	✓ 17.45
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	17.45
Outside Ring Diameter [mm] :	17.45
Remarks :	Stud Size: M10
Remarks :	Stud Size: M10
Remarks :	Stud Size: M10
Remarks :	✓ Stud Size: M10
Remarks :	Stud Size: M10
Remarks :	Stud Size: M10
Remarks :	Stud Size: M10
Remarks :	Stud Size: M10
Remarks :	Stud Size: M10
Remarks :	Stud Size: M10
Remarks :	Stud Size: M10
Remarks :	Stud Size: M10
Remarks :	Stud Size: M10
Remarks :	Stud Size: M10
RoHs compliant :	✓ Yes
ELV compliant :	✓ Yes

Certain products listed on this website may be subject to restricted usage or distribution or may not be available. For additional information, please contact your local sales office.

