




product catalogue 2016




FOLLOW THESE STEPS TO FIND YOUR LIBELIUM SOLUTION

Try our technology for IoT
Out-of-the-Box IoT Vertical Kits



Ready to install solution
Waspnote Plug & Sense!



Research and development
Waspnote OEM



1° Customize your device
Sensors + Connectivity + Power Options

+




2° Decide the way to access the data
Extracting the Data


+




3° Choose Support & Training options
Support Section



Make note
Product reference






Complete the
Order Form



Send to your
Sales Agent


WHAT ARE YOU LOOKING FOR?

You are	<h3>Testing IoT Market!</h3> 	<h3>Looking for a ready to install solution</h3> 	<h3>Doing research and development</h3> 
You need to	<ul style="list-style-type: none"> • Decide quickly the components to test. • Use your time to check if technology meets your requirements, not programming. • Maximize your budget: test the market with the minimum risk. 	<ul style="list-style-type: none"> • Reduce your time to market. • Save in development costs. • Focus on the solution. 	<ul style="list-style-type: none"> • Get the maximum flexibility in programming. • Use your extra time to save on support options.
The best option	<h3>Out-of-the-Box IoT Vertical Kits</h3> <ul style="list-style-type: none"> • Out-of-the-Box working demos. • Data visualization tool. • Includes online consultancy bonus. 	<h3>Wasp mote Plug & Sense!</h3> <ul style="list-style-type: none"> • Encapsulated and robust solution ready to install outdoors. • Factory programmed and configured devices. • Customized online support. 	<h3>Wasp mote OEM</h3> <ul style="list-style-type: none"> • Select the components one by one to test at the laboratory. • Free support through our forums and documentation. • Join our Free Overview Webinars to get quick insights about our technology.

Technology to get new customers

If you are exploring IoT possibilities with a pilot project, setting up a demo to engage with potential customers or just comparing technology options, time is the most important factor.

We have created five different IoT Vertical Kits addressing the most dynamic IoT verticals and one evaluator kit to ensure you get started in as fast as possible. The vertical kits are factory programmed with basic codes, include a visualization plugin in Meshlium¹ and 5 hours of technical consultancy so that you can have a working demo just by powering on the devices.



1.- Visualization plugin only available in IoT Vertical Kits.

We provide prices in USD to US customers. Please submit your RFQ, and we will provide you with the USD prices.

Intro

Configure your Hardware

Orders

Smart Cities IoT Vertical Kit



Application examples:

Application	Description	Sensors
Noise Urban Maps	Sound monitoring in bar areas and centric zones in real time.	Microphone (dBA).
Smart Lighting	Intelligent and weather adaptive lighting in street lights.	Luminosity (luxes accuracy).
Waste Management	Detection of rubbish levels in containers to optimize the trash collection routes.	Ultrasound.
Air Quality	Control of the pollution levels.	CO ₂ , NO ₂ , CO, O ₃
Weather Control	Monitor atmospheric conditions.	Humidity, Luminosity (LDR), Temperature.

Intro

Configure your Hardware

Orders

List of items included in the Smart Cities IoT Vertical Kit:

Item	Ref.	Quantity
Plug & Sense! Smart Cities 802.15.4 -PRO 5dBi	SC-802	1
Plug & Sense! Ambient Control 802.15.4 -PRO 5dBi	AC-802	2
Plug & Sense! Smart Environment 802.15.4 -PRO 5dBi	EN-802	1
Microphone (dBA) Sensor Probe	9259-P	1
Ultrasound Sensor Probe	9246-P	1
Luminosity (LDR) Sensor Probe	9205-P	3
Temperature + Humidity (Sensirion) Sensor Probe	9247-P	2
Luminosity (luxes accuracy) Sensor Probe	9325-P	2
CO ₂ Sensor Probe	9230-P	1
CO Sensor Probe	9229-P	1
NO ₂ Sensor Probe	9238-PB	1
O ₃ Sensor Probe	9258-PB	1
Atmospheric pressure Sensor Probe	9250-PB	1
6600mAh rechargeable battery + external solar panel	6600-EXT	4
Meshlium 802.15.4-PRO-3G-AP (Europe or America/Australia version)	M802-3G (E or A)	1
Technical consultancy 5 hours	TC-5	1
Plug & Sense! Programming Service	PROG	1
Meshlium visualization interface	MVIS	1



Ref / Total Price

SCIVK-E / 4.500 €

SCIVK-A / 4.500 €

Includes Meshlium Sensor Visualizer interface – 100 times free access limit. After 100 log-ins a license fee can be acquired to keep on using it.
There is no SSH access.
We do not provide these codes, the nodes are already programmed in Libelium. Do not overwrite the code.

Intro

Configure your Hardware

Orders

Smart Parking IoT Vertical Kit



Application examples:

Application	Description	Sensors
Smart Parking	Detection of free parking spots.	Electromagnetic field sensor. It is designed to be installed on the surface of parking spaces and to detect the arrival and departure of vehicles with an electromagnetic field sensor. It includes a polyamide casing.

Intro

Configure your Hardware

Orders

List of items included in the Smart Parking IoT Vertical Kit:

Item	Quantity
Plug & Sense! Smart Parking node	10
Smart Parking Installation Tools	1
Smart Parking USB Programmer	1
Magnet for contactless reset	1
Ref / Total Price	SPIVK / 4.200 €

10 x



Intro

Configure your Hardware

Orders

Smart Agriculture IoT Vertical Kit



Application examples:

Application	Description	Sensors
Wine Quality Enhancing	Monitoring soil moisture in vineyards to control the amount of sugar in grapes and grapevine health.	Soil moisture, soil temperature, humidity, leaf wetness, atmospheric pressure.
Green Houses	Control micro-climate conditions to maximize the production of fruits and vegetables.	Soil moisture, soil temperature, humidity, leaf wetness, atmospheric pressure.
Golf Courses Irrigation	Selective irrigation in dry zones to reduce the water resources required in the green.	Soil moisture (3 levels of depth).
Compost	Control of humidity and temperature levels in alfalfa, hay, straw, etc. to prevent fungus and other microbial contaminants.	Humidity, soil moisture, soil temperature.

Intro

Configure your Hardware

Orders

List of items included in the Smart Agriculture IoT Vertical Kit:

Item	Ref.	Quantity
Plug & Sense! Smart Agriculture-PRO 802.15.4-PRO 5dBi	SAP-802	2
Plug & Sense! Smart Agriculture 802.15.4 -PRO 5dBi	SA-802	1
Temperature + Humidity (Sensirion) Sensor Probe	9247-P	3
Atmospheric pressure Sensor Probe	9250-P	1
Soil moisture 1,5 m Sensor Probe	9248-P	3
Soil moisture 4,5 m Sensor Probe	9324-P	3
Solar radiation Sensor Probe	9251-P	2
Soil/Water temperature (Pt-1000) Sensor Probe	9255-P	2
Leaf wetness Sensor Probe	9249-P	3
WS-3000 (anemometer+ wind vane + pluviometer)	9256-P	1
6600mAh rechargeable battery + external solar panel	6600-EXT	3
Meshlium 802.15.4-PRO-3G-AP (Europe or America/Australia version)	M802-3G (E or A)	1
Technical consultancy 5 hrs	TC-5	1
Plug & Sense! Programming Service	PROG	1
Meshlium visualization interface	MVIS	1
Ref / Total Price		SAIVK-E / 4.790 € SAIVK-A / 4.790 €



Includes Meshlium Sensor Visualizer interface – 100 times free access limit. After 100 log-ins a license fee can be acquired to keep on using it.
There is no SSH access.
We do not provide these codes, the nodes are already programmed in Libelium. Do not overwrite the code.

Intro

Configure your Hardware

Orders

Smart Environment IoT Vertical Kit



Application examples:

Application	Description	Sensors
Forest Fire Detection	Monitoring of combustion gases and preemptive fire conditions to define alert zones.	CO, CO ₂ , temperature, humidity.
Air Pollution	Control of CO ₂ emissions, pollution from cars and toxic gases generated in factories or farms.	CO, CO ₂ .
Indoor Air Quality	Monitoring of gas levels and environmental conditions inside chemical plants to ensure workers and goods safety.	CO, CO ₂ , temperature, humidity.
Ozone Presence	Monitoring of ozone presence in the drying meat process in food factories.	O ₃ .

Intro


Configure your Hardware

Orders

List of items included in the Smart Environment IoT Vertical Kit:

Item	Ref.	Quantity
Plug & Sense! Smart Environment 802.15.4 -PRO 5dBi	EN-802	4
Temperature Sensor Probe	9203-P	4
Humidity Sensor Probe	9204-P	4
CO ₂ Sensor Probe	9230-P	4
CO Sensor Probe	9229-P	4
NO ₂ Sensor Probe	9238-PB	4
O ₃ Sensor Probe	9258-PB	4
6600mAh rechargeable battery + external solar panel	6600-EXT	4
Meshlium 802.15.4-PRO-3G-AP (Europe or America/Australia version)	M802-3G (E or A)	1
Technical consultancy 5 hrs	TC-5	1
P&S! Programming Service	PROG	1
Meshlium visualization interface	MVIS	1
Ref / Total Price		ENIVK-E / 4.850 € ENIVK-A / 4.850 €

*Includes Meshlium Sensor Visualizer interface – 100 times free access limit. After 100 log-ins a license fee can be acquired to keep on using it.
There is no SSH access.
We do not provide these codes, the nodes are already programmed in Libelium. Do not overwrite the code.*



Intro

Configure your Hardware

Orders

Smart Water IoT Vertical Kit



Application examples:

Application	Description	Sensors
Potable water monitoring	Monitor the quality of tap water in cities.	pH, ORP, Dissolved Oxygen (DO).
Chemical leakages	Detect leakages and wastes of factories in rivers.	Extreme pH values signal chemical spills, Dissolved Oxygen (DO).
Swimming pool remote measurement	Control remotely the swimming pool conditions.	pH, Oxidation Reduction Potential (ORP).
Pollution levels in the sea	Control real-time leakages and wastes in the sea.	Conductivity (Salinity), pH, Dissolved Oxygen (DO).

Intro

Configure your Hardware

Orders

List of items included in the Smart Water IoT Vertical Kit:

Item	Ref.	Quantity
Plug & Sense! Smart Water 802.15.4 -PRO 5dBi	SW-802	3
Conductivity Sensor Probe	9326-P	3
pH Sensor Probe	9328	3
Oxidation Reduction Potential Sensor Probe	9329	3
Conductivity Calibration Kit, K=0.1	9339	1
Conductivity Calibration Kit, K=1	9340	1
Conductivity Calibration Kit, K=10	9341	1
ORP Calibration Solution	9344	1
pH Calibration Kit	9343	1
Dissolved Oxygen Sensor Probe	9327	3
DO Calibration Kit	9342	1
6600mAh rechargeable battery + external solar panel	6600-EXT	3
Meshlium 802.15.4-PRO-3G-AP (Europe or America/Australia version)	M802-3G (E or A)	1
Technical consultancy 5 hrs	TC-5	1
Plug & Sense! Programming Service	PROG	1
Meshlium visualization interface	MVIS	1

Ref / Total Price

SWIVK-E / 5.150 €

SWIVK-A / 5.150 €



Includes Meshlium Sensor Visualizer interface – 100 times free access limit. After 100 log-ins a license fee can be acquired to keep on using it.
There is no SSH access.
We do not provide these codes, the nodes are already programmed in Libelium. Do not overwrite the code.

(*) Soil/Water temperature (Pt-1000) included in Plug & Sense! Smart Water.

Intro

Configure your Hardware

Orders

Air Quality Index IoT Vertical Kit



Application examples:

Application	Description	Sensors
Air Quality Index monitoring	Monitor the overall quality of the air with maximum accuracy and according to international standards.	Temperature, Humidity and Pressure, Carbon Monoxide (CO), Ozone (O ₃), Nitric Dioxide (NO ₂), Sulfur Dioxide (SO ₂), Particle Matter (PM1 / PM2.5 / PM10) - Dust
Ultraviolet radiation measurement	Control the UV radiation, which is dangerous for our skin. It also helps to adjust the O3 readings.	Ultraviolet

Intro

Configure your Hardware

Orders

List of items included in the Air Quality Index IoT Vertical Kit:

Item	Ref.	Quantity
P&S! SE-PRO 802.15.4-PRO 5dBi	SEP-802	1
P&S! SA-PRO 802.15.4-PRO 5dBi	SAP-802	1
Temperature, Humidity and Pressure	9370-P	1
Carbon Monoxide (CO) [Calibrated]	9371-P	1
Ozone (O ₃) [Calibrated]	9374-P	1
Nitric Dioxide (NO ₂) [Calibrated]	9376-P	1
Sulfur Dioxide (SO ₂) [Calibrated]	9377-P	1
Particle Matter (PM1 / PM2.5 / PM10) - Dust	9387-P	1
Ultraviolet	9257-P	1
6600mAh rechargeable battery + external solar panel	6600-EXT	2
Meshlium 802.15.4-PRO-3G-AP (Europe or America/Australia version)	M802-3G (E or A)	1
Technical consultancy 5 hrs	TC-5	1
P&S! Programming Service	PROG	1
Meshlium visualization interface	MVIS	1
Ref / Total Price	AQIIVK-E / 5.250 € AQIIVK-A / 5.250 €	



Includes Meshlium Sensor Visualizer interface – 100 times free access limit. After 100 log-ins a license fee can be acquired to keep on using it.
 There is no SSH access.
 We do not provide these codes, the nodes are already programmed in Libelium. Do not overwrite the code.

Intro

Configure your Hardware

Orders

More and New kits available at The IoT Marketplace!

The IoT Marketplace

— Make it real —

Interested in complete IoT kits?

Check our out-of-the-box kits containing programmed sensor devices connected to the best Cloud applications for use in pilots or proof of concept projects in the minimum time to market.

Get fully integrated solutions from hardware sensors to cloud applications to speed up IoT adoption.

www.the-iot-marketplace.com

Intro

Configure your Hardware

Orders

Evaluator Kit

This kit is designed to compare different radio technologies or create customized demos. It contains the most demanded products in our catalogue, so that you do not need to spend lots of time configuring your order.

To ensure you start testing the products as soon as possible, we include 1 attendee place at Libelium training course where you will learn from installing the IDE to program Waspote (more info about training courses on section [Support](#)).

Finally, we also include a 3-hour package of online technical consultancy, to solve quickly any doubt you may have when getting your hands on Waspote. Both training courses and consultancy hours are given with Libelium R&D engineers.



Evaluator Kit

3.350 €

Intro

Configure your Hardware

Orders

List of items included in the Evaluator Kit:

	Item	Pieces
Communication	Waspote 802.15.4 PRO SMA 5 dBi	4
	Waspote Gateway 802.15.4 PRO SMA 5 dBi	1
	GPRS + GPS Module	1
	3G Module (Europe or America/Australia version)	1
	Bluetooth Module PRO 5 dBi	1
	Waspote RFID 13.56 MHz	1
	13.56 MHz / NFC stickers (5 pack)	1
	WiFi module 5 dBi	1
Sensor Boards	Gases Board	2
	Events Board	2
	Smart Cities Board	2
	Agriculture PRO Board	1
	Prototyping Board	1
	Expansion Radio Board Module	2

	Item	Pieces
Sensors	Temperature sensor	4
	Humidity sensor	1
	CO sensor	1
	CO ₂ sensor	1
	Air pollutants I sensor	1
	NO ₂ sensor	1
	Presence sensor (PIR)	1
	Luminosity LDR sensor	4
	Dust Sensor	1
	Ultrasound sensor (indoor)	1
	Soil / Water temperature sensor	1
	Soil moisture sensor	1
	Solar radiation sensor	1
	Weather Station WS-3000 (anemometer + wind vane + pluviometer)	1
	Microphone (dBA)	1
Accessories	Rigid Solar Panel 7V – 500mA	2
	6600 mAh rechargeable battery	4
	MicroSD 2GB card pack (5 units)	1

	Item	Pieces
Support	Attendee place at Libelium training course*	1
	Technical consultancy – 3 hours package	1

Ref/Price	WEVA-E/ 3.350 €**	~5.100 €
	WEVA-A/ 3.350 €**	~5.100 €

* Please check our website or Support section for training courses calendar.
 ** When purchased as a kit, you save almost 35% on the retail price of these separate items.



Now that you have configured your hardware, go to the **Orders** section to place your order.



Intro

Models

Power Options

Accessories

Data

Support

Orders

Wasmote Plug & Sense!: technology ready to install

Wasmote Plug & Sense! is the the best option to use in commercial deployments. It has been designed with a robust waterproof enclosure that simplifies installation and maintenance process. Moreover, you can order them factory-programmed saving you development costs and time. The result is a ready to install and easy to deploy sensor device that reduces time to market in any application. You can focus on your customer and forget about the sensing part.

Any scenario	<ul style="list-style-type: none"> 80+ sensors available, up to 6 sensors per sensor device Communication: 802.15.4, 868/900MHz, LoRaWAN, LoRa, Sigfox, ZigBee, WiFi, 3G/GPRS and Bluetooth Low Energy
For real projects	<ul style="list-style-type: none"> Robust waterproof IP65 enclosure Solar powered with internal and external panel options
Fast installation	<ul style="list-style-type: none"> Factory-programmed and configured Special holders and brackets to install in street lights and building fronts ON / OFF external button External socket for SIM card
Easy maintenance	<ul style="list-style-type: none"> Remote firmware upgrades of multiple nodes at once (OTAP) Replace or add a sensor probe in seconds External, contactless device-reset with magnet




Configuring your Plug & Sense! device

You can customize any Wasmote Plug & Sense! model by choosing the radio, power option, sensors and optional accessories.

Since each sensor has different power requirements and dedicated circuitry, sensor probes can be attached only to certain sockets (named A - F in the figure). There is a sensors table in all the models explaining all the possible connections between sensor probes and sockets.

Each socket supports **one sensor at the same time**







Each socket supports one sensor at the same time



Sensor	Sockets					
	A	B	C	D	E	F
Temperature	✓					
Humidity		✓				
CO ₂			✓			
NO ₂				✓		
O ₂					✓	
CO	✓					✓

In this example the CO Sensor can be connected to the socket A or F indistinctly

Choosing your Plug & Sense! model

Smart Environment	Smart Environment PRO	Smart Agriculture	Smart Agriculture PRO	Smart Security	Ambient Control
					
<ul style="list-style-type: none"> - Temperature - Humidity - Atmospheric pressure - CO - CO₂ - O₂ - CH₄ - NH₃ - NO₂ - O₃ - Volatile Organic Compounds - Liquified petroleum gases - Air pollutants - I & II - Solvent vapors 	<ul style="list-style-type: none"> - CO - CO₂ - O₂ - O₃ - NO - NO₂ - SO₂ - NH₃ - CH₄ - (and other combustible gases) - Particle Matter (PM2.5 / PM10) - Dust Sensor - Temperature, Humidity and Pressure 	<ul style="list-style-type: none"> - Temperature + Humidity (Sensirion) - Atmospheric pressure - Anemometer + Wind vane + Pluviometer - Soil moisture (1.5 m) / (4.5 m) / (8 m) - Leaf wetness 	<ul style="list-style-type: none"> - Temperature - Soil / Water temperature - Solar radiation - Trunk diameter - Stem diameter - Fruit diameter - Temperature + Humidity (Sensirion) - Soil moisture (1.5 m)/(4.5 m)/(8 m) - Leaf wetness - Anemometer + Wind vane + Pluviometer (special configuration) 	<ul style="list-style-type: none"> - Temperature + Humidity (Sensirion) - Luminosity (LDR) - Presence (PIR) - Horizontal liquid level (water / combustibles) - Water leakage (point / line) - Hall effect - Water flow small - Water flow medium - Water flow large 	<ul style="list-style-type: none"> - Temperature + Humidity (Sensirion) - Luminosity (LDR) - Luminosity (Luxes accuracy)

We provide prices in USD to US customers. Please submit your RFQ, and we will provide you with the USD prices.

Intro

Models

Power Options

Accessories

Data

Support

Orders

Radiation Control

Smart Water

Smart Water Ions

Smart Cities

Smart Parking

Traffic Congestion



- Geiger tube [β , γ]
(Beta and Gamma)

- Soil / Water temperature
- Conductivity
- Dissolved Oxygen
- pH
- Turbidity

- Ammonium (NH_4^+)
- Bromide (Br^-)
- Calcium (Ca^{2+})
- Chloride (Cl^-)
- Cupric (Cu^{2+})
- Fluoride (F^-)
- Iodide (I^-)
- Fluoroborate (BF_4^-)
- Lithium (Li^+)
- Nitrate (NO_3^-)
- Nitrite (NO_2^-)
- Magnesium (Mg^{2+})
- Perchlorate (ClO_4^-)
- Potassium (K^+)
- Silver (Ag^+)
- Sodium (Na^+)
- pH
- Soil / Water Temperature

- Temperature
- Humidity
- Luminosity (LDR)
- Microphone (dBA)
- Linear displacement
- Ultrasound (outdoor IP67)

- Magnetic field
(3 axis):
· X axis
· Y axis
· Z axis

- Meshlium can detect WiFi and Bluetooth devices, like smart-phones and tablets. This enables the user to calculate the number of people passing through the range area.

We provide prices in USD to US customers. Please submit your RFQ, and we will provide you with the USD prices.

Intro

Models

Power Options

Accessories

Data

Support

Orders

Smart Environment

This model allows the use of a wide variety of gas sensors. Thus it is suitable for environmental applications and also for any scenario in security or industrial processes involving air monitoring.

Communication options	Ref.	Price
Plug & Sense! EN 802.15.4-PRO 5 dBi	EN-802	460 €
Plug & Sense! EN Digimesh-PRO 5 dBi	EN-DG	460 €
Plug & Sense! EN ZB-PRO 5 dBi	EN-ZB	460 €
Plug & Sense! EN WiFi 5 dBi	EN-W	460 €
Plug & Sense! EN GPRS	EN-GPRS	480 €
Plug & Sense! EN GPRS + GPS	EN-GPRS-GPS	500 €
Plug & Sense! EN 3G (Europe)	EN-3G-E	565 €
Plug & Sense! EN 3G (America / Australia)	EN-3G-A	565 €
Plug & Sense! EN 868 4.5 dBi	EN-868	555 €
Plug & Sense! EN LoRaWAN - 868	EN-LW-868	410 €
Plug & Sense! EN LoRaWAN - 433	EN-LW-900	410 €
Plug & Sense! EN LoRaWAN - 900	EN-LW-433	410 €
Plug & Sense! EN 900 4.5 dBi	EN-900	495 €
Plug & Sense! EN Sigfox - 868*	EN-SF-868	400 €
Plug & Sense! EN LoRa - 868	EN-LoRa-868	415 €
Plug & Sense! EN LoRa - 900	EN-LoRa-900	415 €
Plug & Sense! EN BLE 5 dBi	EN-BLE	470 €



Looking for a working and programmed demo with this product?
Try our out-of-the-box IoT Vertical kits!

* Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.
Check network availability in your country.
Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our [Sales Team](#) for more info.



Sensors available:

Sensor	Sockets						Ref.	Price
	A	B	C	D	E	F		
Temperature	✓						9203-P	19 €
Humidity		✓					9204-P	39 €
CO ₂			✓				9230-P	67 €
NO ₂				✓			9238-PB	32 €
O ₂					✓		9231-P	175 €
CO	✓					✓	9229-P	32 €
NH ₃	✓					✓	9233-P	130 €
CH ₄	✓					✓	9232-P	40 €
Liquified petroleum Gases (H ₂ , CH ₄ , ethanol & isobutane)	✓					✓	9234-P	40 €
Air pollutants-I (NH ₃ , SH ₂ , ethanol and toluene)	✓					✓	9235-P	35 €
Air pollutants-II (H ₂ , CH ₄ , CO, ethanol and isobutane)	✓					✓	9236-P	30 €
Solvent vapors (H ₂ , CH ₄ , CO, ethanol and isobutane)	✓					✓	9237-P	40 €
O ₃					✓		9258-PB	35 €
Volatile Organic Compounds					✓		9201-PB	31 €
Atmospheric pressure		✓					9250-P	37 €

Intro

Models

Power Options

Accessories

Data

Support

Orders

Smart Environment PRO

This model model has been created as an evolution of Smart Enviroment. It enables the user to implement pollution, air quality, industrial, environmental or farming projects with high requirements in terms of high accuracy, reliability and measurement range as the sensors come calibrated from factory.

Communication options	Ref.	Price
Plug & Sense! SE-PRO 802.15.4-PRO 5 dBi	SEP-802	460 €
Plug & Sense! SE-PRO Digimesh-PRO 5 dBi	SEP-DG	460 €
Plug & Sense! SE-PRO ZB-PRO 5 dBi	SEP-ZB	460 €
Plug & Sense! SE-PRO WiFi 5 dBi	SEP-W	460 €
Plug & Sense! SE-PRO GPRS	SEP-GPRS	480 €
Plug & Sense! SE-PRO GPRS + GPS	SEP-GPRS-GPS	500 €
Plug & Sense! SE-PRO 3G (Europe)	SEP-3G-E	565 €
Plug & Sense! SE-PRO 3G (America/Australia)	SEP-3G-A	565 €
Plug & Sense! SE-PRO 868 4.5 dBi	SEP-868	555 €
Plug & Sense! SE-PRO LoRaWAN - 868	SEP-LW-868	410 €
Plug & Sense! SE-PRO LoRaWAN - 900	SEP-LW-900	410 €
Plug & Sense! SE-PRO LoRaWAN - 433	SEP-LW-433	410 €
Plug & Sense! SE-PRO 900 4.5 dBi	SEP-900	495 €
Plug & Sense! SE-PRO Sigfox - 868*	SEP-SF-868	400 €
Plug & Sense! SE-PRO LoRa - 868	SEP-LoRa-868	415 €
Plug & Sense! SE-PRO LoRa - 900	SEP-LoRa-900	415 €
Plug & Sense! SE-PRO BLE 5 dBi	SEP-BLE	470 €



Looking for a working and programmed demo with this product?
Try our out-of-the-box IoT Vertical kits!

* Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.
 Check network availability in your country.
 Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our Sales Team for more info.

Intro

Models

Power Options

Accessories

Data

Support

Orders

Sensors available:

Sensor	Sockets						Ref.	Price
	A	B	C	D	E	F		
Temperature, Humidity and Pressure					✓		9370-P	30 €
CO (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9371-P	165 €
CO ₂ (Calibrated)* ⁽¹⁾	✓	✓	✓			✓	9372-P	540 €
O ₂ (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9373-P	200 €
O ₃ (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9374-P	290 €
NO (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9375-P	210 €
NO ₂ (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9376-P	175 €
SO ₂ (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9377-P	185 €
NH ₃ (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9378-P	370 €
CH ₄ and Combustible Gas (Calibrated)* ⁽¹⁾	✓	✓	✓			✓	9379-P	205 €
H ₂ (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9380-P	185 €
H ₂ S (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9381-P	190 €
HCl (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9382-P	340 €
PH ₃ (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9384-P	325 €
ETO (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9385-P	240 €
Cl ₂ (Calibrated) ⁽¹⁾	✓	✓	✓			✓	9386-P	250 €
Particle Matter (PM1 / PM2.5 / PM10) - Dust ⁽¹⁾				✓			9387-P	1150 €

Intro

Models

Power Options

Accessories

Data

Support

Orders

Smart Agriculture

This model allows the deployment of any Precision Agriculture application. Due to the complexity of some sensors, there are two versions: Smart Agriculture and Smart Agriculture-PRO.

Communication options	Ref.	Price
Plug & Sense! SA 802.15.4-PRO 5 dBi	SA-802	445 €
Plug & Sense! SA Digimesh-PRO 5 dBi	SA-DG	445 €
Plug & Sense! SA ZB-PRO 5 dBi	SA-ZB	445 €
Plug & Sense! SA WiFi 5 dBi	SA-W	445 €
Plug & Sense! SA GPRS	SA-GPRS	465 €
Plug & Sense! SA GPRS + GPS	SA-GPRS-GPS	475 €
Plug & Sense! SA 3G (Europe)	SA-3G-E	550 €
Plug & Sense! SA 3G (America/Australia)	SA-3G-A	550 €
Plug & Sense! SA 868 4.5 dBi	SA-868	535 €
Plug & Sense! SA 900 4.5 dBi	SA-900	470 €
Plug & Sense! SA LoRaWAN - 868	SA-LW-868	385 €
Plug & Sense! SA LoRaWAN - 900	SA-LW-900	385 €
Plug & Sense! SA LoRaWAN - 433	SA-LW-433	385 €
Plug & Sense! SA Sigfox - 868*	SA-SF-868	375 €
Plug & Sense! SA LoRa - 868	SA-LoRa-868	400 €
Plug & Sense! SA LoRa - 900	SA-LoRa-900	400 €
Plug & Sense! SA BLE 5 dBi	SA-BLE	455 €



Looking for a working and programmed demo with this product?
Try our out-of-the-box IoT Vertical kits!

** Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.
 Check network availability in your country.
 Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our Sales Team for more info.*

Intro

Models

Power Options

Accessories

Data

Support

Orders

Sensors available:

Sensor	Sockets						Ref.	Price
	A	B	C	D	E	F		
Temperature + Humidity (Sensirion)	✓						9247-P	90 €
Atmospheric pressure		✓					9250-P	37 €
Soil moisture 1.5 m			✓		✓	✓	9248-P	65 €
Soil moisture 4.5 m			✓		✓	✓	9324-P	80 €
Soil moisture 8 m			✓		✓	✓	9323-P	90 €
Soil temperature (DS18B20)			✓				86949-P	25 €
WS-3000 (anemometer + wind vane + pluviometer)				✓			9256-P	125 €
Leaf wetness						✓	9249-P	20 €

[Intro](#)
[Models](#)
[Power Options](#)
[Accessories](#)
[Data](#)
[Support](#)
[Orders](#)

Smart Agriculture PRO

The PRO version accepts more sensors than the Standard version.

Communication options	Ref.	Price
Plug & Sense! SA-PRO 802.15.4-PRO 5 dBi	SAP-802	470 €
Plug & Sense! SA-PRO Digimesh-PRO 5 dBi	SAP-DG	470 €
Plug & Sense! SA-PRO ZB-PRO 5 dBi	SAP-ZB	470 €
Plug & Sense! SA-PRO WiFi 5 dBi	SAP-W	470 €
Plug & Sense! SA-PRO GPRS	SAP-GPRS	490 €
Plug & Sense! SA-PRO GPRS + GPS	SAP-GPRS-GPS	510 €
Plug & Sense! SA-PRO 3G (Europe)	SAP-3G-E	575 €
Plug & Sense! SA-PRO 3G (America/Australia)	SAP-3G-A	575 €
Plug & Sense! SA-PRO 868 4.5 dBi	SAP-868	565 €
Plug & Sense! SA-PRO 900 4.5 dBi	SAP-900	500 €
Plug & Sense! SA-PRO LoRaWAN - 868	SAP-LW-868	415 €
Plug & Sense! SA-PRO LoRaWAN - 900	SAP-LW-900	415 €
Plug & Sense! SA-PRO LoRaWAN - 433	SAP-LW-433	415 €
Plug & Sense! SA-PRO Sigfox - 868*	SAP-SF-868	410 €
Plug & Sense! SA-PRO LoRa - 868	SAP-LoRa-868	425 €
Plug & Sense! SA-PRO LoRa - 900	SAP-LoRa-900	425 €
Plug & Sense! SA-PRO BLE 5 dBi	SAP-BLE	480 €



FC CE

Looking for a working and programmed demo with this product?
Try our out-of-the-box IoT Vertical kits!

* Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.
 Check network availability in your country.
 Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our Sales Team for more info.

Intro

Models

Power Options

Accessories

Data

Support

Orders

Sensors available:

Sensor	Sockets						Ref.	Price
	A	B	C	D	E	F		
Temperature + Humidity (Sensirion)	✓						9247-P	90 €
Soil/Water temperature (Pt-1000)		✓					9255-P	25 €
Solar radiation			✓				9251-P	195 €
Ultraviolet			✓				9257-P	340 €
Soil moisture 1.5 m				✓	✓	✓	9248-P	65 €
Soil moisture 4.5 m				✓	✓	✓	9324-P	80 €
Soil moisture 8 m				✓	✓	✓	9323-P	90 €
Soil temperature (DS18B20)				✓			86949-P	25 €
WS-3000 (anemometer + wind vane + pluviometer)*				✓			9256-P	125 €
Leaf wetness						✓	9249-P	20 €
Trunk diameter					✓		9252-P	500 €
Stem diameter					✓		9253-P	475 €
Fruit diameter					✓		9254-P	475 €

* Requires special Plug & Sense! Unit: socket D accepts one single sensor: WS-3000. Please consult your Sales agent.

[Intro](#)
[Models](#)
[Power Options](#)
[Accessories](#)
[Data](#)
[Support](#)
[Orders](#)

Smart Security

This model is designed to allow the detection of different events like movement, presence or water levels and can be used to trigger alarms and actions on these events.

Communication options	Ref.	Price
Plug & Sense! SE 802.15.4-PRO 5 dBi	SE-802	425 €
Plug & Sense! SE Digimesh-PRO 5 dBi	SE-DG	425 €
Plug & Sense! SE ZB-PRO 5 dBi	SE-ZB	425 €
Plug & Sense! SE WiFi 5 dBi	SE-W	425 €
Plug & Sense! SE GPRS	SE-GPRS	445 €
Plug & Sense! SE GPRS + GPS	SE-GPRS-GPS	460 €
Plug & Sense! SE 3G (Europe)	SE-3G-E	530 €
Plug & Sense! SE 3G (America/Australia)	SE-3G-A	530 €
Plug & Sense! SE 868 4.5 dBi	SE-868	515 €
Plug & Sense! SE 900 4.5 dBi	SE-900	455 €
Plug & Sense! SE LoRaWAN - 868	SE-LW-868	375 €
Plug & Sense! SE LoRaWAN - 900	SE-LW-900	375 €
Plug & Sense! SE LoRaWAN - 433	SE-LW-433	375 €
Plug & Sense! SE Sigfox - 868*	SE-SF-868	370 €
Plug & Sense! SE LoRa - 868	SE-LoRa-868	380 €
Plug & Sense! SE LoRa - 900	SE-LoRa-900	380 €
Plug & Sense! SE BLE 5 dBi	SE-BLE	435 €



* Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.
Check network availability in your country.
Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our Sales Team for more info.

Intro

Models

Power Options

Accessories

Data

Support

Orders

Sensors available:

Sensor	Sockets						Ref.	Price
	A	B	C	D	E	F		
Temperature + Humidity (Sensirion)	✓						9247-P	90 €
Water flow small		✓					9296-P	25 €
Water flow medium		✓					9297-P	35 €
Water flow large		✓					9298-P	37 €
Presence (PIR) *			✓				9212-P	59 €
Luminosity (LDR)				✓	✓	✓	9205-P	19 €
Water Leakage / Liquid Detection (Point)				✓	✓	✓	9243-P	22 €
Water Leakage / Liquid Detection (Line)				✓			9295-P	85 €
Horizontal liquid level (combustibles)				✓	✓	✓	9239-P	30 €
Horizontal liquid level (water)				✓	✓	✓	9240-P	30 €
Hall Effect				✓	✓	✓	9207-P	35 €

* The sensor can be placed in different positions and pointed directly to the required direction.

[Intro](#)
[Models](#)
[Power Options](#)
[Accessories](#)
[Data](#)
[Support](#)
[Orders](#)

Ambient Control

This model is advised for the large amount of scenarios that only need to monitor temperature, humidity and luminosity sensors.

Communication options	Ref.	Price
Plug & Sense! AC 802.15.4-PRO 5 dBi	AC-802	370 €
Plug & Sense! AC Digimesh-PRO 5 dBi	AC-DG	370 €
Plug & Sense! AC ZB-PRO 5 dBi	AC-ZB	370 €
Plug & Sense! AC WiFi 5 dBi	AC-W	370 €
Plug & Sense! AC GPRS	AC-GPRS	390 €
Plug & Sense! AC GPRS + GPS	AC-GPRS-GPS	410 €
Plug & Sense! AC 3G (Europe)	AC-3G-E	475 €
Plug & Sense! AC 3G (America/Australia)	AC-3G-A	475 €
Plug & Sense! AC 868 4.5 dBi	AC-868	460 €
Plug & Sense! AC 900 4.5 dBi	AC-900	400 €
Plug & Sense! AC LoRaWAN - 868	AC-LW-868	320 €
Plug & Sense! AC LoRaWAN - 900	AC-LW-900	320 €
Plug & Sense! AC LoRaWAN - 433	AC-LW-433	320 €
Plug & Sense! AC Sigfox - 868*	AC-SF-868	310 €
Plug & Sense! AC LoRa - 868	AC-LoRa-868	335 €
Plug & Sense! AC LoRa - 900	AC-LoRa-900	335 €
Plug & Sense! AC BLE 5 dBi	AC-BLE	380 €



* Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.
Check network availability in your country.
Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our Sales Team for more info.

Intro

Models

Power Options

Accessories

Data

Support

Orders

Sensors available:

Sensor	Sockets						Ref.	Price
	A	B	C	D	E	F		
Temperature + Humidity (sensirion)	✓						9247-P	90 €
Luminosity (LDR)		✓					9205-P	19 €
Luminosity (luxes accuracy)*			✓				9325-P	49 €

* The sensor can be placed in different positions and pointed directly to the required direction.

Intro

Models

Power Options

Accessories

Data

Support

Orders

Radiation Control

This model can only attach one sensor for measuring radiation levels in nuclear centrals and surroundings.

Communication options	Ref.	Price
Plug & Sense! RA 802.15.4-PRO 5 dBi	RA-802	500 €
Plug & Sense! RA Digimesh-PRO 5 dBi	RA-DG	500 €
Plug & Sense! RA ZB-PRO 5 dBi	RA-ZB	500 €
Plug & Sense! RA WiFi 5 dBi	RA-W	500 €
Plug & Sense! RA GPRS	RA-GPRS	520 €
Plug & Sense! RA GPRS + GPS	RA-GPRS-GPS	535 €
Plug & Sense! RA 3G (Europe)	RA-3G-E	610 €
Plug & Sense! RA 3G (America/Australia)	RA-3G-A	610 €
Plug & Sense! RA 868 4.5 dBi	RA-868	595 €
Plug & Sense! RA 900 4.5 dBi	RA-900	530 €
Plug & Sense! RA LoRaWAN - 868	RA-LW-868	450 €
Plug & Sense! RA LoRaWAN - 900	RA-LW-900	450 €
Plug & Sense! RA LoRaWAN - 433	RA-LW-433	450 €
Plug & Sense! RA Sigfox - 868*	RA-SF-868	445 €
Plug & Sense! RA LoRa - 868	RA-LoRa-868	450 €
Plug & Sense! RA LoRa - 900	RA-LoRa-900	450 €
Plug & Sense! RA BLE 5 dBi	RA-BLE	510 €



FC CE

** Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.
Check network availability in your country.
Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our Sales Team for more info.*

[Intro](#)
[Models](#)
[Power Options](#)
[Accessories](#)
[Data](#)
[Support](#)
[Orders](#)

Smart Water

The Smart Water model has been conceived to facilitate the remote monitoring of the most relevant parameters related to water quality. With this platform you can measure more than 6 parameters, including the most relevant for water control such as dissolved oxygen, oxidation-reduction potential, pH, conductivity and temperature. An extremely accurate turbidity sensor has been integrated as well.

Communication options	Ref.	Price
Plug & Sense! SW 802.15.4-PRO 5 dBi	SW-802	530 €
Plug & Sense! SW Digimesh-PRO 5 dBi	SW-DG	530 €
Plug & Sense! SW ZB-PRO 5 dBi	SW-ZB	530 €
Plug & Sense! SW WiFi 5 dBi	SW-W	530 €
Plug & Sense! SW GPRS	SW-GPRS	550 €
Plug & Sense! SW GPRS + GPS	SW-GPRS-GPS	570 €
Plug & Sense! SW 3G (Europe)	SW-3G-E	635 €
Plug & Sense! SW 3G (America/Australia)	SW-3G-A	635 €
Plug & Sense! SW 868 4.5 dBi	SW-868	620 €
Plug & Sense! SW 900 4.5 dBi	SW-900	560 €
Plug & Sense! SW LoRaWAN - 868	SW-LW-868	460 €
Plug & Sense! SW LoRaWAN - 900	SW-LW-900	460 €
Plug & Sense! SW LoRaWAN - 433	SW-LW-433	460 €
Plug & Sense! SW Sigfox - 868*	SW-SF-868	450 €
Plug & Sense! SW LoRa - 868	SW-LoRa-868	480 €
Plug & Sense! SW LoRa - 900	SW-LoRa-900	480 €
Plug & Sense! SW BLE 5 dBi	SW-BLE	540 €



Looking for a working and programmed demo with this product?
Try our out-of-the-box IoT Vertical kits!

* Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.
Check network availability in your country.
Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our Sales Team for more info.

Sensors available:

Sensor	Sockets						Ref.	Price
	A	B	C	D	E	F		
Soil/Water temperature (Pt-1000)*				✓			9255-P	25 €
Conductivity						✓	9326-P	43 €
Dissolved Oxygen					✓		9327	340 €
pH		✓	✓				9328	17 €
Oxidation Reduction Potential		✓	✓				9329	45 €
Turbidity**						✓	9353-P	2900 €

Not compatible with LoRa.

* Each Smart Water node includes a Soil/Water temperature probe in the price.

** This item includes all the additional electronics for the turbidity sensor probe. The sensor is sold calibrated from factory. It must be purchased with its corresponding Plug & Sense! Smart Water node; available on demand.

Intro

Models

Power Options

Accessories

Data

Support

Orders

For Smart Water sensors, it is highly recommended to purchase calibration solutions to calculate accurate measurement. One kit is enough for several sensor units.

Calibration Kit	Ref.	Price
Conductivity Calibration Kit, K=0.1	9339	23 €
Conductivity Calibration Kit, K=1	9340	23 €
Conductivity Calibration Kit, K=10	9341	23 €
DO Calibration Solution	9342	35 €
pH Calibration Kit	9343	52 €
ORP Calibration Solution	9344	35 €
Turbidity Calibration Kit (low)	TCL	120 €
Turbidity Calibration Kit (high)	TCH	155 €



We provide prices in USD to US customers. Please submit your RFQ, and we will provide you with the USD prices.

[Intro](#)
[Models](#)
[Power Options](#)
[Accessories](#)
[Data](#)
[Support](#)
[Orders](#)

Smart Water Ions

The Smart Water Ions models specialize in the measurement of ions concentration for drinking water quality control, agriculture water monitoring, swimming pools or waste water treatment. Due to the existence of 3 types for the reference probe and 2 types of sensor probes ("normal" and PRO), there are 3 variants: Smart Water Ions Single, Smart Water Ions Double and Smart Water Ions PRO. See below the suitable version depending on the sensors needed.

Communication options	Ref.	Price
Plug & Sense! SWI Single 802.15.4-PRO 5dBi	SWI-S-802	525 €
Plug & Sense! SWI Single Digimesh-PRO 5dBi	SWI-S-DG	525 €
Plug & Sense! SWI Single ZB-PRO 5dBi	SWI-S-ZB	525 €
Plug & Sense! SWI Single WiFi 5dBi	SWI-S-W	530 €
Plug & Sense! SWI Single GPRS	SWI-S-GPRS	540 €
Plug & Sense! SWI Single GPRS + GPS	SWI-S-GPRS-GPS	570 €
Plug & Sense! SWI Single 3G (Europe)	SWI-S-3G-E	620 €
Plug & Sense! SWI Single 3G (America/Australia)	SWI-S-3G-A	620 €
Plug & Sense! SWI Single 868 4.5dBi	SWI-S-868	560 €
Plug & Sense! SWI Single 900 4.5dBi	SWI-S-900	545 €
Plug & Sense! SWI Single LoRaWAN - 868	SWI-S-LW-868	425 €
Plug & Sense! SWI Single LoRaWAN - 900	SWI-S-LW-900	425 €
Plug & Sense! SWI Single LoRaWAN - 433	SWI-S-LW-433	425 €
Plug & Sense! SWI Single Sigfox - 868*	SWI-S-SF-868	420 €
Plug & Sense! SWI Single LoRa - 868	SWI-S-LoRa-868	495 €
Plug & Sense! SWI Single LoRa - 900	SWI-S-LoRa-900	495 €
Plug & Sense! SWI Single BLE 5dBi	SWI-S-BLE	500 €



Looking for a working and programmed demo with this product?
Try our out-of-the-box IoT Vertical kits!

* Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.
 Check network availability in your country.
 Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our Sales Team for more info.

Intro Models Power Options Accesories Data Support Orders

Sensors available :

Sensor	Sockets						Ref.	Price
	A	B	C	D	E	F		
Soil/Water temperature (Pt-1000)*						✓	9255-P	25 €
Single Junction Reference*					✓		9350	65 €
Calcium Ion (Ca ²⁺)	✓	✓	✓	✓			9352	170 €
Fluoride Ion (F ⁻)	✓	✓	✓	✓			9353	170 €
Fluoroborate Ion (BF ₄ ⁻)	✓	✓	✓	✓			9354	170 €
Nitrate Ion (NO ₃ ⁻)	✓	✓	✓	✓			9355	170 €
pH (for Smart Water Ions)	✓	✓	✓	✓			9363	45 €

* Each Smart Water Ions node, Single variant, includes a Soil/Water temperature probe and a Single Junction Reference probe in the price.

[Intro](#)
[Models](#)
[Power Options](#)
[Accessories](#)
[Data](#)
[Support](#)
[Orders](#)

The Double variant accepts other type of sensors than the Single variant.

Communication options	Ref.	Price
Plug & Sense! SWI Double 802.15.4-PRO 5dBi	SWI-D-802	560 €
Plug & Sense! SWI Double Digimesh-PRO 5dBi	SWI-D-DG	560 €
Plug & Sense! SWI Double ZB-PRO 5dBi	SWI-D-ZB	560 €
Plug & Sense! SWI Double WiFi 5dBi	SWI-D-W	570 €
Plug & Sense! SWI Double GPRS	SWI-D-GPRS	575 €
Plug & Sense! SWI Double GPRS + GPS	SWI-D-GPRS-GPS	610 €
Plug & Sense! SWI Double 3G (Europe)	SWI-D-3G-E	655 €
Plug & Sense! SWI Double 3G (America/Australia)	SWI-D-3G-A	655 €
Plug & Sense! SWI Double 868 4.5dBi	SWI-D-868	595 €
Plug & Sense! SWI Double 900 4.5dBi	SWI-D-900	585 €
Plug & Sense! SWI Double LoRaWAN - 868	SWI-D-LW-868	425 €
Plug & Sense! SWI Double LoRaWAN - 900	SWI-D-LW-900	425 €
Plug & Sense! SWI Double LoRaWAN - 433	SWI-D-LW-433	425 €
Plug & Sense! SWI Double Sigfox - 868*	SWI-D-SF-868	420 €
Plug & Sense! SWI Double LoRa – 868	SWI-D-LoRa-868	530 €
Plug & Sense! SWI Double LoRa – 900	SWI-D-LoRa-900	530 €
Plug & Sense! SWI Double BLE 5dBi	SWI-D-BLE	535 €



FC CE

* Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.
Check network availability in your country.
Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our Sales Team for more info.

Intro

Models

Power Options

Accessories

Data

Support

Orders

Sensors available (they are “normal”, not PRO):

Sensor	Sockets						Ref.	Price
	A	B	C	D	E	F		
Soil/Water temperature (Pt-1000)*						✓	9255-P	25 €
Double Junction Reference*					✓		9351	100 €
Bromide Ion (Br^-)	✓	✓	✓	✓			9356	170 €
Chloride Ion (Cl^-)	✓	✓	✓	✓			9357	170 €
Cupric Ion (Cu^{2+})	✓	✓	✓	✓			9358	170 €
Iodide Ion (I^-)	✓	✓	✓	✓			9360	170 €
Silver Ion (Ag^+)	✓	✓	✓	✓			9362	170 €
pH (for Smart Water Ions)	✓	✓	✓	✓			9363	45 €

* Each Smart Water Ions node, Double variant, includes a **Soil/Water temperature probe** and a **Double Junction Reference probe** in the price.

[Intro](#)
[Models](#)
[Power Options](#)
[Accessories](#)
[Data](#)
[Support](#)
[Orders](#)

The PRO variant is able to read PRO sensors, with higher performance than the “normal” sensors (Single or Double).

Communication options	Ref.	Price
Plug & Sense! SWI PRO 802.15.4-PRO 5dBi	SWI-PRO-802	880 €
Plug & Sense! SWI PRO Digimesh-PRO 5dBi	SWI-PRO-DG	880 €
Plug & Sense! SWI PRO ZB-PRO 5dBi	SWI-PRO-ZB	880 €
Plug & Sense! SWI PRO WiFi 5dBi	SWI-PRO-W	890 €
Plug & Sense! SWI PRO GPRS	SWI-PRO-GPRS	890 €
Plug & Sense! SWI PRO GPRS + GPS	SWI-PRO-GPRS-GPS	925 €
Plug & Sense! SWI PRO 3G (Europe)	SWI-PRO-3G-E	975 €
Plug & Sense! SWI PRO 3G (America/Australia)	SWI-PRO-3G-A	975 €
Plug & Sense! SWI PRO 868 4.5dBi	SWI-PRO-868	915 €
Plug & Sense! SWI PRO 900 4.5dBi	SWI-PRO-900	915 €
Plug & Sense! SWI PRO LoRaWAN - 868	SWI-PRO-LW-868	780 €
Plug & Sense! SWI PRO LoRaWAN - 900	SWI-PRO-LW-900	780 €
Plug & Sense! SWI PRO LoRaWAN - 433	SWI-PRO-LW-433	780 €
Plug & Sense! SWI PRO Sigfox – 868 *	SWI-PRO-SF-868	780 €
Plug & Sense! SWI PRO LoRa – 868	SWI-PRO-LoRa-868	850 €
Plug & Sense! SWI PRO LoRa – 900	SWI-PRO-LoRa-900	850 €
Plug & Sense! SWI PRO BLE 5dBi	SWI-PRO-BLE	855 €



* Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.
Check network availability in your country.
Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our Sales Team for more info.

Intro Models Power Options Accesories Data Support Orders

These are the PRO sensors available:

Sensor	Sockets						Ref.	Price
	A	B	C	D	E	F		
Soil/Water temperature (Pt-1000)*						✓	9255-P	25 €
Reference [PRO]*					✓		9410	420 €
Ammonium Ion (NH_4^+) [PRO]	✓	✓	✓	✓			9412	420 €
Bromide Ion (Br^-) [PRO]	✓	✓	✓	✓			9413	765 €
Calcium Ion (Ca^{2+}) [PRO]	✓	✓	✓	✓			9414	420 €
Chloride Ion (Cl^-) [PRO]	✓	✓	✓	✓			9415	420 €
Cupric Ion (Cu^{2+}) [PRO]	✓	✓	✓	✓			9416	765 €
Fluoride Ion (F^-) [PRO]	✓	✓	✓	✓			9417	765 €
Iodide Ion (I^-) [PRO]	✓	✓	✓	✓			9418	765 €
Lithium Ion (Li^+) [PRO]	✓	✓	✓	✓			9419	765 €
Magnesium Ion (Mg^{2+}) [PRO]	✓	✓	✓	✓			9420	420 €
Nitrate Ion (NO_3^-) [PRO]	✓	✓	✓	✓			9421	420 €
Nitrite Ion (NO_2^-) [PRO]	✓	✓	✓	✓			9422	765 €
Perchlorate Ion (ClO_4^-) [PRO]	✓	✓	✓	✓			9423	765 €
Potassium Ion (K^+) [PRO]	✓	✓	✓	✓			9424	420 €
Silver Ion (Ag^+) [PRO]	✓	✓	✓	✓			9425	765 €
Sodium Ion (Na^+) [PRO]	✓	✓	✓	✓			9426	420 €
pH (for Smart Water Ions) [PRO]	✓	✓	✓	✓			9411	420 €

* Each Smart Water Ions node, Double variant, includes a Soil/Water temperature probe and a Double Junction Reference probe in the price.

Intro

Models

Power Options

Accessories

Data

Support

Orders

For Smart Water Ions sensors, it is highly recommended to purchase calibration solutions to calculate accurate measurement. One kit is enough for several sensor units.

Calibration Kit	Ref.	Price
Multi-Ions Calibration Kit (Ammonium, Calcium, Chloride, Magnesium, Nitrate, Potassium, Sodium)	9445	120 €
Bromide Calibration Kit	9388	99 €
Calcium Calibration Kit	9366	99 €
Chloride Calibration Kit	9389	99 €
Cupric Calibration Kit	9390	99 €
Fluoride Calibration Kit	9367	99 €
Fluoroborate Calibration Kit	9368	99 €
Iodide Calibration Kit	9391	99 €
Lithium Calibration Kit	9446	120 €
Nitrate Calibration Kit	9369	99 €
Nitrite Calibration Kit	9447	120 €
Perchlorate Calibration Kit	9448	120 €
Silver Calibration Kit	9392	99 €
pH Calibration Kit	9343	52 €



Intro

Models

Power Options

Accessories

Data

Support

Orders

Smart Cities

This model allows to deploy many Smart Cities and Smart Buildings applications.

Communication options	Ref.	Price
Plug & Sense! SC 802.15.4-PRO 5 dBi	SC-802	460 €
Plug & Sense! SC Digimesh-PRO 5 dBi	SC-DG	460 €
Plug & Sense! SC ZB-PRO 5 dBi	SC-ZB	460 €
Plug & Sense! SC WiFi 5 dBi	SC-W	460 €
Plug & Sense! SC GPRS	SC-GPRS	480 €
Plug & Sense! SC GPRS + GPS	SC-GPRS-GPS	495 €
Plug & Sense! SC 3G (Europe)	SC-3G-E	565 €
Plug & Sense! SC 3G (America/Australia)	SC-3G-A	565 €
Plug & Sense! SC 868 4.5 dBi	SC-868	555 €
Plug & Sense! SC 900 4.5 dBi	SC-900	490 €
Plug & Sense! SC LoRaWAN - 868	SC-LW-868	400 €
Plug & Sense! SC LoRaWAN - 900	SC-LW-900	400 €
Plug & Sense! SC LoRaWAN - 433	SC-LW-433	400 €
Plug & Sense! SC Sigfox - 868*	SC-SF-868	390 €
Plug & Sense! SC LoRa - 868	SC-LoRa-868	415 €
Plug & Sense! SC LoRa - 900	SC-LoRa-900	415 €
Plug & Sense! SC BLE 5 dBi	SC-BLE	470 €



Looking for a working and programmed demo with this product?
Try our out-of-the-box IoT Vertical kits!

* Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.
 Check network availability in your country.
 Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our Sales Team for more info.

Intro

Models

Power Options

Accessories

Data

Support

Orders

Sensors available:

Sensor	Sockets						Ref.	Price
	A	B	C	D	E	F		
Temperature	✓						9203-P	19 €
Humidity		✓					9204-P	39 €
Luminosity (LDR)			✓				9205-P	19 €
Microphone (dBA)				✓			9259-P	28 €
Linear Displacement*						✓	9319-P	375 €
Ultrasound**	✓	✓					9246-P	159 €

* Fastening accessories are available on demand. Consult the Sales Department.

** The sensor can be placed in different positions and pointed directly to the required direction.

Intro

Models

Power Options

Accessories

Data

Support

Orders

Smart Parking

This model allows to detect free parking spots. It is designed to be screwed on the surface of parking slots and to detect the arrival and departure of vehicles with an electromagnetic field sensor. It includes a robust polyamide enclosure for a fast and easy surface installation.

This node comes with 2 radios, Sigfox and LoRaWAN, which benefit from all the LPWAN characteristics. The device is easily configured from a PC and can even be reconfigured with the Remote Manager, from the cloud.

This model comes with a non-rechargeable battery of 10.4 Ah.



Looking for a working and programmed demo with this product?
Try our out-of-the-box IoT Vertical kits!

Intro

Models

Power Options

Accessories


Data

Support

Orders

Smartphone Detection for Traffic Congestion and pedestrian counting

This application is performed with Meshlium and it is the only one that does not allow to attach any sensor. Meshlium can detect any Smartphone in the area by measuring WiFi and Bluetooth activity. This way, pedestrian and traffic congestion can be determined in real time. Meshlium is also the Internet Gateway for Waspote Plug & Sense! It is possible to combine these two features (scanning and internet gateway) within the same machine. For more information about Meshlium models and prices [see Meshlium section](#).



Power options

One of the following options is necessary for each Plug & Sense! unit.

Power options	Ambient Control	Smart Cities	Smart Parking ⁽³⁾	Smart Environment	Smart Environment PRO	Smart Agriculture	Smart Security	Smart Water	Smart Water Ions	Radiation Control	Ref.	Price
6600mAh rechargeable battery + external solar panel 7V - 500mA	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	6600-EXT	65 €
6600mAh rechargeable battery + internal solar panel 6.5V - 205mA	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	6600-INT	36 €
6600mAh rechargeable battery + 220V adapter	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	6600-220V	33 €
6600mAh rechargeable battery + 220V adapter + outdoors USB cable ⁽¹⁾	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	6600-220V-OUT	43 €
6600mAh rechargeable battery + 220V adapter + plug adapter ⁽²⁾	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	6600-220V-J	39 €
26Ah non – rechargeable ⁽⁴⁾	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	6022	73 €

1.- Includes a special USB cable, waterproof in the Plug & Sense! end.

2.- Includes adapter for the mains electricity in countries like USA, UK, Australia, Canada, China, Japan, Singapore or Hong Kong.

3.- Smart Parking comes by default with a 10.4 Ah non-rechargeable battery; other power options do not make sense.

4.- This power option is not available for GPRS, GPRS+GPS, or 3G nodes.

We provide prices in USD to US customers. Please submit your RFQ, and we will provide you with the USD prices.

Accessories

The following items are optional. Feel free to choose!

Accessories	Ambient Control	Smart Cities	Smart Parking	Smart Environment	Smart Environment PRO	Smart Agriculture	Smart Security	Smart Water	Smart Water Ions	Radiation Control	Ref.	Price
Extension cord 1.5 m ⁽¹⁾	✓	✓	X	✓	X	✓	✓	✓ ⁽²⁾	✓ ⁽²⁾	X	10250	8 €
Extension cord 3 m ⁽¹⁾	✓	✓	X	✓	X	✓	✓	✓ ⁽²⁾	✓ ⁽²⁾	X	10251	10 €
Magnet for contactless reset ⁽³⁾	✓	✓	✓ ⁽⁴⁾	✓	✓	✓	✓	✓	✓	✓	10342	25 €

1.- Extension cords are compliant with most sensor probes. One extension cord per sensor required.

2.- In Smart Water or Smart Water Ions, extension cords are only compliant with the Soil/Water temperature probe.

3.- A single magnet can be used for many motes. It is highly recommended.

4.- The magnet is EXTREMELY recommended for Smart Parking.



Now that you have configured your hardware, go to **Data** section to decide how to connect to the Cloud.



We provide prices in USD to US customers. Please submit your RFQ, and we will provide you with the USD prices.

Intro

Sensors

Connectivity

Power Options

Data

Support



Orders

Wasp mote OEM: technology for developers

Wasp mote OEM is the best option to research and develop. With a good C++ programming level, you can explore multiple possibilities with its Open Source API, 400+ online code examples and documentation.

Since it has no enclosure, you can try all kind of different hardware combinations, it is more handy to work with it at your lab table and you can use that extra money in getting more sensors and communication modules.

For configuring your hardware you will have to choose:



Board + Sensors

+




Communication Protocol

+



Power Supply

=



Your Custom Device

Intro

Sensors

Connectivity

Power Options

Data

Support

Orders

Sensors

To make it easier the deployment of sensor networks we have created 10 sensor boards to integrate more than 80 different sensors.

Gases



- CO
- CO₂
- O₂
- CH₄
- NH₃
- NO₂
- O₃ ⁽¹⁾
- Temperature
- Humidity
- Atmospheric pressure
- Volatile Organic Compounds ⁽¹⁾
- Liquified petroleum gases (H₂, CH₄, ethanol & isobutane)
- Air pollutants I (NH₃, SH₂, ethanol and toluene)
- Air pollutants II (H₂, CH₄, CO, ethanol & isobutane)
- Solvent vapors (H₂, CH₄, CO, ethanol & isobutane)

WGAS - 120 €

Gases PRO



- CO
- CO₂
- O₂
- O₃
- NO
- NO₂
- SO₂
- NH₃
- CH₄
- H₂
- H₂S
- HCl
- PH₃
- ETO
- Cl₂
- (and other combustible gases)
- Particle Matter (PM1 / PM2.5 / PM10) – Dust Sensor ⁽²⁾
- Temperature, Humidity and Pressure

WGASPRO - 60 €

Events



- Temperature
- Luminosity LDR
- Presence PIR
- Horizontal liquid level (combustibles) / (water)
- Vertical liquid level (water)
- Water presence
- Hall effect ⁽³⁾
- Vibration
- Water flow small
- Water flow medium
- Water flow large

WEVENTS - 75 €

Cities



- Temperature
- Humidity
- Luminosity LDR
- Microphone (dBA)
- Ultrasound (indoor)
- Ultrasound (outdoor IP67)
- Linear displacement ⁽³⁾
- Dust

WCITIES - 120 €

1. O₃ and VOC sensors go in the same socket, thus, they cannot work in the same board at the same time.

2. Only available in the Plug & Sense! Smart Environment PRO line.

3. For doors and windows.

3. Fastening accessories are available on demand. Consult the Sales Department.

We provide prices in USD to US customers. Please submit your RFQ, and we will provide you with the USD prices.

Intro

Sensors




Connectivity

Power Options

Data

Support

Orders

Parking *	Agriculture	Agriculture PRO	Prototyping
			
<ul style="list-style-type: none"> - Magnetic Field (3 axis): <p><i>* Always supplied with a Waspnote.</i></p> <p><i>Note: Smart Parking is only available with the Plug & Sense! line.</i></p>	<ul style="list-style-type: none"> - Temperature - Humidity - Luminosity LDR - Anemometer + wind vane + pluviometer - Temperature + humidity (Sensirion) - Soil moisture ⁽⁴⁾ (1.5 m) / (4.5 m) / (8 m) - Leaf wetness 	<ul style="list-style-type: none"> - Temperature - Humidity - Luminosity LDR - Anemometer + wind vane + pluviometer - Temperature + humidity (Sensirion) - Soil moisture ⁽⁴⁾ (1.5 m) / (4.5 m) / (8 m) - Leaf wetness - Soil/Water temperature - Solar radiation - Trunk diameter - Stem diameter - Fruit diameter - Ultraviolet radiation 	<ul style="list-style-type: none"> - Pad Area - Integrated Circuit Area - Analog-to-Digital Converter (16b)
	WAGR - 150 €	WAGRPRO - 225 €	WPROT - 40 €

4. In each agriculture board 3 soil moistures can be connected in order to measure the parameter in different depth levels.

Intro

Sensors

Connectivity

Power Options

Data

Support

Orders

Video Camera Standard / Advanced *

Radiation

4-20 mA (Current Loop)



- Camera
- Luminosity
- Infra-Red (IR)
- Presence (PIR)

** Must always be purchased with a 3G module. Includes IR, luminosity (LDR) and PIR sensors.*

- Geiger tube [β , γ]
(Beta and Gamma)

- Sensors and Instruments
- Remote transducers
- Monitoring processes
- Data transmission in industrial ambients

The user can choose among a wide variety of standard sensors

WCAM-ST / WCAM-ADV (Available on demand)

WRADIATION - 115 €

W420 - 45 €

Intro

Sensors

Connectivity

Power Options

Data

Support

Orders

Smart Water *



- Soil/Water Temperature
- Conductivity
- Dissolved Oxygen
- pH
- Turbidity**

* Contains Soil/Water temperature sensor and 3 BNC pigtails.

** This item includes all the additional electronics for the turbidity sensor. The sensor is sold calibrated from factory.

WWATER - 165 €

Smart Water Ions



- Ammonium (NH_4^+)
- Bromide (Br^-)
- Calcium (Ca^{2+})
- Chloride (Cl^-)
- Cupric (Cu^{2+})
- Fluoride (F^-)
- Iodide (I^-)
- Fluoroborate (BF_4^-)
- Lithium (Li^+)
- Nitrate (NO_3^-)
- Nitrite (NO_2^-)
- Magnesium (Mg^{2+})
- Perchlorate (ClO_4^-)
- Potassium (K^+)
- Silver (Ag^+)
- Sodium (Na^+)
- pH
- Soil / Water Temperature

- Single Junction Reference Probe
- Double Junction Reference Probe
- Reference Probe [PRO]

* Contains Soil/Water temperature sensor and 5 BNC pigtails. Ion sensors need Reference Probe.

WWIONS - 120 €

Intro

Sensors

Connectivity

Power Options

Data

Support

Orders

Please note that each board is only compatible with certain sensors. Boards and sensors have to be purchased separately. Sensors are not included in the board price (unless stated otherwise)

Sensor	Ref.	Price	Sensor	Ref.	Price	Sensor	Ref.	Price
Temperature	9203	4 €	CO	9229	24 €	O ₃ (Calibrated) ⁽⁴⁾	9374	270 €
Humidity	9204-5V	24 €	CO ₂	9230	55 €	NO (Calibrated) ⁽⁴⁾	9375	195 €
Humidity (Events Board version)	9204-3V	24 €	O ₂	9231	115 €	NO ₂ (Calibrated) ⁽⁴⁾	9376	160 €
Luminosity LDR	9205	4 €	CH ₄	9232	26 €	SO ₂ (Calibrated) ⁽⁴⁾	9377	170 €
Microphone (dBA)	9259	20 €	NH ₃	9233	120 €	NH ₃ (Calibrated) ⁽⁴⁾	9378	350 €
Linear displacement ⁽¹⁾	9319	300 €	NO ₂	9238-B	17 €	CH ₄ and Combustible Gas (Calibrated) ⁽⁴⁾	9379	195 €
Dust	9320	20 €	Ozone-O ₃ ⁽³⁾	9258-B	20 €	H ₂ (Calibrated) ⁽⁴⁾	9380	165 €
Pressure/ Weight	9219	35 €	Volatile Organic Compounds ⁽³⁾	9201-B	16 €	H ₂ S (Calibrated) ⁽⁴⁾	9381	170 €
Presence (PIR)	9212	18 €	Liquified petroleum gases (H ₂ , CH ₄ , ethanol & isobutane)	9234	28 €	HCl (Calibrated) ⁽⁴⁾	9382	320 €
Horizontal liquid level (combustibles)	9239	20 €	Air pollutants-I (NH ₃ , SH ₂ , ethanol and toluene)	9235	22 €	PH ₃ (Calibrated)	9384	310 €
Horizontal liquid level (water)	9240	20 €	Air pollutants-II (H ₂ , CH ₄ , CO, ethanol and isobutane)	9236	20 €	ETO (Calibrated)	9385	230 €
Vertical liquid level (water)	9242	20 €	Solvent vapors (H ₂ , CH ₄ , CO, ethanol and isobutane)	9237	26 €	Cl ₂ (Calibrated)	9386	230 €
Water Leakage / Liquid Detection (Point)	9243	10 €	Temperature, Humidity and Pressure	9370	20 €	Ultrasound (indoor)	9213	30 €
Water Leakage / Liquid Detection (line)	9295	75 €	CO (Calibrated) ⁽⁴⁾	9371	150 €	Ultrasound (outdoor IP67)	9246	95 €
Hall effect ⁽²⁾	9207	12 €	CO ₂ (Calibrated) ⁽⁴⁾	9372	525 €	Distance (by metallic pressure)	9267	30 €
Vibration (lamina)	9221	4 €	O ₂ (Calibrated) ⁽⁴⁾	9373	185 €	Water flow small	9296	15 €
Vibration (thread)	9222	5 €				Water flow medium	9297	20 €
Atmospheric pressure	9250	25 €				Water flow large	9298	25 €

Intro

Sensors

Connectivity

Power Options

Data

Support

Orders

Sensor	Ref.	Price	Sensor	Ref.	Price	Sensor	Ref.	Price
Soil/Water temperature ⁽⁵⁾	9255	15 €	Fluoride Ion (F ⁻)	9353	170 €	Nitrite Ion (NO ₂ ⁻) [PRO]	9422	765 €
Solar radiation	9251	190 €	Fluoroborate Ion (BF ₄ ⁻)	9354	170 €	Magnesium Ion (Mg ²⁺) [PRO]	9420	420 €
Trunk diameter	9252	500 €	Nitrate Ion (NO ₃ ⁻)	9355	170 €	Perchlorate Ion (ClO ₄ ⁻) [PRO]	9423	765 €
Stem diameter	9253	500 €	Bromide Ion (Br ⁻)	9356	170 €	Potassium Ion (K ⁺) [PRO]	9424	420 €
Fruit diameter	9254	500 €	Chloride Ion (Cl ⁻)	9357	170 €	Silver Ion (Ag ⁺) [PRO]	9425	765 €
Anemometer + wind vane + pluviometer	9256	110 €	Cupric Ion (Cu ²⁺)	9358	170 €	Sodium Ion (Na ⁺) [PRO]	9426	420 €
Ultraviolet radiation	9257	325 €	Iodide Ion (I ⁻)	9360	170 €	pH [PRO]	9411	420 €
Temperature + humidity (Sensorion)	9247	72 €	Silver Ion (Ag ⁺)	9362	170 €	Single Junction Reference Probe ⁸	9350	65 €
Soil moisture ⁽⁶⁾ (1'5 m)	9248	50 €	pH (for Smart Water Ions)	9363	45 €	Double Junction Reference Probe ⁹	9351	100 €
Soil moisture ⁽⁶⁾ (4'5 m)	9324	65 €	Ammonium Ion (NH ₄ ⁺) [PRO]	9412	420 €	Reference Probe [PRO] 10	9410	420 €
Soil moisture ⁽⁶⁾ (8 m)	9323	75 €	Bromide Ion (Br) [PRO]	9413	765 €	^{1.} Fastening accessories are available on demand. Consult the Sales Department. ^{2.} For doors and windows. ^{3.} O3 and VOC sensors are connected to the same socket, thus, it is not possible to have them working within the same board at the same time, but they are interchangeable. ^{4.} Check delivery time with your sales agent. ^{5.} Each Smart Water or Smart Water ions board includes a Soil/Water temperature sensor. ^{6.} In each agriculture board, 3 soil moistures can be connected in order to measure the parameter in different depth levels. ^{7.} This pack comprises the turbidity sensor and all the needed electronics, including special Waspnote, RS-485 module and Expansion Board. Sensor is calibrated in factory. Pack available on demand. Not compatible with LoRa. ^{8.} This reference probe is mandatory for ion sensors like Calcium (Ca ²⁺), Fluoride (F ⁻), Fluoroborate (BF ₄ ⁻), Nitrate (NO ₃ ⁻) and pH (for Smart Water Ions). It is not valid for the double or PRO type sensors. ^{9.} This reference probe is mandatory for ion sensors like Bromide (Br ⁻), Chloride (Cl ⁻), Cupric (Cu ²⁺), Iodide (I ⁻), Silver (Ag ⁺) and pH (for Smart Water Ions). It is not valid for the single or PRO type sensors. ^{10.} This reference probe is mandatory for any ion sensor of the PRO type. It is not valid for the single or double type sensors.		
Leaf wetness	9249	6 €	Calcium Ion (Ca ²⁺) [PRO]	9414	420 €			
Conductivity	9326	33 €	Chloride Ion (Cl ⁻) [PRO]	9415	420 €			
Dissolved Oxygen	9327	340 €	Cupric Ion (Cu ₂ ⁺) [PRO]	9416	765 €			
pH	9328	17 €	Fluoride Ion (F ⁻) [PRO]	9417	765 €			
Oxidation Reduction Potential	9329	45 €	Iodide Ion (I ⁻) [PRO]	9418	765 €			
Waspnote Turbidity Pack ⁽⁷⁾	WTUR	2.995 €	Lithium Ion (Li ⁺) [PRO]	9419	765 €			
Calcium Ion (Ca ²⁺)	9352	170 €	Nitrate Ion (NO ₃ ⁻) [PRO]	9421	420 €			

Intro

Sensors

Connectivity

Power Options

Data

Support

Orders

For Smart Water and for Smart Water Ions sensors it is highly recommended to purchase calibration solutions to calculate accurate measurement.

One kit is enough for several sensor units:

Calibration Kit	Ref.	Price
Conductivity Calibration Kit, K=0.1	9339	23 €
Conductivity Calibration Kit, K=1	9340	23 €
Conductivity Calibration Kit, K=10	9341	23 €
DO Calibration Solution	9342	35 €
pH Calibration Kit	9343	52 €
ORP Calibration Solution	9344	35 €
Turbidity Calibration Kit (low)	TCL	120 €
Turbidity Calibration Kit (high)	TCH	155 €
Multi-Ions Calibration Kit (Ammonium, Calcium, Chloride, Magnesium, Nitrate, Potassium, Sodium)	9445	120 €
Bromide Calibration Kit	9388	99 €
Calcium Calibration Kit	9366	99 €
Chloride Calibration Kit	9389	99 €
Cupric Calibration Kit	9390	99 €
Fluoride Calibration Kit	9367	99 €
Fluoroborate Calibration Kit	9368	99 €
Iodide Calibration Kit	9391	99 €

Calibration Kit	Ref.	Price
Lithium Calibration Kit	9446	120 €
Nitrate Calibration Kit	9369	99 €
Nitrite Calibration Kit	9447	120 €
Perchlorate Calibration Kit	9448	120 €
Silver Calibration Kit	9392	99 €

Intro

Sensors

Connectivity

Power Options


Data

Support

Orders

Configuring your Wasmotes: Connectivity

Wasmote model is determined by the selected communication radio. Each Wasmote model can have different types of antenna: 2 dBi or 5 dBi for 2.4 GHz models and 4.5 dBi for the rest of frequencies.




WiFi
Bluetooth
Bluetooth Low Energy

~ 0-300 m



3G - GPRS-Sigfox - LoRaWAN

Typical Carrier Range



802.15.4
Digimesh
ZigBee-PRO
868 MHz
900 MHz
LoRa

~ 7-22+ Km



RS-485
RS-232
4-20 mA
CAN Bus
Modbus

~ 0-200 m

Intro

Sensors

Connectivity

Power Options

Data

Support

Orders

The following table compares the features of all available options according to frequency, use zone, protocol and range.

Wasmote price chart depending on model:

Model	Frequency band	Use zone	Protocol	Distance outdoors ⁽¹⁾	Ref.	Price	Price > 5 units
Wasmote 802.15.4-PRO SMA 2 dBi	2.4 GHz	Worldwide	802.15.4		W802P-SMA2	163 €	155 €
Wasmote 802.15.4-PRO SMA 5 dBi	2.4 GHz	Worldwide	802.15.4	7 Km	W802P-SMA5	163 €	155 €
Wasmote Digimesh-PRO SMA 2 dBi	2.4 GHz	Worldwide	Digimesh		WDMP-SMA2	163 €	155 €
Wasmote Digimesh-PRO SMA 5 dBi	2.4 GHz	Worldwide	Digimesh	7 Km	WDMP-SMA5	163 €	155 €
Wasmote ZB-PRO SMA 2 dBi	2.4 GHz	Worldwide	ZigBee-Pro		WZBP-SMA2	163 €	155 €
Wasmote ZB-PRO SMA 5 dBi	2.4 GHz	Worldwide	ZigBee-Pro	7 Km	WZBP-SMA5	163 €	155 €
Wasmote 868 SMA 4.5 dBi	868 MHz	Europe	RF	12 Km	W868-SMA4	245 €	233 €
Wasmote 900 SMA 4.5 dBi	900 MHz	USA & Canada	RF	10 Km	W900-SMA4	193 €	183 €
Wasmote LoRaWAN SMA 4.5 dBi - 868	868 MHz	Europe	LoRaWAN	-km- Typical base station range	WLW-SMA4-868	163 €	155 €
Wasmote LoRaWAN SMA 4.5 dBi - 900	900 MHz	USA & Canada	LoRaWAN	-km- Typical base station range	WLW-SMA4-900	163 €	155 €
Wasmote LoRaWAN SMA 4.5 dBi - 433	433 MHz	Worldwide	LoRaWAN	-km- Typical base station range	WLW-SMA4-433	163 €	155 €
Wasmote Sigfox SMA 4.5 dBi – 868 ²	868 MHz	Europe	Sigfox	-km- Typical base station range	WSF-SMA4-868	160 €	150 €
Wasmote LoRa SMA 4.5 dBi - 868	868 MHz	Europe	RF	22+ Km	WLoRa-SMA4-868	147 €	140 €
Wasmote LoRa SMA 4.5 dBi - 900	900 MHz	USA & Canada	RF	22+ Km	WLoRa-SMA4-900	147 €	140 €

Intro

Sensors

Connectivity

Power Options

Data

Support

Orders

Waspote price chart depending on model:

Model	Frequency band	Use zone	Protocol	Distance outdoors ⁽¹⁾	Ref.	Price	Price > 5 units
Waspote WiFi SMA 2 dBi	2.4 GHz	Worldwide	802.11b/g		WWIFI-SMA2	158 €	150 €
Waspote WiFi SMA 5 dBi	2.4 GHz	Worldwide	802.11b/g	100-300 m	WWIFI-SMA5	158 €	150 €
Waspote + GPRS	850/900/1800/1900 MHz	Worldwide	GSM – GPRS	- Km - Typical carrier range	WA-GPRS	158 €	150 €
Waspote + GPRS + GPS	850/900/1800/1900 MHz	Worldwide	GSM – GPRS	- Km - Typical carrier range	WA-GPRS-GPS	199 €	190 €
Waspote + 3G (Europe version)	Dual-band: WCDMA/ UMTS 900/2100 MHz Tri-band: GSM/GPRS/ EDGE 850/900/1800MHz	Europe	GSM – GPRS – 3G	- Km - Typical carrier range	WA-3G-E	237 €	225 €
Waspote + 3G (America/Australia version)	Dual-band: WCDMA/ UMTS 850/1900 MHz Quad-band: GSM/ GPRS/EDGE 850/900/1800/1900 MHz	America / Australia	GSM – GPRS – 3G	- Km - Typical carrier range	WA-3G-A	237 €	225 €
Waspote Bluetooth Pro 2 dBi	2.4 GHz	Worldwide	Bluetooth 2.1 + EDR Class 2		WWBTS-SMA2	168 €	160 €
Waspote Bluetooth Pro 5 dBi	2.4 GHz	Worldwide	Bluetooth 2.1 + EDR Class 2	30-100 m	WWBTS-SMA5	172 €	163 €
Waspote Bluetooth Low Energy 2 dBi	2.4 GHz	Worldwide	Bluetooth 4.0 / Bluetooth Smart		WBLE-SMA2	172 €	163 €
Waspote Bluetooth Low Energy 5 dBi	2.4 GHz	Worldwide	Bluetooth 4.0 / Bluetooth Smart	100 m	WBLE-SMA5	172 €	163 €

1.- Tests performed with 5 dBi omnidirectional antenna, line-of-sight and Fresnel zone clearance conditions.

2.- Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox.

Check network availability in your country. Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our Sales Team for more info.

We provide prices in USD to US customers. Please submit your RFQ, and we will provide you with the USD prices.

Intro

Sensors

Connectivity

Power Options

Data

Support

Orders

Industrial Protocols

Waspnote can integrate communication modules for the most common wired communication protocols: RS-485, RS-232, CAN Bus and Modbus. These are widely used standards in the industrial and automation market for connecting devices and sensors, not in a wireless way but with cables. The user can interface Waspnote ecosystem with these protocols.

Waspnote allows to perform three main applications:

1. Connect any sensor to an existing industrial bus.
2. Add wireless connectivity to wired buses.
3. Connect to the Cloud industrial devices.

Waspnote price chart depending on model:

Model	Ref.	Price	Price > 5 units
Waspnote RS-232 Serial / Modbus + DB9 cable	WA-232	142 €	134 €
Waspnote RS-485 / Modbus + DB9 cable	WA-485	162 €	152 €
Waspnote CAN Bus + DB9 cable	WA-CAN	160 €	150 €



Waspnote RS-232 Serial / Modbus



Waspnote RS-485 / Modbus



Waspnote CAN Bus

Intro

Sensors

Connectivity

Power Options

Data

Support


Orders

Expansion Radio Board

The Expansion Board allows to connect two radios at the same time. This means a lot of different combinations are possible using any of the radios available for Waspote: 802.15.4, Digimesh, ZigBee, Bluetooth, Bluetooth Low Energy, RFID/NFC, WiFi, GSM/GPRS, GPRS+GPS, 3G/GPRS, 868 MHz, 900 MHz, LoRaWAN, LoRa and Sigfox. Besides, the Expansion Radio Board can be utilized to connect the Industrial Protocols modules.

Applications:

- Multifrequency Sensor Networks: (2.4GHz – 868/900MHz, LoRa)
- Sigfox - ZigBee hybrid networks
- NFC (RFID) applications with GPRS
- LoRaWAN - WiFi hybrid networks
- Industrial Protocols – wireless hybrid networks



Expansion Radio Board: ZigBee - Bluetooth connection

Intro

Sensors

Connectivity


Power Options

Data

Support

Orders

Model	Require Expansion Radio Board?	Direct connection to Wasmote	Ref.	Price
Expansion Radio Board	-	-	WEXP	25 €
XBee 802.15.4 Pro SMA 5dBi	✓		X802P-SMA5	40 €
XBee Digimesh Pro SMA 5dBi	✓		XDMP-SMA5	40 €
XBee ZigBee Pro SMA 5dBi	✓		XZBP-SMA5	40 €
XBee 868 SMA 4.5dBi with Expansion Board ¹			X868-SMA4-WEXP	108 €
XBee 900 SMA 4.5dBi with Expansion Board ¹			X900-SMA4-WEXP	76 €
LoRaWAN Module 868	✓		LW-SMA4-868	58 €
LoRaWAN Module 900	✓		LW-SMA4-900	58 €
LoRaWAN Module 433	✓		LW-SMA4-433	58 €
Sigfox Module ²	✓		SF-SMA4-868	55 €
WiFi Module 2 dBi with Expansion Board ¹			WIFI-SMA2-WEXP	85 €
WiFi Module 5 dBi with Expansion Board ¹			WIFI-SMA5-WEXP	85 €
GSM / GPRS Module		✓	WGPRS	70 €
GPRS + GPS Module		✓	WGPRS - GPS	99 €
3G Module (Europe version)		✓	W3G-E	145 €
3G Module (America/Australia version)		✓	W3G-A	145 €



RFID 13.56 MHz / NFC module + antenna



Bluetooth Low Energy module



Wasmote 3G

Intro

Sensors

Connectivity

Power Options

Data

Support

Orders

Model	Require Expansion Radio Board?	Direct connection to Waspote	Ref.	Price
Bluetooth Module for device discovery ³ , 2 dBi antenna	✓		WBTS-SMA2	75 €
Bluetooth Module for device discovery ³ , 5 dBi antenna	✓		WBTS-SMA5	75 €
Bluetooth Low Energy Module, 2 dBi antenna	✓		BLE-SMA2	65 €
Bluetooth Low Energy Module, 5 dBi antenna	✓		BLE-SMA5	65 €
RFID 13.56 MHz / NFC Module + antenna*	✓		W1356	50 €
RS-232 Serial / Modbus Module, DB9 cable	✓		W232	17 €

- 1.- The XBee 868, XBee 900 and WiFi modules should always be connected to socket 1, so they are sold with the Expansion Board.
- 2.- Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox. Check network availability in your country. Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our [Sales Team](#) for more info.
- 3.- The Bluetooth module requires an SD card to save all data of discovered devices, see prices in the next section.

Intro

Sensors

Connectivity

Power Options

Data

Support

Orders


Power Options

Model	Features	Ref.	Price
6600mA·h battery ⁽¹⁾	Li-ion rechargeable	6041	30 €
13 A·h ^{(1) (2)}	Non-rechargeable	6016	40 €
26 A·h ^{(1) (2)}	Non-rechargeable	6022	73 €
52 A·h ^{(1) (2)}	Non-rechargeable	6023	135 €
Rigid solar panel	7 V – 500 mA	6020	35 €
Flexible solar panel	7.2 V – 100 mA	6021	34 €
220V - USB	USB connector option	6006	3 €
International adapter	USB connector option	10280	6 €
Car lighter - USB	USB connector option	6007	3 €

1.- Each Waspote always requires a battery, even if it is powered from an external power supply.
2.- This power option is not available for GPRS, GPRS+GPS, or 3G models.



Rigid Solar Panel 7V - 500mA



Flexible Solar Panel 7.2V - 100mA

We provide prices in USD to US customers. Please submit your RFQ, and we will provide you with the USD prices.

Intro

Sensors

Connectivity

Power Options

Data

Support

Orders

Accessories

Optional complements for Waspote. Feel free to customize your Waspotes!

Model	Features	Ref.	Price
SD card*	2 GB (5 cards pack)	WSD	30 €
13.56 MHz / NFC card	5 units pack	10156	2,5 €
13.56 MHz / NFC keyring	5 units pack	10157	3 €
13.56 MHz / NFC sticker	5 units pack	10166	3 €
OBD-II cable for CAN Bus Module	For connecting to compatible vehicles	OBD	24 €

* There are many SD card models; the only model that Libelium can assure that works with Waspote correctly is the model that Libelium distributes officially.



Now that you have configured your hardware, go to **Data** section to decide how to connect to the Cloud.



We provide prices in USD to US customers. Please submit your RFQ, and we will provide you with the USD prices.

Demo Kits

Waspnote P&S!

Waspnote OEM

Data

Support


Orders

Extracting the data

The last point for configuring a sensor network is to decide the way to access the data. There are 3 alternatives:

Meshlium


This is the most recommended option for outdoor networks since it is encased in a rugged, waterproof enclosure which protects it from the harshest conditions. It can receive, parse and store frames via ZigBee, 3G/ GPRS or WiFi in its local database. Meshlium can also forward sensor data directly to the Internet via Ethernet, Wi-Fi or 3G/GPRS protocols, depending on the connectivity options available in the area.



Waspnote GPRS / 3G / LoRaWAN / Sigfox

GPRS or 3G can be used in networks placed in difficult access locations, when using a single point of data collection alone or in combination with the other two options, using the cellular radio only to send SMS alert messages.

Sigfox and LoRaWAN are a special cases of cellular communications: LPWAN (Low Power, Wide Area Network). They are indicated for many applications (Smart Cities, Smart Parking, security, etc). Nodes send data directly to the back-end with low power consumption and cheap fees.



Waspnote Gateway

Connected by USB to a computer. This is recommended for applications of few nodes that are indoors or for testing while configuring the network. The Waspnote Gateway is also used to send commands to the sensor network, thus at least one unit should be purchased with the first kit of Waspnotes.



Meshlium

Meshlium Xtreme is the best Internet Gateway for Waspnote. It is a Linux based mesh router, totally modular and specially designed for harsh conditions without compromising flexibility in the installation. Meshlium can directly send sensor data from Waspnote to many 3rd party Cloud platforms. When ordering your Waspnotes factory-programmed, you can indicate the Cloud platform you want to work with and we will ship your devices ready to install and work, reducing your deployment costs.

Any scenario	<ul style="list-style-type: none"> • Communication <ul style="list-style-type: none"> - Waspnote → Meshlium: 802.15.4, ZigBee, Digimesh, 868/900 MHz - Meshlium → Internet: WiFi, Ethernet and 3G/GPRS • WiFi and Bluetooth interface detection to detect smartphones (traffic congestion applications) • Solar or battery powered
Fast configuration	<ul style="list-style-type: none"> • GUI to configure in a visual and easy way (includes factory presets to make installation even faster) • Integrated with 3rd party Cloud platforms, required agents installed by default in all Meshliums
Easy installation	<ul style="list-style-type: none"> • Special holders and brackets to install in street lights and building fronts • Elbow connectors included in all models to place antennas horizontally • External socket for SIM card
Easy maintenance	<ul style="list-style-type: none"> • Get the latest software version with just one click • Robust waterproof IP65 enclosure • Notifications buzzer



Demo Kits

Waspnote P&S!


Waspnote OEM

Data

Support

Orders

Libelium has partnered with the best Cloud software solution providers to offer you all the necessary components to deploy Internet of Things (IoT), machine-to-machine (M2M) or Smart Cities projects with minimum time to market. Meshlium is able to send data to the Cloud in a transparent way:



Like Waspnote, Meshlium is highly modular. This section shows you step by step all the possible configuration options:

Step 1:

Model

Step 2:

Complements

Step 3:

Optional modules

Step 4:

Power supply options

Demo Kits

Waspote P&S!


Waspote OEM

Data

Support

Orders

The Meshlium Manager System allows to configure easily the selected Cloud platform.*



Meshlium Manager System

*Meshlium software only includes the agent to connect to the Cloud platform. Cloud accounts sold separately.

Confidential Document / Version: v9.4 / Date: June 2016

This catalogue supersedes any previously released and is valid until publication of another to replace it. Catalogue for the new Waspote version, also called PRO or v1.2.

Demo Kits

Waspnote P&S!

Waspnote OEM

Data

Support


Orders

Meshlium Visualizer

This software feature allows to plot beautiful graphs with Meshlium. Meshlium Visualizer is only included in IoT Vertical Kits.



Meshlium Visualizer showing data series



Meshlium Visualizer geo-locating a moving Plug & Sense!

Demo Kits

Waspnote P&S!

Waspnote OEM

Data

Support

Orders

Meshlium Model	WiFi AP (2.4GHz)	WiFi Mesh (2.4GHz / 5GHz)	802.15.4 ZigBee Radio	LoRa Radio	3G/GPRS	WiFi Scans	Bluetooth Scans	Ref.	Price
Meshlium AP	✓							MAP	575 €
Meshlium 3G-AP (Europe version)	✓				✓			M-3G-E	815 €
Meshlium 3G-AP (America/Australia version)	✓				✓			M-3G-A	815 €
Meshlium 802.15.4-PRO-AP	✓		✓					M802	690 €
Meshlium Digimesh-PRO-AP	✓		✓					MDM	690 €
Meshlium ZigBee-PRO-AP	✓		✓					MZ	690 €
Meshlium 868-AP	✓		✓					M868	810 €
Meshlium 900-AP	✓		✓					M900	790 €
Meshlium LoRa-AP-868	✓			✓				MLoRa-868	620 €
Meshlium LoRa-AP-900	✓			✓				MLoRa-900	620 €
Meshlium 802.15.4-PRO-3G-AP (Europe version)	✓		✓		✓			M802-3G-E	930 €
Meshlium 802.15.4-PRO-3G-AP (America/Australia version)	✓		✓		✓			M802-3G-A	930 €
Meshlium Digimesh-PRO-3G-AP (Europe version)	✓		✓		✓			MDM-3G-E	930 €
Meshlium Digimesh-PRO-3G-AP (America/Australia version)	✓		✓		✓			MDM-3G-A	930 €
Meshlium ZigBee-PRO-3G-AP (Europe version)	✓		✓		✓			MZ-3G -E	930 €

We provide prices in USD to US customers. Please submit your RFQ, and we will provide you with the USD prices.

Demo Kits

Waspnote P&S!

Waspnote OEM

Data

Support

Orders

Meshlium Model	WiFi AP (2.4GHz)	WiFi Mesh (2.4GHz / 5GHz)	802.15.4 ZigBee Radio	LoRa Radio	3G/GPRS	WiFi Scans	Bluetooth Scans	Ref.	Price
Meshlium ZigBee-PRO-3G-AP (America/Australia version)	✓		✓		✓			MZ-3G -A	930 €
Meshlium 868-3G-AP (Europe version)	✓		✓		✓			M868-3G-E	1.235 €
Meshlium 900-3G-AP (America/Australia version)	✓		✓		✓			M900-3G-A	1.085 €
Meshlium LoRa-3G-AP-868 (Europe version)	✓			✓	✓			MLoRa-3G-868-E	840 €
Meshlium LoRa-3G-AP-900 (America/australia version)	✓			✓	✓			MLoRa-3G-900-A	840 €
Meshlium 802.15.4-PRO-Mesh-AP	✓	✓	✓					MM802	765 €
Meshlium Digimesh-PRO-Mesh-AP	✓	✓	✓					MMDM	765 €
Meshlium ZigBee-PRO-Mesh-AP	✓	✓	✓					MMZ	765 €
Meshlium 868-Mesh-AP	✓	✓	✓					MM868	990 €
Meshlium 900-Mesh-AP	✓	✓	✓					MM900	965 €
Meshlium 802.15.4-PRO-Mesh-3G-AP (Europe version)	✓	✓	✓		✓			MM802-3G-E	1.185 €
Meshlium 802.15.4-PRO-Mesh-3G-AP (America/Australia version)	✓	✓	✓		✓			MM802-3G-A	1.185 €
Meshlium Digimesh-PRO-Mesh-3G-AP (Europe version)	✓	✓	✓		✓			MMDM-3G-E	1.185 €
Meshlium Digimesh-PRO-Mesh-3G-AP (America/Australia version)	✓	✓	✓		✓			MMDM-3G-A	1.185 €

Demo Kits

Waspnote P&S!

Waspnote OEM

Data

Support

Orders

Meshlium Model	WiFi AP (2.4GHz)	WiFi Mesh (2.4GHz / 5GHz)	802.15.4 ZigBee Radio	LoRa Radio	3G/GPRS	WiFi Scans	Bluetooth Scans	Ref.	Price
Meshlium ZigBee-PRO-Mesh-3G-AP (European version)	✓	✓	✓		✓			MMZ-3G-E	1.185 €
Meshlium ZigBee-PRO-Mesh-3G-AP (America/Australia version)	✓	✓	✓		✓			MMZ-3G-A	1.185 €
Meshlium 868-Mesh-3G-AP (European version)	✓	✓	✓		✓			MM868-3G-E	1.335 €
Meshlium 900-Mesh-3G-AP (America/Australia version)	✓	✓	✓		✓			MM900-3G-A	1.385 €

Meshlium Model	WiFi AP (2.4GHz)	WiFi Mesh (2.4GHz / 5GHz)	802.15.4 ZigBee Radio	LoRa Radio	3G/GPRS	WiFi Scans	Bluetooth Scans	Ref.	Price
Meshlium Scanner AP	✓					✓	✓	MSCAN	905 €
Meshlium Scanner 3G-AP (Europe version)	✓				✓	✓	✓	MSCAN-3G-E	1.235 €
Meshlium Scanner 3G-AP (America/Australia version)	✓				✓	✓	✓	MSCAN-3G-A	1.235 €
Meshlium Scanner 802.15.4-PRO-AP	✓		✓			✓	✓	MSCAN802	1.165 €
Meshlium Scanner ZigBee-PRO-AP	✓		✓			✓	✓	MSCANZB	1.165 €
Meshlium Scanner 868-AP	✓		✓			✓	✓	MSCAN868	1.215 €
Meshlium Scanner 900-AP	✓		✓			✓	✓	MSCAN900	930 €
Meshlium Scanner LoRa-AP-868	✓			✓		✓	✓	MSCANLoRa-868	840 €
Meshlium Scanner LoRa-AP-900	✓			✓		✓	✓	MSCANLoRa-900	840 €

Demo Kits

Waspnote P&S!

Waspnote OEM

Data

Support

Orders

The following accessories are optional.

Module	Ref.	Price
220V AC adapter – battery / car lighter connector (12 V – 300 W)	M220	50 €
Solar kit (12 V – 20 W): solar panel 20 W + 220 V inverter + battery charger	MSOLAR	350 €
Directional Antennas for Meshlium Scanner*	MDA	245 €

*This is a kit of 2 outdoors directional antennas (18 dB) for WiFi and Bluetooth, mounting kits, 2 m cables and adapters. The kit is specially indicated for Vehicle Detection applications because it enlarges the range area.



Directional antenna for Meshlium Scanner

Demo Kits

Waspnote P&S!

Waspnote OEM

Data

Support

Orders

Waspnote Gateway and cellular or LPWAN modules

Data extraction option	Ref.	Price
Waspnote Gateway 802.15.4-PRO SMA 2 dBi	WG802P-SMA2	155 €
Waspnote Gateway 802.15.4-PRO SMA 5 dBi	WG802P-SMA5	155 €
Waspnote Gateway Digimesh PRO SMA 2 dBi	WGDMP-SMA2	155 €
Waspnote Gateway Digimesh PRO SMA 5 dBi	WGDMP-SMA5	155 €
Waspnote Gateway ZB-PRO SMA 2 dBi	WGZBP-SMA2	155 €
Waspnote Gateway ZB-PRO SMA 5 dBi	WGZBP-SMA5	155 €
Waspnote Gateway 868 SMA 4.5 dBi	WG868-SMA4	280 €
Waspnote Gateway 900 SMA 4.5 dBi	WG900-SMA4	190 €
Waspnote Gateway LoRa SMA 868	WGLoRa-SMA4-868	140 €
Waspnote Gateway LoRa SMA 900	WGLoRa-SMA4-900	140 €
Waspnote Gateway Bluetooth Pro SMA 2 dBi	WGBTS-SMA2	155 €
Waspnote Gateway Bluetooth Pro SMA 5 dBi	WGBTS-SMA5	155 €
Waspnote Gateway Bluetooth Low Energy SMA 2 dBi	WGBLE-SMA2	155 €
Waspnote Gateway Bluetooth Low Energy SMA 5 dBi	WGBLE-SMA5	155 €
Waspnote GSM/ GPRS module	WGPRS	70 €

Data extraction option	Ref.	Price
Waspnote GPRS + GPS module	WGPRS-GPS	99 €
Waspnote 3G module (Europe version)	W3G-E	145 €
Waspnote 3G module (America/Australia version)	W3G-E	145 €
LoRaWAN Module 868	LW-SMA4-868	58 €
LoRaWAN Module 900	LW-SMA4-900	58 €
LoRaWAN Module 433	LW-SMA4-433	58 €
Waspnote Sigfox module*	SF-SMA4-868	55 €

**Does NOT include Sigfox connectivity, the user must hire this service directly from Sigfox. Check network availability in your country. Libelium offers Sigfox radios with 1-year license in the Sigfox IoT Starter Kit. Contact our [Sales Team](#) for more info.*



Now that you know how to extract the Data go to the **Support** section and see our training formulas.



Demo Kits

Wasmote P&S!

Wasmote OEM

Data

Support

Orders

Getting support

Wasmote Plug & Sense! devices factory-programmed:

If you want to save time and development costs you do not need to program anything, we can ask you about the requirements and ship your devices factory-programmed and ready to Plug & Sense!.

Plug & Sense! Programming Service (includes the creation of up to 3 different codes and the upload them into 5 Plug & Sense! nodes)

PROG

500 €


Additional Nodes Upload Service

PROG-UPL


20 € per node



Fill the features of code in the form



We program your devices





You receive ready-to-install nodes

Note: This service is available for Plug & Sense! nodes with the following radios: XBee, 3G, GPRS and GPRS+GPS.



Support options

Programming Waspnote on your own requires an advanced level in C++ and object oriented coding. Our [Development site](#) shows 400+ code examples, tutorials and technical guides. Do not worry if you are not a skilled programmer yet, we offer different training formulas so that you can achieve easily a good level.

 Forum	 Technical Consultancy	 Training Courses	 Free Overview Webinars	 Special Projects Consultancy
<ul style="list-style-type: none"> • Answered once a day in best-effort way by our engineers. • Online: text. • Useful for: <ul style="list-style-type: none"> - Solve doubts about API usage, compilation problems, IDE options or basic questions. - Report bugs. - Tier-1 troubleshooting. - Stay up to date about new API releases, tutorials, code examples, etc. 	<ul style="list-style-type: none"> • Arranged in 1 hour time-slot. • Online: text, screen share, mic and webcam. Interactive. • Useful for: <ul style="list-style-type: none"> - Solve urgent questions that cannot wait forum timelines debug your code. - Guide you step by step. - Help you to design a system architecture. - Improve your program to reduce power consumption, make it more efficient, etc. 	<ul style="list-style-type: none"> • Celebrated every quarter during 3 days / 21 hours. • Face-to-face. • Useful for: <ul style="list-style-type: none"> - Learn step by step how to program Waspnote. - Achieve an advanced programming level in just 3 days. 	<ul style="list-style-type: none"> • Once a month, 1.5 h. • Online master class: text, screen share, mic and webcam. • Useful for: <ul style="list-style-type: none"> - Improving your skills on Waspnote on specific topics such as how to program the device, sensor reading and data transmission. - Those that cannot attend a face-to-face training course or want to learn by themselves with the documentation online. 	<ul style="list-style-type: none"> • On request. <p>Even although we have a very modular and complete solution, sometimes you need something else...integrating a new sensor, connect with a specific cloud platform, adapt the board for a vertical application, etc. In these cases, we arrange a meeting with our Project Manager to gather the requirements and after that he analyzes with the R&D team the viability of the solution and returns you an implementation proposal.</p>
Free	2 hours TC-2 --> 180 € 3 hours Free ¹ 5 hours TC-5 --> 405 € 10 hours TC-10 --> 720 €	Training course Free ¹ / 1.600 € Training course + Waspnote Starter Kit (valued at 199 €) 1.750 €	Free	PAS --> 250 €

1.- For customers that acquired an Evaluator Kit, 3 hours of Technical Consultancy and 1 place at a Training Course are included.

We provide prices in USD to US customers. Please submit your RFQ, and we will provide you with the USD prices.

Demo Kits

Waspnote P&S!

Waspnote OEM

Data

Support

Orders



Calendar - Libelium Training Courses 2016

Find out now the dates of the next training courses and choose the one that suits the best for you:

January							February							March							April						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
27	28	29	30	31	1	2	31	1	2	3	4	5	6	28	29	1	2	3	4	5	27	28	29	30	31	1	2
3	4	5	6	7	8	9	7	8	9	10	11	12	13	6	7	8	9	10	11	12	3	4	5	6	7	8	9
10	11	12	13	14	15	16	14	15	16	17	18	19	20	13	14	15	16	17	18	19	10	11	12	13	14	15	16
17	18	19	20	21	22	23	21	22	23	24	25	26	27	20	21	22	23	24	25	26	17	18	19	20	21	22	23
24/31	25	26	27	28	29	30	28	29	1	2	3	4	5	27	28	29	30	31	1	2	24	25	26	27	28	29	30

May							June							July							August						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
1	2	3	4	5	6	7	29	30	31	1	2	3	4	26	27	28	29	30	1	2	31	1	2	3	4	5	6
8	9	10	11	12	13	14	5	6	7	8	9	10	11	3	4	5	6	7	8	9	7	8	9	10	11	12	13
15	16	17	18	19	20	21	12	13	14	15	16	17	18	10	11	12	13	14	15	16	14	15	16	17	18	19	20
22	23	24	25	26	27	28	19	20	21	22	23	24	25	17	18	19	20	21	2	23	21	22	23	24	25	26	27
29	30	31	1	2	3	4	26	27	28	29	30	1	2	24/31	25	26	27	28	29	30	28	29	30	31	1	2	3

September							October							November							December						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
28	29	30	31	1	2	3	25	26	27	28	29	30	1	30	31	1	2	3	4	5	27	28	29	30	1	2	3
4	5	6	7	8	9	10	2	3	4	5	6	7	8	6	7	8	9	10	11	12	4	5	6	7	8	9	10
11	12	13	14	15	16	17	9	10	11	12	13	14	15	13	14	15	16	17	18	19	1	12	13	14	15	16	17
18	19	20	21	22	23	24	16	17	18	19	20	21	22	20	21	22	23	24	25	26	18	19	20	21	22	23	24
25	26	27	28	29	30	1	23/30	24/31	25	26	27	28	29	27	28	29	30	1	2	3	25	26	27	28	29	30	31

-  Waspnote Free Overview Webinars
-  Waspnote Face-to-Face Workshops



Now that you have chosen a Support option go to the **Orders** section to place your order.



Demo Kits

Waspnote P&S!

Waspnote OEM

Data

Support

Orders

Order placement

To place an order, you must complete the form available in: http://www.libelium.com/order_form and send it back to your sales agent.

If sales agent has not yet been assigned, please send it back to: sales@libelium.com

You can consult our Terms & Conditions in: <http://www.libelium.com/legal>. Should you have any doubt, please, contact our sales department.

- E-mail: sales@libelium.com
- Tlf: +34 976 54 74 92

Order Form





www.libelium.com

Libelium Comunicaciones Distribuidas S.L.

C/Escatrón nº16 (Edificio LIBELIUM)

C.P: 50014, Zaragoza (Spain)

Tel: +34 976 54 74 92

Fax: +34 976 47 31 86