

Get **10% OFF** On Your First Purchase



DFROBOT
DRIVE THE FUTURE

Search

\$USD




LOGIN/SIGN UP

HOME COMMUNITY WIKI BLOG



WISH LIST (0)

Home / Gravity IO Expansion Shield for LattePanda



Gravity IO Expansion Shield for LattePanda

SKU:DFR0491 Brand:DFRobot

Reward Points:10

Tags:

DFR0491

io expansion shield

LattePanda

LattePanda IO expansion shield

lattePanda arduino

Expansion Shield

Gravity

Related Categories

All Products

LattePanda

LattePanda Accessories



ADD TO WISHLIST

In Stock
Price in reward points: 890

QTY DISCOUNTS

2-4

5-9

10+

Qty

1




BUY IT NOW

ADD TO CART

INTRODUCTION
DOCUMENT
TUTORIAL

BACK TO TOP

Frequently Bought Together




You have chosen:0

Total amount:

BUY NOW


INTRODUCTION

This Gravity I/O expansion shield, which is made for LattePanda, breakouts all GPIO pins to make it compatible with standard Arduino device and no interruption with other ports on LattePanda. Each pin has VCC and GND power port, compatible with Gravity-3Pin Color coded interface, supports hundreds of sensors and modules.



Gravity IO Expansion Shield for LattePanda Pinout

And this shield also adds a new power solution for LattePanda. You can use a 7~12V wide range power supply to power the board and devices via DC 2.1 or DC terminal port, maximum 5A under 5V IO output All make the shield perfect for using LattePanda to learning and developing.



LattePanda with Gravity IO Expansion Shield

Note:

1. The two power terminals are connected to each other. Do not connect external power at the same time
2. When using 7 ~ 12V external power supply, do not repeat power LattePanda via USB

SPECIFICATION

- LattePanda Compatible
- Arduino Leonardo Compatible
- Gravity sensor Compatible
- Input Voltage: 7~12V
- Input interface: DC 2.1; 2-pin wire.
- Digital Gravity interface x14
- Analog Gravity interface x6
- IIC port x2
- ICSP port x1
- Output Voltage: 5V
- I/O Operating Voltage: 5V
- 5V Port Maximum Output Current: 5A
- 3.3V Port Maximum Output Current: 1A
- 8x8 general 2.54mm prototype pad
- Dimension: 70mm x 68mm / 2.76in x 2.68in

DOCUMENTS

[Schematic](#)

[3D file](#)

SHIPPING LIST

Gravity IO Expansion Shield for LattePanda x1

REVIEW

2 Comments

DFRobot

1 Login ▾

Recommend Share

Sort by Best ▾



Join the discussion...



James Mallett • a month ago

Hi, when will this become available to purchase?

^ | ▾ • Reply • Share ›



DFRobot Support Mod → **James Mallett** • a month ago

There are some left in stock, you can place the order directly.

^ | ▾ • Reply • Share ›



ALSO ON DFRobot

[Gravity: Digital Peristaltic Pump \(PPM Servo Control\) - DFRobot](#)

11 comments • 2 months ago

夏青 — Do you have some problem on Calibration?

Downloaded from [Arrow.com](#)

[LoRa Radio Module - 433MHz](#)

11 comments • 4 months ago

DFRobot Support — You can add hundreds of nodes and because it is radio frequency module, the speed should be close to the speed of light.

Micro:bit Light(Mood Lamp)

3 comments · 2 months ago

DFRobot Support — This is a new product that we would release it later. We are now still doing some preparation.

ESP32 Arduino Websocket server: Receiving and parsing JSON content

3 comments · 5 months ago

Jaco Fourie — Hi. Do you have a sample using a web page (Not python code) to send and receive data to and from the ESP32 using web sockets ?

 Subscribe  Add Disqus to your site  Privacy

DISQUS

Recently Viewed Items and Featured Recommendations



Gravity Sensor Cable For LattePanda (10 Pack)



Aluminum Heatsink Cooling Fan for LattePanda



LattePanda - 4GB/64GB with Enterprise License



Pure Copper Heatsink Pack x 5

Sign up for exclusive offers!

Your email address



Like us on



INFORMATION

[About Us](#)
[Warranty](#)
[Privacy Policy](#)
[Shipping](#)
[Payment](#)
[FAQ](#)

CUSTOMER SERVICE

[DFRobot Distributors](#)
[Contact us](#)
[Site Map](#)

MY ACCOUNT

[Affiliates](#)
[Specials](#)

Powered By DFRobot © 2008-2018