TE Connectivity: Every Connection Counts
© 2016 TE Connectivity Ltd. family of companies. All Rights Reserved

CONNECTORS

AUTOMOTIVE CONNECTOR CAPS & COVERS



✔ Active

TE CONNECTIVITY (TE)

COVER FOR 6W HSG MQS GEN2

MQS

953382-2
TE Internal Number: 953382-2

EU RoHS Compliant
EU ELV Compliant

Connector System Wire-to-Board, Wire-to-Component

Accessory Type Cover - Cable Exit

Cable Exit Angle 180 (In-Line)

Strain Relief With

Color White

PRODUCT DRAWING
English

3D PDF

DOCUMENTATION

Product Drawings

COVER FOR 6W HSG MQS GENE 2 PORTE-MODULE 6VOIES MQS GENE 2

PDF **(TIFF AVAILABLE)**

English

CAD Files

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Customer View Model

Downloaded from Arrow.com.

2D_DXF.ZIP
English

3D PDF
PDF
English

Product Specifications

Product Specification

PORTE-CLIPS MQS 6 VOIES GENERATION II
PDF
English

Product Environmental Compliance

TE Material Declaration

MD_953382-2_102420161155_dmtec
PDF
English

Instruction Sheets

Instruction Sheet (non U.S.)

6 VOIES MQS GENE II
PDF
English

6 VOIES MQS GENE II
TIF
English

FEATURES

Please review product documents or contact us for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector System Wire-to-Board, Wire-to-Component
Accessory Type Cover - Cable Exit
Strain Relief With

Body Features

Cable Exit Angle 180 (In-Line)
Color White
Material PBT GF

Dimensions

Cable Bundle Diameter 5 mm [.197 in]

Downloaded from Arrow.com.

Usage Conditions

Operating Temperature (Max) (°C) 70, 75, 80, 85, 90, 100
Operating Temperature (Max) (°F) 158, 167, 176, 185, 194, 212
Operating Temperature Range -40 – 100 °C [-40 – 212 °F]

Industry Standards

UL Flammability Rating UL 94-HB

Packaging Features

Packaging Method Box

Other

Serviceable Yes

Statement of Compliance

Statement of Compliance
PDF

Downloaded from Arrow.com.