

TE P/N	TE CD	Nanonics P/N	Part Description
1589472-1	1589472	STG009PC2DNC70N	Dualobe, 2 row, gold, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 70 centimeters, 1.0 captive jackscrews.
1589472-2	1589472	STG009PC2DX012Q	Dualobe, 2 row, gold, 9 position, plug, 30 AWG 7 strand, white PTFE wire, 12 inches, 1.2 captive jackscrews.
1589472-3	1589472	STG015PC2DCC05N	Dualobe, 2 row, gold, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 5 centimeters, 1.0 captive jackscrews.
1589472-4	1589472	STG015PC2DCC05Q	Dualobe, 2 row, gold, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 5 centimeters, 1.2 captive jackscrews.
1589472-5	1589472	STG025PC2DNC70N	Dualobe, 2 row, gold, 25 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 70 centimeters, 1.0 captive jackscrews.
1589472-6	1589472	STG025PC3DC012N	Dualobe, 2 row, gold, 25 position, plug, 32 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
1589472-7	1589472	STG037PC2DC036N	Dualobe, 2 row, gold, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
1589472-8	1589472	STG037PC2DNC70N	Dualobe, 2 row, gold, 37 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 70 centimeters, 1.0 captive jackscrews.
1589472-9	1589472	STG065PC2DC036N	Dualobe, 2 row, gold, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
1-1589472-0	1589472	STG065PC2DX036N	Dualobe, 2 row, gold, 65 position, plug, 30 AWG 7 strand, white PTFE wire , 36 inches, 1.0 captive jackscrews.
1-1589472-1	1589472	STL009PC2DC012	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches.
1-1589472-2	1589472	STL009PC2DC012N	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
1-1589472-3	1589472	STL009PC2DC018	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.
1-1589472-4	1589472	STL009PC2DC018M	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 non-captive jackscrews.
1-1589472-5	1589472	STL009PC2DC018N	Dualobe, 2 rowm LCP, 9 position, plug, 30AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
1-1589472-6	1589472	STL009PC2DC036N	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
1-1589472-7	1589472	STL009PC2DM010N	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 stranded, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 10 inches, 1.0 captive jackscrews.
1-1589472-8	1589472	STL009PC2DX024N	Dualobe, 2 row, LCP, 9 position, plug, 32 AWG 7 strand, white PTFE wire, 24 inches, 1.0 captive jackscrews.
1-1589472-9	1589472	STL009PC2GX010N	Dualobe, 2 row, LCP, 9 position, plug, 30AWG 7 strand, FEP ribbon cable, 10 inches, 1.0 captive jackscrews.
2-1589472-0	1589472	STL009PC3DX024N	Dualobe, 2 row, LCP, 9 position, plug, 32 AWG 7 strand, white PTFE wire, 24 inches, 1.0 captive jackscrews.
2-1589472-1	1589472	STL009PC3DX030N	Dualobe, 2 row, LCP, 9 position, plug, 32 AWG 7 strand, white PTFE wire, 30 inches, 1.0 captive jackscrews.
2-1589472-2	1589472	STL015PC0DC006N	Dualobe, 2 row, LCP, 15 position, plug, 28 AWG solid, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
2-1589472-3	1589472	STL015PC0DC012Q	Dualobe, 2 row, LCP, 15 position, plug, 28 AWG solid, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.
2-1589472-4	1589472	STL015PC0DMM03N	Dualobe, 2 row, LCP, 15 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 3 meters, 1.0 captive jackscrews.
2-1589472-5	1589472	STL015PC1DNC50N	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 50 centimeters, 1.0 captive jackscrews.
2-1589472-6	1589472	STL015PC2DC006	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches.
2-1589472-7	1589472	STL015PC2DC008	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 8 inches.
2-1589472-8	1589472	STL015PC2DC010N	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
2-1589472-9	1589472	STL015PC2DC012	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches.
3-1589472-0	1589472	STL015PC2DC012N	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
3-1589472-1	1589472	STL015PC2DC015N	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 15 inches, 1.0 captive jackscrews.
3-1589472-2	1589472	STL015PC2DC018M	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 non-captive jackscrews.
3-1589472-3	1589472	STL015PC2DC030N	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 30 inches, 1.0 captive jackscrews.
3-1589472-4	1589472	STL015PC2DC036N	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
3-1589472-5	1589472	STL015PC2DCC10N	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 centimeters, 1.0 captive jackscrews.
3-1589472-6	1589472	STL015PC2DM010N	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 stranded, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 10 inches, 1.0 captive jackscrews.
3-1589472-7	1589472	STL015PC2DNC50N	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 50 centimeters, 1.0 captive jackscrews.
3-1589472-8	1589472	STL015PC2DX010N	Dualobe, 2 row, plastic, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 10 inches, 1.0 captive jackscrews.
3-1589472-9	1589472	STL015PC2DX036N	Dualobe, 2 row, plastic, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 36 inches, 1.0 captive jackscrews.
4-1589472-0	1589472	STL015PC2GX040N	Dualobe, 2 row, LCP, 15 position, plug, 30AWG 7 strand, FEP ribbon cable, 40 inches, 1.0 captive jackscrews.
4-1589472-1	1589472	STL025PC2DC006	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches.
4-1589472-2	1589472	STL025PC2DC006N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
4-1589472-3	1589472	STL025PC2DC010N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 inches, 1.0 captive jackscrews.
4-1589472-4	1589472	STL025PC2DC012	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches.
4-1589472-5	1589472	STL025PC2DC012N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
4-1589472-6	1589472	STL025PC2DC015N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 15 inches, 1.0 captive jackscrews.
4-1589472-7	1589472	STL025PC2DC018N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
4-1589472-8	1589472	STL025PC2DC020N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 inches, 1.0 captive jackscrews.
4-1589472-9	1589472	STL025PC2DC030N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 30 inches, 1.0 captive jackscrews.
5-1589472-0	1589472	STL025PC2DM010N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 stranded, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 10 inches, 1.0 captive jackscrews.
5-1589472-1	1589472	STL025PC3DX006N	Dualobe, 2 row, LCP, 25 position, plug, 32 AWG 7 strand, white PTFE wire, 6 inches, 1.0 captive jackscrews.
5-1589472-2	1589472	STL025PC4DX030N	Dualobe, 2 row, LCP, 25 position, plug, 34 AWG 7 strand, white PTFE wire, 30 inches, 1.0 captive jackscrews.
5-1589472-3	1589472	STL037PC2DC010N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 inches, 1.0 captive jackscrews.
5-1589472-4	1589472	STL037PC2DC012	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches.
5-1589472-5	1589472	STL037PC2DC012M	Dualobe, 2 row, LCP, 37 position, plug, 30AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 non-captive jackscrews.
5-1589472-6	1589472	STL037PC2DC012N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
5-1589472-7	1589472	STL037PC2DC017N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 17 inches, 1.0 captive jackscrews.
5-1589472-8	1589472	STL037PC2DC018M	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 non-captive jackscrews.
5-1589472-9	1589472	STL037PC2DC018N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
6-1589472-0	1589472	STL037PC2DC020Q	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 inches, 1.2 captive jackscrews.
6-1589472-1	1589472	STL037PC2DC036M	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 non-captive jackscrews.
6-1589472-2	1589472	STL037PC2DC036N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
6-1589472-3	1589472	STL037PC2DC040N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 40 inches, 1.0 captive jackscrews.
6-1589472-4	1589472	STL037PC2DCC15N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 15 centimeters, 1.0 captive jackscrews.
6-1589472-5	1589472	STL037PC2DM010N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 stranded, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 10 inches, 1.0 captive jackscrews.
6-1589472-6	1589472	STL037PC2GX005N	Dualobe, 2 row, LCP, 37 position, plug, 30AWG 7 strand, FEP ribbon cable, 5 inches, 1.0 captive jackscrews.
6-1589472-7	1589472	STL051PC0DXC50N	Dualobe, 2 row, plastic, 51 position, plug, 28 AWG solid, white PTFE wire, 50 centimeters, 1.0 captive jackscrews.
6-1589472-8	1589472	STL051PC2DC003N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.0 captive jackscrews.

6-1589472-9	1589472	STL051PC2DC006N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
7-1589472-0	1589472	STL051PC2DC012	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches.
7-1589472-1	1589472	STL051PC2DC012N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
7-1589472-2	1589472	STL051PC2DC018	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.
7-1589472-3	1589472	STL051PC2DC024N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
7-1589472-4	1589472	STL051PC2DC036N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
7-1589472-5	1589472	STL051PC2DC040N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 40 inches, 1.0 captive jackscrews.
7-1589472-6	1589472	STL051PC2DCC35N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 35 centimeters, 1.0 captive jackscrews.
7-1589472-7	1589472	STL051PC2DNC50	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 50 centimeters.
7-1589472-8	1589472	STL065PC0DC036N	Dualobe, 2 row, LCP, 65 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
7-1589472-9	1589472	STL065PC2DC006	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches.
8-1589472-0	1589472	STL065PC2DC006N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
8-1589472-1	1589472	STL065PC2DC012N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
8-1589472-2	1589472	STL065PC2DC018	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.
8-1589472-3	1589472	STL065PC2DC018N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
8-1589472-4	1589472	STL065PC2DC024N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
8-1589472-5	1589472	STL065PC2DC036N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
8-1589472-6	1589472	STL065PC2DC040N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 40 inches, 1.0 captive jackscrews.
8-1589472-7	1589472	STL065PC2DC072N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 72 inches, 1.0 captive jackscrews.
8-1589472-8	1589472	STL065PC2DCC10N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 centimeters, 1.0 captive jackscrews.
8-1589472-9	1589472	STL065PC2DM018N	Dualobe, 2 row, LCP, 65 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 captive jackscrews.
9-1589472-0	1589472	STL065PC2DM036N	Dualobe, 2 row, LCP, 65 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.
9-1589472-1	1589472	STL065PC2GX036Q	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, FEP ribbon cable, 36 inches, 1.2 captive jackscrews.
9-1589472-2	1589472	STL065PC3DM072N	Dualobe, 2 row, LCP, 65 position, plug, 32 AWG stranded, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 72 inches, 1.0 captive jackscrews.
9-1589472-3	1589472	STM009PC0DC020N	Dualobe, 2 row, metal, 9 position, plug, 28 AWG solid, color coded PTFE wire, 20 inches, 1.0 captive jackscrews.
9-1589472-4	1589472	STM009PC0DXC10N	Dualobe, 2 row, metal, 9 position, plug, 28 AWG solid, white PTFE wire, 10 centimeters, 1.0 captive jackscrews.
9-1589472-5	1589472	STM009PC2DC003N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.0 captive jackscrews.
9-1589472-6	1589472	STM009PC2DC004N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 4 inches, 1.0 captive jackscrews.
9-1589472-7	1589472	STM009PC2DC006	Dualobe, 2 row, metal, 9 position, receptacle, 30 AWG 7 strand, color coded PTFE wire, 6 inches.
9-1589472-8	1589472	STM009PC2DC006N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
9-1589472-9	1589472	STM009PC2DC012	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches.
1589473-1	1589472	STM009PC2DC012N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
1589473-2	1589472	STM009PC2DC016N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 16 inches, 1.0 captive jackscrews.
1589473-3	1589472	STM009PC2DC018N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
1589473-4	1589472	STM009PC2DC019	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches.
1589473-5	1589472	STM009PC2DC020Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 inches, 1.2 captive jackscrews.
1589473-6	1589472	STM009PC2DC024	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches.
1589473-7	1589472	STM009PC2DC024N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
1589473-8	1589472	STM009PC2DC028N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 28 inches, 1.0 captive jackscrews.
1589473-9	1589472	STM009PC2DC030N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 30 inches, 1.0 captive jackscrews.
1-1589473-0	1589472	STM009PC2DC036	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches.
1-1589473-1	1589472	STM009PC2DC036M	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 noncaptive jackscrews.
1-1589473-2	1589472	STM009PC2DC036N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
1-1589473-3	1589472	STM009PC2DC060Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 60 inches, 1.2 captive jackscrews.
1-1589473-4	1589472	STM009PC2DCC40N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 40 centimeters, 1.0 captive jackscrews.
1-1589473-5	1589472	STM009PC2DCC90Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 90 centimeters, 1.2 captive jackscrews.
1-1589473-6	1589472	STM009PC2DCM01N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 meter, 1.0 captive jackscrews.
1-1589473-7	1589472	STM009PC2DM012N	Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.
1-1589473-8	1589472	STM009PC2DM012Q	Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.2 captive jackscrews.
1-1589473-9	1589472	STM009PC2DM018N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 captive jackscrews.
2-1589473-0	1589472	STM009PC2DM036N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.
2-1589473-1	1589472	STM009PC2DN036M	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 noncaptive jackscrews.
2-1589473-2	1589472	STM009PC2DT018N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 18 inches, 1.0 captive jackscrews.
2-1589473-3	1589472	STM009PC2DT030N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 30 inches, 1.0 captive jackscrews.
2-1589473-4	1589472	STM009PC2DX010N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE wire, 10 inches, 1.0 captive jackscrews.
2-1589473-5	1589472	STM009PC2DX024N	Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, white PTFE wire, 24 inches, 1.0 captive jackscrews.
2-1589473-6	1589472	STM009PC2DXC15Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE wire, 15 centimeters, 1.2 captive jackscrews.
2-1589473-7	1589472	STM009PC2GC024N	OBSOLETE
2-1589473-8	1589472	STM009PC2GC024NX8	OBSOLETE
2-1589473-9	1589472	STM015PC0DCM02Q	Dualobe, 2 row, metal, 15 position, plug, 28 AWG solid, color coded PTFE wire, 2 meters, 1.2 captive jackscrews.
3-1589473-0	1589472	STM015PC0DM012N	Dualobe, 2 row, metal, 15 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.
3-1589473-1	1589472	STM015PC10722N	OBSOLETE
3-1589473-2	1589472	STM015PC10723N	OBSOLETE
3-1589473-3	1589472	STM015PC10724N	OBSOLETE
3-1589473-4	1589472	STM015PC10725N	OBSOLETE
3-1589473-5	1589472	STM015PC1DC002G	OBSOLETE
3-1589473-6	1589472	STM015PC2DC003N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.0 captive jackscrews.
3-1589473-7	1589472	STM015PC2DC005N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 5 inches, 1.0 captive jackscrews.
3-1589473-8	1589472	STM015PC2DC006N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.

3-1589473-9	1589472	STM015PC2DC012N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
4-1589473-0	1589472	STM015PC2DC012Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.
4-1589473-1	1589472	STM015PC2DC016N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 16 inches, 1.0 captive jackscrews.
4-1589473-2	1589472	STM015PC2DC018N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
4-1589473-3	1589472	STM015PC2DC020Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 inches, 1.2 captive jackscrews.
4-1589473-4	1589472	STM015PC2DC024N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
4-1589473-5	1589472	STM015PC2DC030N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 30 inches, 1.0 captive jackscrews.
4-1589473-6	1589472	STM015PC2DC036	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches.
4-1589473-7	1589472	STM015PC2DC036M	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 non-captive jackscrews.
4-1589473-8	1589472	STM015PC2DC036N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
4-1589473-9	1589472	STM015PC2DC048N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 48 inches, 1.0 captive jackscrews.
5-1589473-0	1589472	STM015PC2DC060Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 60 inches, 1.2 captive jackscrews.
5-1589473-1	1589472	STM015PC2DC120N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 120 inches, 1.0 captive jackscrews.
5-1589473-2	1589472	STM015PC2DCC30N	Dualobe, 2 row, metal, 15 position, plug, 30awg 7 strand, color coded PTFE wire, 30 centimeters, 1.0 captive jackscrews.
5-1589473-3	1589472	STM015PC2DCC90Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 90 centimeters, 1.2 captive jackscrews.
5-1589473-4	1589472	STM015PC2DCM01N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 meter, 1.0 captive jackscrews.
5-1589473-5	1589472	STM015PC2DM018N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 captive jackscrews.
5-1589473-6	1589472	STM015PC2DM024N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
5-1589473-7	1589472	STM015PC2DM036N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.
5-1589473-8	1589472	STM015PC2DMM01N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 1 meter, 1.0 captive jackscrews.
5-1589473-9	1589472	STM015PC2DT006Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 6 inches, 1.2 captive jackscrews.
6-1589473-0	1589472	STM015PC2DT012N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.0 captive jackscrews.
6-1589473-1	1589472	STM015PC2DT030N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 30 inches, 1.0 captive jackscrews.
6-1589473-2	1589472	STM015PC2DT036N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.0 captive jackscrews.
6-1589473-3	1589472	STM015PC2DTC45N	Dualobe, 2 row, metal, 15 position, plug, 30AWG 7 strand, white ETFE M22759/33 wire, 45 centimeters, 1.0 captive jackscrews.
6-1589473-4	1589472	STM015PC2DX010N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 10 inches, 1.0 captive jackscrews.
6-1589473-5	1589472	STM015PC2DX012N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 12 inches, 1.0 captive jackscrews.
6-1589473-6	1589472	STM015PC2DX024N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 24 inches, 1.0 captive jackscrews.
6-1589473-7	1589472	STM015PC2DX030N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 30 inches, 1.0 captive jackscrews.
6-1589473-8	1589472	STM015PC2DX048N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 48 inches, 1.0 captive jackscrews.
6-1589473-9	1589472	STM015PC2DXC15Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 15 centimeters, 1.2 captive jackscrews.
7-1589473-0	1589472	STM015PC2GX004N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, FEP ribbon cable, 4 inches, 1.0 captive jackscrews.
7-1589473-1	1589472	STM015PC3DX024N	Dualobe, 2 row, metal, 15 position, plug, 32 AWG 7 strand, white PTFE wire, 24 inches, 1.0 captive jackscrews.
7-1589473-2	1589472	STM015PC4DX012N	Dualobe, 2 row, metal, 15 position, plug, 34 AWG 7 strand, white PTFE wire, 12 inches, 1.0 captive jackscrews.
7-1589473-3	1589472	STM025PC0DC012N	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
7-1589473-4	1589472	STM025PC0DM012N	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.
7-1589473-5	1589472	STM025PC2DC003	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 3 inches.
7-1589473-6	1589472	STM025PC2DC003N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.0 captive jackscrews.
7-1589473-7	1589472	STM025PC2DC004	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 4 inches.
7-1589473-8	1589472	STM025PC2DC006	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches.
7-1589473-9	1589472	STM025PC2DC006N	Dualobe, 2 row, metal, 25 position, plug

1-1589474-9	1589472	STM025PC2DT012N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.0 captive jackscrews.
1-1589474-0	1589472	STM025PC2DT030N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 30 inches, 1.0 captive jackscrews.
1-1589474-1	1589472	STM025PC2DT036Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.2 captive jackscrews.
1-1589474-2	1589472	STM025PC2DT048Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 48 inches, 1.2 captive jackscrews.
1-1589474-3	1589472	STM025PC2DX005	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE wire, 5 inches.
1-1589474-4	1589472	STM025PC2DX006N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE wire, 6 inches, 1.0 captive jackscrews.
1-1589474-5	1589472	STM025PC2DX006Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE wire, 6 inches, 1.2 captive jackscrews.
1-1589474-6	1589472	STM025PC2DX010N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE wire, 10 inches, 1.0 captive jackscrews.
1-1589474-7	1589472	STM025PC2DX012N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE wire, 12 inches, 1.0 captive jackscrews.
1-1589474-8	1589472	STM025PC2DX018N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE wire, 18 inches, 1.0 captive jackscrews.
1-1589474-9	1589472	STM025PC2DX048N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE wire, 48 inches, 1.0 captive jackscrews.
2-1589474-0	1589472	STM025PC2DY004	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 4 inches.
2-1589474-1	1589472	STM025PC2DY006	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 6 inches.
2-1589474-2	1589472	STM025PC2DY006N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 6 inches, 1.0 captive jackscrews.
2-1589474-3	1589472	STM025PC4DS018N	OBSOLETE
2-1589474-4	1589472	STM025PC4DX012M	Dualobe, 2 row, metal, 25 position, plug, 34 AWG 7 strand, white PTFE wire, 12 inches, 1.0 noncaptive jackscrews.
2-1589474-5	1589472	STM025PC4DX012N	Dualobe, 2 row, metal, 25 position, plug, 34 AWG 7 strand, white PTFE wire, 12 inches, 1.0 captive jackscrews.
2-1589474-6	1589472	STM037PC0DC009N	Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, color coded PTFE wire, 9 inches, 1.0 captive jackscrews.
2-1589474-7	1589472	STM037PC0DXC10N	Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, white PTFE wire, 10 centimeters, 1.0 captive jackscrews.
2-1589474-8	1589472	STM037PC2DC003N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.0 captive jackscrews.
2-1589474-9	1589472	STM037PC2DC005N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 5 inches, 1.0 captive jackscrews.
3-1589474-0	1589472	STM037PC2DC006M	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 non-captive jackscrews.
3-1589474-1	1589472	STM037PC2DC006N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
3-1589474-2	1589472	STM037PC2DC012	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches.
3-1589474-3	1589472	STM037PC2DC012M	Dualobe, 2 row, metal, 37 position, plug, 30AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 non-captive jackscrews.
3-1589474-4	1589472	STM037PC2DC012N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
3-1589474-5	1589472	STM037PC2DC012Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.
3-1589474-6	1589472	STM037PC2DC015N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 15 inches, 1.0 captive jackscrews.
3-1589474-7	1589472	STM037PC2DC015Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 15 inches, 1.2 captive jackscrews.
3-1589474-8	1589472	STM037PC2DC015Q2	OBSOLETE
3-1589474-9	1589472	STM037PC2DC018N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
4-1589474-0	1589472	STM037PC2DC020Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 inches, 1.2 captive jackscrews.
4-1589474-1	1589472	STM037PC2DC024	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches.
4-1589474-2	1589472	STM037PC2DC024N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
4-1589474-3	1589472	STM037PC2DC030N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 30 inches, 1.0 captive jackscrews.
4-1589474-4	1589472	STM037PC2DC036	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches.
4-1589474-5	1589472	STM037PC2DC036N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
4-1589474-6	1589472	STM037PC2DC036Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.2 captive jackscrews.
4-1589474-7	1589472	STM037PC2DC048N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 48 inches, 1.0 captive jackscrews.
4-1589474-8	1589472	STM037PC2DC060Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 60 inches, 1.2 captive jackscrews.
4-1589474-9	1589472	STM037PC2DC072N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 72 inches, 1.0 captive jackscrews.
5-1589474-0	1589472	STM037PC2DCC20Q	Dualobe, 2 row, metal, 37 position, plug, 30AWG 7 strand, color coded wire, 20 centimeters, 1.2 captive jackscrews.
5-1589474-1	1589472	STM037PC2DCC50N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.0 captive jackscrews.
5-1589474-2	1589472	STM037PC2DCM01Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 meter, 1.2 captive jackscrews.
5-1589474-3	1589472	STM037PC2DM018N	Dualobe, 2 row, metal, plug, 37 position, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 captive jackscrews.
5-1589474-4	1589472	STM037PC2DM024M	Dualobe, 2 row, metal, 37 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 non-captive jackscrews.
5-1589474-5	1589472	STM037PC2DM024N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
5-1589474-6	1589472	STM037PC2DN036M	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 noncaptive jackscrews.
5-1589474-7	1589472	STM037PC2DT012N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.0 captive jackscrews.
5-1589474-8	1589472	STM037PC2DT030N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 30 inches, 1.0 captive jackscrews.
5-1589474-9	1589472	STM037PC2DX006N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white PTFE wire, 6 inches, 1.0 captive jackscrews.
6-1589474-0	1589472	STM037PC2DX010N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white PTFE wire, 10 inches, 1.0 captive jackscrews.
6-1589474-1	1589472	STM037PC2DX012N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white PTFE wire, 12 inches, 1.0 captive jackscrews.
6-1589474-2	1589472	STM037PC2DX024N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white PTFE wire, 24 inches, 1.0 captive jackscrews.
6-1589474-3	1589472	STM037PC2GX006N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, FEP ribbon cable, 6 inches, 1.0 captive jackscrews.
6-1589474-4	1589472	STM037PC3DC012N	Dualobe, 2 row, metal, 37 position, plug, 32 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
6-1589474-5	1589472	STM051PC0DC012N	Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
6-1589474-6	1589472	STM051PC0DC048N	Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, color coded PTFE wire, 48 inches, 1.0 captive jackscrews.
6-1589474-7	1589472	STM051PC0DXC10N	Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, white PTFE wire, 10 centimeters, 1.0 captive jackscrews.
6-1589474-8	1589472	STM051PC1DXC20	Dualobe, 2 row, metal, 51 position, plug, 30 AWG solid, white PTFE wire, 20 centimeters.
6-1589474-9	1589472	STM051PC2DC003N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.0 captive jackscrews.
7-1589474-0	1589472	STM051PC2DC006	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches.
7-1589474-1	1589472	STM051PC2DC006N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
7-1589474-2	1589472	STM051PC2DC012N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
7-1589474-3	1589472	STM051PC2DC012Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.
7-1589474-4	1589472	STM051PC2DC015N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 15 inches, 1.0 captive jackscrews.
7-1589474-5	1589472	STM051PC2DC016N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 16 inches, 1.0 captive jackscrews.
7-1589474-6	1589472	STM051PC2DC018	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.
7-1589474-7	1589472	STM051PC2DC018N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.

7-1589474-8	1589472	STM051PC2DC018Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
7-1589474-9	1589472	STM051PC2DC024N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
8-1589474-0	1589472	STM051PC2DC030N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 30 inches, 1.0 captive jackscrews.
8-1589474-1	1589472	STM051PC2DC036N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
8-1589474-2	1589472	STM051PC2DC036Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.2 captive jackscrews.
8-1589474-3	1589472	STM051PC2DC060N	Dualobe, 2 row, metal, 51 position, plug, 30AWG 7 strand, color coded PTFE wire, 60 inches, 1.0 captive jackscrews.
8-1589474-4	1589472	STM051PC2DC060Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 60 inches, 1.2 captive jackscrews.
8-1589474-5	1589472	STM051PC2DCC20N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 centimeters, 1.0 captive jackscrews.
8-1589474-6	1589472	STM051PC2DM018N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 captive jackscrews.
8-1589474-7	1589472	STM051PC2DM001N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 1 meter, 1.0 captive jackscrews.
8-1589474-8	1589472	STM051PC2DNC15Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 15 centimeters, thread for 1.2 jackscrews.
8-1589474-9	1589472	STM051PC2DT012N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.0 captive jackscrews.
9-1589474-0	1589472	STM051PC2DT030N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 30 inches, 1.0 captive jackscrews.
9-1589474-1	1589472	STM051PC2DT036N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.0 captive jackscrews.
9-1589474-2	1589472	STM051PC2DT072N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 72 inches, 1.0 captive jackscrews.
9-1589474-3	1589472	STM051PC2DX012N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white PTFE wire, 12 inches, 1.0 captive jackscrews.
9-1589474-4	1589472	STM051PC2DX012Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white PTFE wire, 12 inches, 1.2 captive jackscrews.
9-1589474-5	1589472	STM051PC2DX015N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white PTFE wire, 15 inches, 1.0 captive jackscrews.
9-1589474-6	1589472	STM051PC2DX018	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white PTFE wire, 18 inches.
9-1589474-7	1589472	STM051PC2DX018N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white PTFE wire, 18 inches, 1.0 captive jackscrews.
9-1589474-8	1589472	STM051PC2DY015N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white M16878/6 wire, 15 inches, 1.0 captive jackscrews.
9-1589474-9	1589472	STM051PC2GXM01N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, FEP ribbon cable, 1 meter, 1.0 captive jackscrews.
1589475-1	1589472	STM065PC2DC003N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.0 captive jackscrews.
1589475-2	1589472	STM065PC2DC006	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches.
1589475-3	1589472	STM065PC2DC006N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
1589475-4	1589472	STM065PC2DC008Q	Dualobe, 2 row, metal, 65 position, plug, 30AWG 7 strand, color coded PTFE wire, 8 inches, 1.2 captive jackscrews.
1589475-5	1589472	STM065PC2DC012N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
1589475-6	1589472	STM065PC2DC012Q	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.
1589475-7	1589472	STM065PC2DC016M	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 16 inches, 1.0 non-captive jackscrews.
1589475-8	1589472	STM065PC2DC016N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 16 inches, 1.0 captive jackscrews.
1589475-9	1589472	STM065PC2DC018M	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 non-captive jackscrews.
1-1589475-0	1589472	STM065PC2DC018N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
1-1589475-1	1589472	STM065PC2DC018Q	Dualobe, 2 row, metal, 65 position, plug, 30AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
1-1589475-2	1589472	STM065PC2DC024N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
1-1589475-3	1589472	STM065PC2DC024Q	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.2 captive jackscrews.
1-1589475-4	1589472	STM065PC2DC030N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 30 inches, 1.0 captive jackscrews.
1-1589475-5	1589472	STM065PC2DC036N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 Strand, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
1-1589475-6	1589472	STM065PC2DC072N	Dualobe, 2 row, metal, 65 position, plug, 30AWG 7 strand, color coded PTFE wire, 72 inches, 1.0 captive jackscrews.
1-1589475-7	1589472	STM065PC2DM018N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 captive jackscrews.
1-1589475-8	1589472	STM065PC2DT018N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 18 inches, 1.0 captive jackscrews.
1-1589475-9	1589472	STM065PC2DT030N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 30 inches, 1.0 captive jackscrews.
2-1589475-0	1589472	STM065PC2DX006N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, white PTFE wire, 6 inches, 1.0 captive jackscrews.
2-1589475-1	1589472	STM065PC2DX018N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, white PTFE wire, 18 inches, 1.0 captive jackscrews.
2-1589475-2	1589472	STM065PC2DX036N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, white PTFE wire, 36 inches, 1.0 captive jackscrews.
2-1589475-3	1589472	STM065PC2DY012N	Dualobe, 2 row, metal, 65 position, plug, 30AWG 7 strand, white PTFE M16878/6 wire, 12 inches, 1.0 captive jackscrews.
2-1589475-4	1589472	STM065PC2DY024N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 24 inches, 1.0 captive jackscrews.
2-1589475-5	1589472	STM065PC2GXM01N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, FEP ribbon cable, 1 meter, 1.0 captive jackscrews.
2-1589475-6	1589472	STM065PC3DM006N	Dualobe, 2 row, metal, 65 position, plug, 32 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 6 inches, 1.0 captive jackscrews.
2-1589475-7	1589472	STM065PC3DX024N	Dualobe, 2 row, metal, 65 position, plug, 32 AWG 7 strand, white PTFE wire, 24 inches, 1.0 captive jackscrews.
2-1589475-8	1589472	STM015PC2DTC95Q	Dualobe, 2 row, metal, 15 position, plug, 30AWG 7 strand, white ETFE M22759/33 wire, 95 centimeters, 1.2 captive jackscrews.
2-1589475-9	1589472	STM009PC2DTC45N	Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, white ETFE M22759/33 wire, 45 centimeters, 1.0 captive jackscrews.
3-1589475-0	1589472	STL009PC2DM048N	Dualobe, 2 row, LCP, 9 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 48 inches, 1.0 captive jackscrews.
3-1589475-1	1589472	STL015PC2DM048N	Dualobe, 2 row, LCP, 15 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 48 inches, 1.0 captive jackscrews.
3-1589475-2	1589472	STL037PC2DM048N	Dualobe, 2 row, LCP, 37 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 48 inches, 1.0 captive jackscrews.
3-1589475-3	1589472	STL051PC2DM048N	Dualobe, 2 row, LCP, 51 position, plug, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 48 inches, 1.0 captive jackscrews.
3-1589475-4	1589472	STM025PC2DT006N	Dualobe, 2 row, metal, 25 position, plug, 30AWG 7 strand, white ETFE M22759/33 wire, 6 inches, 1.0 jackscrews.
3-1589475-5	1589472	STM037PC2DT006N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 6 inches, 1.0 jackscrews.
3-1589475-6	1589472	STM051PC2GX006N	Dualobe, 2 row, metal, 51 position, plug, 30AWG 7 strand, FEP ribbon cable, 6 inches, 1.0 captive jackscrews.
3-1589475-8	1589472	STM009PC2DX006Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE wire, 6 inches, 1.2 captive jackscrews.
3-1589475-9	1589472	STL015PC2DC018N	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
4-1589475-0	1589472	STM037PC2DC018	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.
4-1589475-1	1589472	STM015PC2DTC15N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 15 centimeters, 1.0 captive jackscrews.
4-1589475-2	1589472	STM037PC2DC020N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 inches, 1.0 captive jackscrews.
4-1589475-3	1589472	STM065PC2DC020N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 inches, 1.0 captive jackscrews.
4-1589475-4	1589472	STM025PC0DC060N	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, color coded PTFE wire, 60 inches, 1.0 captive jackscrews.
4-1589475-5	1589472	STM037PC2DM036Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.2 captive jackscrews.
4-1589475-6	1589472	STM025PC2DT012M	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white ETFE, M22759/33 wire, 12 inches, 1.0 non captive jackscrews.
4-1589475-7	1589472	STM037PC2DT012M	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.0 non captive jackscrews.
4-1589475-8	1589472	STM009PC2DCC50N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.0 captive jackscrews.

4-1589475-9	1589472	STM065PC2DCC50N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.0 captive jackscrews.
5-1589475-0	1589472	STM065PC2DM024N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
5-1589475-1	1589472	STM037PC2DM012N	Dualobe, 2 row, metal, plug, 37 position, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.
5-1589475-2	1589472	STM037PC2DC024Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.2 captive jackscrews.
5-1589475-3	1589472	STL009PC2DCM01N	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 meter, 1.0 captive jackscrews.
5-1589475-4	1589472	STM009PC2DC060N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 60 inches, 1.0 captive jackscrews.
5-1589475-5	1589472	STG065PC2DC036	Dualobe, 2 row, gold, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches.
5-1589475-6	1589472	STM065PC2DC036	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 Strand, color coded PTFE wire, 36 inches.
5-1589475-7	1589472	STL025PC2DC006M	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 non captive jackscrews.
5-1589475-8	1589472	STL065PC2DC006M	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 non captive jackscrews.
5-1589475-9	1589472	STM025PC2MM012N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.
6-1589475-0	1589472	STL051PC2DT024N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 24 inches, 1.0 captive jackscrews.
6-1589475-1	1589472	STL037PC2DT024N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 24 inches, 1.0 captive jackscrews.
6-1589475-2	1589472	STL025PC2DT024N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 24 inches, 1.0 captive jackscrews.
6-1589475-3	1589472	STL065PC2DT024N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 24 inches, 1.0 captive jackscrews.
6-1589475-4	1589472	STL025PC0DC006N	Dualobe, 2 row, LCP, 25 position, plug, 28 AWG solid, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
6-1589475-5	1589472	STL065PC0DC006N	Dualobe, 2 row, LCP, 65 position, plug, 28 AWG solid, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
6-1589475-6	1589472	STM051PC2DC024	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches.
6-1589475-7	1589472	STM009PC3DM024Q	Dualobe, 2 row, metal, 9 position, plug, 32 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.2 captive jackscrews.
6-1589475-8	1589472	STM015PC3DM024Q	Dualobe, 2 row, metal, 15 position, plug, 32 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.2 captive jackscrews.
6-1589475-9	1589472	STM025PC3DM024Q	Dualobe, 2 row, metal, 25 position, plug, 32 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.2 captive jackscrews.
7-1589475-0	1589472	STM037PC3DM024Q	Dualobe, 2 row, metal, 37 position, plug, 32 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.2 captive jackscrews.
7-1589475-1	1589472	STM009PC2DCC30N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 30 centimeters, 1.0 captive jackscrews.
7-1589475-2	1589472	STM051PC2MM012N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.
7-1589475-3	1589472	STM051PC2MM024N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
7-1589475-4	1589472	STL037PC2DY020N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 20 inches, 1.0 captive jackscrews.
7-1589475-5	1589472	STG037PC2DC006N	Dualobe, 2 row, gold, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
7-1589475-6	1589472	STM009PC2DT006Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 6 inches, 1.2 captive jackscrews.
7-1589475-7	1589472	STM065PC2DCM01N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 meter, 1.0 captive jackscrews.
7-1589475-8	1589472	STG025PC2DT036N	Dualobe, 2 row, gold, 25 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.0 captive jackscrews.
7-1589475-9	1589472	STM025PC2DC084N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 84 inches, 1.0 captive jackscrews.
8-1589475-0	1589472	STL015PC2DX006N	Dualobe, 2 row, plastic, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 6 inches, 1.0 captive jackscrews.
8-1589475-1	1589472	STL015PC2DC015Q	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 15 inches, 1.2 captive jackscrews.
8-1589475-2	1589472	STL025PC2DC015Q	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 15 inches, 1.2 captive jackscrews.
8-1589475-3	1589472	STM009PC2DC024Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.2 captive jackscrews.
8-1589475-4	1589472	STM009PC2DXM01Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE wire, 1 meter, 1.2 captive jackscrews.
8-1589475-5	1589472	STM065PC2DT012N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.0 captive jackscrews.
8-1589475-6	1589472	STL025PC2DC018	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.
8-1589475-7	1589472	STM015PC4DX024N	Dualobe, 2 row, metal, 15 position, plug, 34 AWG 7 strand, white PTFE wire, 24 inches, 1.0 captive jackscrews.
8-1589475-8	1589472	STS015PC4DX024N	Dualobe, 2 row, stainless, 15 position, plug, 34 AWG 7 strand, white PTFE wire, 24 inches, 1.0 captive jackscrews.
8-1589475-9	1589472	STM065PC2DCM01Q	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 meter, 1.2 captive jackscrews.
9-1589475-0	1589472	STM009PC2DT036N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.0 captive jackscrews.
9-1589475-1	1589472	STM025PC3DX030N	Dualobe, 2 row, metal, 25 position, plug, 32 AWG 7 strand, white PTFE wire, 30 inches, 1.0 captive jackscrews.
9-1589475-2	1589472	STL025PC3DX030N	Dualobe, 2 row, LCP, 25 position, plug, 32 AWG 7 strand, white PTFE wire, 30 inches, 1.0 captive jackscrews.
9-1589475-3	1589472	STS009PC2DT036N	Dualobe, 2 row, stainless, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.0 captive jackscrews.
9-1589475-4	1589472	STL015PC2DY006N	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 6 inches, 1.0 captive jackscrews.
9-1589475-5	1589472	STL025PC2DY006N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 6 inches, 1.0 captive jackscrews.
9-1589475-6	1589472	STL037PC2DY006N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 6 inches, 1.0 captive jackscrews.
9-1589475-7	1589472	STM051PC2DCC30N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 30 centimeters, 1.0 captive jackscrews.
9-1589475-8	1589472	STM065PC0DMC30Q	Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 30 centimeters, 1.2 captive jackscrews.
9-1589475-9	1589472	STL009PC0DM024N	Dualobe, 2 row, LCP, 9 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
1589788-1	1589472	STL009PC2DM024N	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 stranded, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
1589788-2	1589472	STL009PC2DM030N	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 stranded, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 30 inches, 1.0 captive jackscrews.
1589788-3	1589472	STS009PC2DM048N	Dualobe, 2 row, stainless, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 48 inches, 1.0 captive jackscrews.
1589788-4	1589472	STS015PC2DM048N	Dualobe, 2 row, stainless, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 48 inches, 1.0 captive jackscrews.
1589788-5	1589472	STG037PC2DM048N	Dualobe, 2 row, stainless, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 48 inches, 1.0 captive jackscrews.
1589788-6	1589472	STS051PC2DM048N	Dualobe, 2 row, stainless, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 48 inches, 1.0 captive jackscrews.
1589788-7	1589472	STM025PC2DM012N	Dualobe, 2 row, metal, plug, 25 position, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.
1589788-8	1589472	STM009PC2DCC10Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 centimeters, 1.2 captive jackscrews.
1589788-9	1589472	STM015PC2DCC10Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 centimeters, 1.2 captive jackscrews.
1-1589788-0	1589472	STM025PC2DCC10Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 centimeters, 1.2 captive jackscrews.
1-1589788-1	1589472	STL009PC0DC006N	Dualobe, 2 row, LCP, 9 position, plug, 28 AWG solid, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
1-1589788-2	1589472	STM009PC0DM024N	Dualobe, 2 row, metal, 9 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
1-1589788-3	1589472	STM015PC0DM024N	Dualobe, 2 row, metal, 15 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
1-1589788-4	1589472	STM025PC0DM024N	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
1-1589788-5	1589472	STM037PC0DM024N	Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
1-1589788-6	1589472	STM025PC2DM072Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 72 inches, 1.2 captive jackscrews.
1-1589788-7	1589472	STL065PC0DC036Q	Dualobe, 2 row, LCP, 65 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.2 captive jackscrews.
1-1589788-8	1589472	STM037PC0DM036N	Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 36 inches, 1.0 captive jackscrews.

Nanonics Standard Catalog Part Number Cross-Reference

1-1589788-9	1589472	STM051PC0DM036N	Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 36 inches, 1.0 captive jackscrews.
2-1589788-0	1589472	STM051PC2DC015Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 15 inches, 1.2 captive jackscrews.
2-1589788-1	1589472	STM037PC0DM060N	Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 60 inches, 1.0 captive jackscrews.
2-1589788-2	1589472	STM051PC0DM060N	Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 60 inches, 1.0 captive jackscrews.
2-1589788-3	1589472	STM065PC0DM060N	Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 60 inches, 1.0 captive jackscrews.
2-1589788-4	1589472	STL037PC2DC018Q	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
2-1589788-5	1589472	STL051PC2DC018Q	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
2-1589788-6	1589472	STL065PC2DC018Q	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
2-1589788-7	1589472	STM065PC2DY012Q	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 12 inches, 1.2 captive jackscrews.
2-1589788-8	1589472	STM009PC2DY030N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE M16878/6 wire, 30 inches, 1.0 captive jackscrews.
2-1589788-9	1589472	STL009PC1DM024N	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
3-1589788-0	1589472	STL037PC2DC024N	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
3-1589788-1	1589472	STM051PC2GX012N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, FEP ribbon cable, 12 inches, 1.0 captive jackscrews.
3-1589788-2	1589472	STM009PC2GX012N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, FEP ribbon cable, 12 inches, 1.0 captive jackscrews.
3-1589788-3	1589472	STL025PC0DC012N	Dualobe, 2 row, LCP, 25 position, plug, 28 AWG solid, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
3-1589788-4	1589472	STL065PC0DC012N	Dualobe, 2 row, LCP, 65 position, plug, 28 AWG solid, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.
3-1589788-5	1589472	STM051PC2DCC50N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.0 captive jackscrews.
3-1589788-6	1589472	STM051PC2DCC50Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.2 captive jackscrews.
3-1589788-7	1589472	STL009PC2DC024	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches.
3-1589788-8	1589472	STL051PC2DC018N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.
3-1589788-9	1589472	STM015PC2DT22Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 22 centimeters, 1.2 captive jackscrews.
4-1589788-0	1589472	STM065PC2DMC46N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 46 centimeters, 1.0 captive jackscrews.
4-1589788-1	1589472	STM009PC2DX012N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white PTFE wire, 12 inches, 1.0 captive jackscrews.
4-1589788-2	1589472	STM015PC2DM020N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 20 inches, 1.0 captive jackscrews.
4-1589788-3	1589472	STM025PC2DM020N	Dualobe, 2 row, metal, plug, 25 position, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 20 inches, 1.0 captive jackscrews.
4-1589788-4	1589472	STM037PC2DM020N	Dualobe, 2 row, metal, plug, 37 position, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 20 inches, 1.0 captive jackscrews.
4-1589788-5	1589472	STM025PC0DM036N	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors) 36 inches, 1.0 captive jackscrews.
4-1589788-6	1589472	STM065PC0DM036N	Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.
4-1589788-7	1589472	STL025PC2GX036	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, FEP ribbon cable, 36 inches.
4-1589788-8	1589472	STM065PC0DMM01Q	Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 1 meter, 1.2 captive jackscrews.
4-1589788-9	1589472	STM025PC2DT024N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 24 inches, 1.0 captive jackscrews.
5-1589788-0	1589472	STM037PC2DTC20Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 20 centimeters, 1.2 jackscrews.
5-1589788-1	1589472	STL037PC3DC001	Dualobe, 2 row, LCP, 37 position, plug, 32 AWG 7 strand, color coded PTFE wire, 1 inch.
5-1589788-2	1589472	STM025PC2MCC20N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 centimeters, 1.0 captive jackscrews.
5-1589788-3	1589472	STM009PC2GX006	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, FEP ribbon cable, 6 inches.
5-1589788-4	1589472	STM015PC0DC036N	Dualobe, 2 row, metal, 15 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
5-1589788-5	1589472	STM025PC0DC036N	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
5-1589788-6	1589472	STM037PC0DC036N	Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
5-1589788-7	1589472	STM051PC0DC036N	Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
5-1589788-8	1589472	STM065PC0DC036N	Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
5-1589788-9	1589472	STM015PC2DX005Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 5 inches, 1.2 captive jackscrews.
6-1589788-0	1589472	STM025PC2DC010Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 inches, 1.2 captive jackscrews.
6-1589788-1	1589472	STM037PC2DC010Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 10 inches, 1.2 captive jackscrews.
6-1589788-2	1589472	STM065PC2DM036N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.
6-1589788-3	1589472	STM009PC2GX006N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, FEP ribbon cable, 6 inches, 1.0 captive jackscrews.
6-1589788-4	1589472	STM025PC2DT084N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 84 inches, 1.0 captive jackscrews.
6-1589788-5	1589472	STM015PC2DX072N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, white PTFE wire, 72 inches, 1.0 captive jackscrews.
6-1589788-6	1589472	STM025PC2DX072N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, white PTFE wire, 72 inches, 1.0 captive jackscrews.
6-1589788-7	1589472	STM037PC2DC001N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 inch, 1.0 captive jackscrews.
6-1589788-8	1589472	STM037PC2DT036N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.0 captive jackscrews.
6-1589788-9	1589472	STL009PC2DC012M	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 non-captive jackscrews.
7-1589788-0	1589472	STM051PC2DM024N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
7-1589788-1	1589472	STM009PC2DT012N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.0 captive jackscrews.
7-1589788-2	1589472	STM051PC2DT018N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 18 inches, 1.0 captive jackscrews.
7-1589788-3	1589472	STL025PC2DC018M	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 non-captive jackscrews.
7-1589788-4	1589472	STL025PC2DC018Q	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
7-1589788-5	1589472	STL009PC0DC036N	Dualobe, 2 row, LCP, 9 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.
7-1589788-6	1589472	STL009PC0DC036	Dualobe, 2 row, LCP, 9 position, plug, 28 AWG solid, color coded PTFE wire, 36 inches.
7-1589788-7	1589472	STM037PC2DM036	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches.
7-1589788-8	1589472	STM025PC2DC006Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.2 captive jackscrews.
7-1589788-9	1589472	STM009PC2DC012M	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 non-captive jackscrews.
8-1589788-0	1589472	STM037PC2DT036Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.2 captive jackscrews.
8-1589788-1	1589472	STM051PC2DT036Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 36 inches, 1.2 captive jackscrews.
8-1589788-2	1589472	STL037PC2DC012Q	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.
8-1589788-3	1589472	STM009PC2DCM02N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 2 meter, 1.0 captive jackscrews.
8-1589788-4	1589472	STL009PC2DCM02N	Dualobe, 2 row, LCP, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 2 meter, 1.0 captive jackscrews.
8-1589788-5	1589472	STM037PC0DC009Q	Dualobe, 2 row, metal, 37 position, plug, 28 AWG solid, color coded PTFE wire, 9 inches, 1.2 captive jackscrews.
8-1589788-6	1589472	STM009PC2DCC46N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 46 centimeters, 1.0 captive jackscrews.
8-1589788-7	1589472	STM025PC2DCC46N	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 46 centimeters, 1.0 captive jackscrews.

8-1589788-8	1589472	STM037PC2DCC50Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.2 captive jackscrews.
8-1589788-9	1589472	STL065PC2DTC10N	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 10 centimeters, 1.0 captive jackscrews.
9-1589788-0	1589472	STM065PC2DTC10N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 10 centimeters, 1.0 captive jackscrews.
9-1589788-1	1589472	STM025PC2DM018Q	Dualobe, 2 row, metal, plug, 25 position, 30AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.2 captive jackscrews.
9-1589788-2	1589472	STM009PC2DM048Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 48 inches, 1.2 captive jackscrews.
9-1589788-3	1589472	STM025PC2DM048Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 48 inches, 1.2 captive jackscrews.
9-1589788-4	1589472	STL015PC2DC012M	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 non-captive jackscrews.
9-1589788-5	1589472	STM009PC3DX016N	Dualobe, 2 row, metal, 9 position, plug, 32 AWG 7 strand, white PTFE wire, 16 inches, 1.0 captive jackscrews.
9-1589788-6	1589472	STL009PC3DX016N	Dualobe, 2 row, LCP, 9 position, plug, 32 AWG 7 strand, white PTFE wire, 16 inches, 1.0 captive jackscrews.
9-1589788-7	1589472	STM015PC0DC006N	Dualobe, 2 row, metal, 15 position, plug, 28 AWG solid, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
9-1589788-8	1589472	STM025PC0DC006N	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
9-1589788-9	1589472	STM065PC0DC006N	Dualobe, 2 row, metal, 65 position, plug, 28 AWG solid, color coded PTFE wire, 6 inches, 1.0 captive jackscrews.
1589946-1	1589472	STL051PC2DT012N	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.0 captive jackscrews.
1589946-2	1589472	STL015PC2DC018	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.
1589946-3	1589472	STL037PC2DC018	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.
1589946-4	1589472	STM015PC2DC018	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches.
1589946-5	1589472	STM065PC2DM024Q	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.2 captive jackscrews.
1589946-6	1589472	STM015PC2DC018Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
1589946-7	1589472	STM025PC2DC018Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
1589946-8	1589472	STM037PC2DC018Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
1589946-9	1589472	STM051PC2DC036	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches.
1-1589946-0	1589472	STM009PC0DMC15Q	Dualobe, 2 row, metal, 9 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 15 centimeters, 1.2 captive jackscrews.
1-1589946-1	1589472	STM015PC0DMC15Q	Dualobe, 2 row, metal, 15 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 15 centimeters, 1.2 captive jackscrews.
1-1589946-2	1589472	STM025PC0DMC15Q	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 15 centimeters, 1.2 captive jackscrews.
1-1589946-3	1589472	STM051PC2DM018Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.2 captive jackscrews.
1-1589946-4	1589472	STM025PC2DM024M	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 non-captive jackscrews.
1-1589946-5	1589472	STM015PC2DM024M	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 non-captive jackscrews.
1-1589946-6	1589472	STM009PC2DM024M	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 non-captive jackscrews.
1-1589946-7	1589472	STM037PC2DT024N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 24 inches, 1.0 captive jackscrews.
1-1589946-8	1589472	STM009PC2DT024N	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 24 inches, 1.0 captive jackscrews.
1-1589946-9	1589472	STL025PC0DX012Q	Dualobe, 2 row, LCP, 25 position, plug, 28 AWG solid, white PTFE wire, 12 inches, 1.2 captive jackscrews.
2-1589946-0	1589472	STL037PC2DXM04M	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, white PTFE wire, 4 meters, 1.0 non-captive jackscrews.
2-1589946-1	1589472	STM065PC2DM036Q	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.2 captive jackscrews.
2-1589946-2	1589472	STM009PC0DM012Q	Dualobe, 2 row, metal, 9 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.2 captive jackscrews.
2-1589946-3	1589472	STM015PC2DM012Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.2 captive jackscrews.
2-1589946-4	1589472	STM037PC2DM012Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.2 captive jackscrews.
2-1589946-5	1589472	STM015PC2DC020M	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 20 inches, 1.0 non-captive jackscrews.
2-1589946-6	1589472	STL025PC2DC024N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
2-1589946-7	1589472	STM015PC2MM024N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
2-1589946-8	1589472	STM009PC2DCM01Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 meter, 1.2 captive jackscrews.
2-1589946-9	1589472	STM015PC2DCM01Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 meter, 1.2 captive jackscrews.
3-1589946-0	1589472	STM065PC2DCM02Q	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 2 meters, 1.2 captive jackscrews.
3-1589946-1	1589472	STM009PC2DCM02Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 2 meters, 1.2 captive jackscrews.
3-1589946-2	1589472	STM015PC2DCM02Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 2 meters, 1.2 captive jackscrews.
3-1589946-3	1589472	STM065PC2DMM02Q	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 2 meters, 1.2 captive jackscrews.
3-1589946-4	1589472	STM009PC2DMM01Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 1 meter, 1.2 captive jackscrews.
3-1589946-5	1589472	STM025PC2DMM01Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 1 meter, 1.2 captive jackscrews.
3-1589946-6	1589472	STM009PC2DM036Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.2 captive jackscrews.
3-1589946-7	1589472	STM015PC2DM036Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.2 captive jackscrews.
3-1589946-8	1589472	STM025PC2DM036Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.2 captive jackscrews.
3-1589946-9	1589472	STM051PC2DM036Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.2 captive jackscrews.
4-1589946-0	1589472	STM025PC0DM036Q	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.2 captive jackscrews.
4-1589946-1	1589472	STM015PC2DC012M	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 non-captive jackscrews.
4-1589946-2	1589472	STM015PC2DC024Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.2 captive jackscrews.
4-1589946-3	1589472	STL015PC2DM036Q	Dualobe, 2 row, LCP, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.2 captive jackscrews.
4-1589946-4	1589472	STL025PC2DM036Q	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.2 captive jackscrews.
4-1589946-5	1589472	STL051PC2DM036Q	Dualobe, 2 row, LCP, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.2 captive jackscrews.
4-1589946-6	1589472	STL065PC2DM036Q	Dualobe, 2 row, LCP, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.2 captive jackscrews.
4-1589946-7	1589472	STM025PC2DCM01Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 meter, 1.2 captive jackscrews.
4-1589946-8	1589472	STM051PC2DCM01Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 1 meter, 1.2 captive jackscrews.
4-1589946-9	1589472	STM025PC0DM012Q	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.2 captive jackscrews.
5-1589946-0	1589472	STM025PC2DCM02Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 2 meters, 1.2 captive jackscrews.
5-1589946-1	1589472	STM037PC2DCM02Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 2 meters, 1.2 captive jackscrews.
5-1589946-2	1589472	STM051PC2DCM02Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 2 meters, 1.2 captive jackscrews.
5-1589946-3	1589472	STM051PC2DM012N	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.
5-1589946-4	1589472	STL009PC3DM012Q	Dualobe, 2 row, LCP, 9 position, plug, 32 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.2 captive jackscrews.
5-1589946-5	1589472	STL037PC3DM018Q	Dualobe, 2 row, LCP, 37 position, plug, 32 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.2 captive jackscrews.
5-1589946-6	1589472	STM037PC2DX036N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white PTFE wire, 36 inches, 1.0 captive jackscrews.
5-1589946-7	1589472	STM015PC2DC019Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches, 1.2 captive jackscrews.

5-1589946-8	1589472	STM025PC2DC019Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches, 1.2 captive jackscrews.
5-1589946-9	1589472	STM037PC2DC019Q	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches, 1.2 captive jackscrews.
6-1589946-0	1589472	STM051PC2DC019Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, color coded PTFE wire, 19 inches, 1.2 captive jackscrews.
6-1589946-1	1589472	STM015PC2DC036Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.2 captive jackscrews.
6-1589946-2	1589472	STM025PC2DC036Q	Dualobe, 2 row, metal, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.2 captive jackscrews.
6-1589946-3	1589472	STM015PC2DC055N	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 55 inches, 1.0 captive jackscrews.
6-1589946-4	1589472	STL025PC2DC006Q	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.2 captive jackscrews.
6-1589946-5	1589472	STL025PC2DC012Q	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.
6-1589946-6	1589472	STM009PC2DC036Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 36 inches, 1.2 captive jackscrews.
6-1589946-7	1589472	STM051PC2DT012Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.2 captive jackscrews.
6-1589946-8	1589472	STS009PC2DM012N	Dualobe, 2 row, stainless, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 1.0 captive jackscrews.
6-1589946-9	1589472	STL025PC1DC018	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG solid, color coded PTFE wire, 18 inches.
7-1589946-0	1589472	STL037PC2DT012Q	Dualobe, 2 row, LCP, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 12 inches, 1.2 captive jackscrews.
7-1589946-1	1589472	STM009PC2DCC25Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 25 centimeters, 1.2 captive jackscrews.
7-1589946-2	1589472	STM015PC2DCC25Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 25 centimeters, 1.2 captive jackscrews.
7-1589946-3	1589472	STM015PC2DC006Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.2 captive jackscrews.
7-1589946-4	1589472	STM009PC2DC018Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.2 captive jackscrews.
7-1589946-5	1589472	STM037PC2DM036N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 36 inches, 1.0 captive jackscrews.
7-1589946-6	1589472	STM051PC2DTM02Q	Dualobe, 2 row, metal, 51 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 2 meters, 1.2 captive jackscrews.
7-1589946-7	1589472	STM051PC0DCM02Q	Dualobe, 2 row, metal, 51 position, plug, 28 AWG solid, color coded PTFE wire, 2 meters, 1.2 captive jackscrews.
7-1589946-8	1589472	STM009PC2DM018Q	Dualobe, 2 row, metal, 9 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.2 captive jackscrews.
7-1589946-9	1589472	STM015PC2DM018Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.2 captive jackscrews.
8-1589946-0	1589472	STM065PC2DM018Q	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 18 inches, 1.2 captive jackscrews.
8-1589946-1	1589472	STM025PC0DC024N	Dualobe, 2 row, metal, 25 position, plug, 28AWG solid, color coded PTFE wire, 24 inches, 1.0 captive jackscrews.
8-1589946-2	1589472	STM037PC2DT045N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, white ETFE M22759/33 wire, 45 inches, 1.0 captive jackscrews.
8-1589946-3	1589472	STM015PC2DCC50Q	Dualobe, 2 row, metal, 15 position, plug, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.2 captive jackscrews.
8-1589946-4	1589472	STM037PC2DC200N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 200 inches, 1.0 captive jackscrews.
8-1589946-5	1589472	STM037PC2DC096N	Dualobe, 2 row, metal, 37 position, plug, 30 AWG 7 strand, color coded PTFE wire, 96 inches, 1.0 captive jackscrews.
8-1589946-6	1589472	STM065PC2DC056N	Dualobe, 2 row, metal, 65 position, plug, 30 AWG 7 strand, color coded PTFE wire, 56 inches, 1.0 captive jackscrews
8-1589946-7	1589472	STM025PC0DM018N	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid, color-coded PTFE wire per MIL-STD-681, 18 inches, 1.0 captive jackscrews
8-1589946-8	1589472	STM025PC0DM018M	Dualobe, 2 row, metal, 25 position, plug, 28 AWG solid,PTFE wire, color coded per MILSTD-681, system 1 (10 recurring solid colors), 18 inches, 1.0 non-captive jackscrews.
8-1589946-9	1589472	STL025PC2DC048N	Dualobe, 2 row, LCP, 25 position, plug, 30 AWG 7 strand, color coded PTFE wire, 48 inches, 1.0 captive jackscrews.
9-1589946-0	1589472	STM009PC2DXC30N	Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, white PTFE wire, 30 centimeters, 1.0 captive jackscrews
9-1589946-1	1589472	STM009PC2DXM1.8Q	Dualobe, 2 row, metal, 9 position, plug, 30AWG 7 strand, white PTFE wire, 1.8 meters, 1.2 captive jackscrews