

# har-switch groping 90°



Part number	09 45 453 1206
Specification	har-switch groping 90°
HARTING eCatalogue	https://b2b.harting.com/09454531206

Image is for illustration purposes only. Please refer to product description.

#### Identification

Category	Operator Interfaces
Series	har-switch
Element	Selector switch
Specification	groping 90°

#### Version

Diameter of the mounting hole	22.3 mm
Details	This item requires additional contact blocks and a module holder to be functional. Please select these under "Matching Products".

#### Technical characteristics

Actuation path	6 mm	
Overvoltage category	III (protection by low voltage)	
Tightening torque	1.5 2.2 Nm Fixing nut	
Operating temperature	-25 +70 °C	
Storage temperature	-40 +80 °C	
Degree of protection acc. to IEC 60529	IP65	
Isolation group	I (600 ≤ CTI)	
Thickness of the panel	1 7 mm	

# Material properties

Colour	anthracite
--------	------------

Page 1 / 2 | Creation date 2023-08-16 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application.

HARTING Stiftung & Co. KG | Marienwerderstr. 3 | 32339 Espelkamp | Germany



# Specifications and approvals

Specifications EN 60947-5-1		
	Specifications	EN 60947-5-1

# Commercial data

Packaging size	10
Net weight	19 g
Country of origin	Germany
European customs tariff number	85365080
ETIM	EC000222

# Switching position



Page 2 / 2 | Creation date 2023-08-16 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application.

HARTING Stiftung & Co. KG | Marienwerderstr. 3 | 32339 Espelkamp | Germany