

20mm Coin Cell Breakout Board (CR2032)

PRODUCT ID: 1870

IN STOCK

1

ADD TO CART

1-9


10-99

100+

ADD TO WISHLIST

[DESCRIPTION](#)

[TECHNICAL DETAILS](#)




DESCRIPTION

Simple but effective - this sewable breakout board has a CR2032 coin cell battery holder soldered on and 0.1" pitch breakout pins for easy connecting. Great for powering very low-current projects, or adding a battery backup circuit to a real-time-clock or similar.

Comes with one fully assembled and tested coin cell battery holder and a small stick of 0.1" header so you can solder it on and plug into a breadboard. Coin cell battery is not included.

New Products 5/14/2014



TECHNICAL DETAILS

- [EagleCAD PCB files on GitHub](#)
- [Fritzing object in the Adafruit Fritzing library](#)

Dimensions:

- 23.5mm x 28mm x 1.6mm / 0.9" x 1.1" x 0.06"
- Mounting hole distance: 18mm x 22mm / 0.7" x 0.9"
- Weight: 3g



LEARN



[Tiny TARDIS Pendant](#)

Wear your Dr. Who



[Battery Powering Wearable Electronics](#)


Find the perfect power pack



[Adafruit TPL5110 Power Timer Breakout](#)

Its like that timer your grandparents had on the air-conditioning unit. But for electronics projects.

MAY WE ALSO SUGGEST...



12mm Coin Cell Breakout



CR2032 Lithium Coin Cell



12mm Coin Cell Breakout w/



Sewable CR2032 Battery



2 x 2032 Coin Cell Battery



20mm Coin Cell Breakout



BooSTick - AA Voltage



Adafruit TPL5110 Low Power



Adafruit TPL5111 Low Power

DISTRIBUTORS [EXPAND TO SEE DISTRIBUTORS](#)

[CONTACT](#)

[SUPPORT](#)

[DISTRIBUTORS](#)

[EDUCATORS](#)

[JOBS](#)

[FAQ](#)

[SHIPPING & RETURNS](#)

[TERMS OF SERVICE](#)

[PRIVACY & LEGAL](#)

[ABOUT US](#)

"Elegance is not a dispensable luxury but a quality that decides between success and failure" -
Edsgar Dijkstra

ENGINEERED IN NYC Adafruit®



4.9 ★★★★★
Google
Customer Reviews