molex

Part Number: 2040175021

Product Description: Pico-EZmate Plus Female Crimp Terminal, Gold (Au) Plating, 30-

28 AWG, Reel

Series Number: 204017

Status: Active

Product Category: Crimp Terminals



Documents & Resources

Drawings

2040175021_sd.pdf

3D Models and Design Files

2040175021_stp.zip

Specifications

2040179200-SPK-201.pdf 2121320000-PS-000.pdf 2121321000-PS-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant with Exemption 33; 44; 34
China RoHS	©
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Crimp Terminals
Series	204017
Description	Pico-EZmate Plus Female Crimp Terminal, Gold (Au) Plating, 30-28 AWG, Reel
Application	Signal, Wire-to-Board
Product Name	Pico-EZmate Plus
UPC	193264124619

Electrical

Current - Maximum per Contact	2.8A
Voltage - Maximum	50V AC (RMS)/DC

Physical

Gender	Female
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Net Weight	5.320/mg
Packaging Type	Reel
Plating min - Mating	0.100μm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	0.6-0.7mm
Wire Size (AWG)	28, 30
Wire Size mm²	N/A

Use with Part(s)

Description	Part Number
Pico-EZmate Plus Single Row Receptacle Housings	<u>212132</u>

Application Tooling

Global

Description	Part Number
FA2 Mechanical Feed Crimp Applicator for 1.00mm Pitch Pico- EZmate Plus Female Crimp Terminals, 30-28 AWG	<u>2130693000</u>
Hand Crimp Tool for 1.00mm Pitch Pico-EZmate Plus Receptacle Crimp Terminals, 30-28 AWG	2133093700

Application Tooling

Japan

Description	Part Number
S-1 Applicator for Pico-EZmate Plus Receptacle Terminals, 30-28 AWG	2055543700

This document was generated on Mar 19, 2025