

Type Here to Search Products







Compare







ARK Menu ▶

Intel® Server Board S1200V3RPM

Specifications	Ŷ.
Essentials	
Memory Specifications	
Graphics Specifications	
Expansion Options	
I/O Specifications	
Package Specifications	
Advanced Technologies	
Intel® Data Protection Technology	
Intel® Platform Protection Technology	
Intel® Transparent Supply Chain	
Compatible Products	V

Product Images

Steppings

Ordering / sSpecs /

Specifications	
- Essentials	
Status	Launched
Launch Date	Q2'13
EOL Announce	Sunday, October 30, 2016
Last Order	Sunday, April 30, 2017
Last Receipt Attributes	Thursday, August 31, 2017
Limited 3-year Warranty	Yes
Extended Warranty Available for Purchase (Select Countries)	Yes
Additional Extended Warranty Details	Single Processor Board Extended Warranty
# of QPI Links	1
Compatible Product Series	Intel® Xeon® Processor E3-1200 v4 Family
Board Form Factor	uATX
Chassis Form Factor	1U Rack
Socket	LGA1150
Integrated Systems Available	Yes
Integrated BMC with IPMI	IPMI 2.0
Rack-Friendly Board	Yes
Embedded Options Available	Yes
TDP	95 W
Included Items	Intel® Server Board S1200V3RPMwith (4) SATA Cables, (1) Intel® Server Deployment & Management DVD, (1) Attention document, and (1) Quick Start User's Guide. Note: the OEM 10 Pack does not ship with included items.
Recommended Customer Price	N/A
Datasheet	Link
Board Chipset	(Intel® DH82C226 PCH)
	Assessment to the second secon

Specifications	
- Essentials	
Status	Launched
Launch Date	Q2'13
EOL Announce	Sunday, October 30, 2016
Last Order	Sunday, April 30, 2017
Last Receipt Attributes	Thursday, August 31, 2017
Limited 3-year Warranty	Yes
Extended Warranty Available for Purchase (Select Countries)	Yes
Additional Extended Warranty Details	Single Processor Board Extended Warranty
# of QPI Links	1
Compatible Product Series	Intel® Xeon® Processor E3-1200 v4 Family
Board Form Factor	uATX
Chassis Form Factor	1U Rack
Socket	LGA1150
Integrated Systems Available	Yes
Integrated BMC with IPMI	IPMI 2.0
Rack-Friendly Board	Yes
Embedded Options Available	Yes
TDP	95 W
Included Items	Intel® Server Board S1200V3RPMwith (4) SATA Cables, (1) Intel® Server Deployment & Management DVD, (1) Attention document, and (1) Quick Start User's Guide. Note: the OEM 10 Pack does not ship with included items.
Recommended Customer Price	N/A
Datasheet	Link
Board Chipset	(Intel® DH82C226 PCH)
Description	An entry-level one socket board with Intel® C226 chipset, supporting one Intel® Xeon® Processor E3-1200 family, 4 UDIMMs up to 1600MH, dual integrated Intel® Ethernet Controller, I/O expansion & enhanced processor graphics support. Optional Intel® RMM4.
Target Market	Small Business/1st Server
Additional Information URL	Link

32 GB

2

DDR3L ECC UDIMM 1333/1600

Related Products

Single-Socket Server **Boards**

Intel® Server Board S1200RP Family

Products formerly Rainbow Pass



Visit the Embedded Design Center >

Quick Links

Export Full Specifications > Additional Information >

Support Overview >

Search Distributors >

PCN/MDDS Information

927060: PCN | MDDS 927061: PCN 934317: PCN | MDDS 934318: PCN 942034: PCN | MDDS 942037: PCN

- Memory Specifications

Max # of Memory Channels

Memory Types

Max Memory Size (dependent on memory type)

Max Memory Bandwidth	25.6 GB/s
Physical Address Extensions	40-bit
Max # of DIMMs	4
ECC Memory Supported ‡	Yes
DIMM Type	UDIMM

Graphics Specifications	
Integrated Graphics ‡	Yes
Graphics Output	VGA
Discrete Graphics	Supported

- Expansion Options	
PCI Express Revision	3.0
Max # of PCI Express Lanes	16
PCle x8 Gen 3	1
Connector for Intel® I/O Expansion Module x8 Gen	1
Connector for Intel® Integrated RAID Module	1

- I/O Specifications	
USB Revision	2.0 and 3.0
# of USB Ports	4
Total # of SATA Ports	6
RAID Configuration	Software RAID RST (0,1,10,5) and ESRT2 (0,1,10)
# of Serial Ports	1
# of LAN Ports	2
Integrated LAN	2x 1GbE
Firewire	No
Embedded USB (eUSB) Solid State Drive Option	Yes
Integrated SAS Ports	0
Integrated InfiniBand*	No

Package Specifications	
Max CPU Configuration	1
Low Halogen Options Available	See MDDS

- Advanced Technologies	
Intel® Virtualization Technology for Directed I/O (VT-d) †	Yes
Intel® Remote Management Module Support	Yes
Intel® Node Manager	Yes
Intel® Quick Resume Technology	No
Intel® Quiet System Technology	No
Intel® HD Audio Technology	No
Intel® Matrix Storage Technology	No
Intel® Rapid Storage Technology	No
Intel® Rapid Storage Technology enterprise	Yes
Intel® Fast Memory Access	Yes
Intel® Flex Memory Access	No
Intel® I/O Acceleration Technology	Yes
Intel® Advanced Management Technology	Yes
Intel® Server Customization Technology	No



All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

"Intel classifications" consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company may be the exporter of record, and as such, your company is responsible for determining the correct classification of any item at the time of export.

Refer to Datasheet for formal definitions of product properties and features.

"Announced" SKUs are not vet available. Please refer to the Launch Date for market availability

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i5-2430M/i5-2430M/i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

"Conflict free" and "conflict-free" means "DRC conflict free", which is defined by the U.S. Securities and Exchange Commission rules to mean products that do not contain conflict minerals (tin, tantalum, tungsten and/or gold) that directly or indirectly finance or benefit armed groups in the Democratic Republic of the Congo (DRC) or adjoining countries. Intel also uses the term "conflict-free" in a broader sense to refer to suppliers, supply chains, smelters and refiners whose sources of conflict minerals do not finance conflict in the DRC or adjoining countries. Intel processors manufactured before January 1, 2013 are not confirmed conflict free. The conflict free designation refers only to product manufactured after that date. For Intel Boxed Processors, the conflict free designation refers to the processor only, not to any additional included accessories, such as heatsinks/coolers.

The Recommended Customer Price ("RCP") is pricing guidance for Intel products. Prices are for direct Intel customers, typically represent 1,000-unit purchase quantities, and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. If sold in bulk, price represents individual unit. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

Low Halogen: Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. Intel components as well as purchased components on the finished assembly meet JS-709 requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and/or PVC may not be better for the environment





Company Information Our Commitment Communities Investor Relations Contact Us





Newsroom Jobs







© Intel Corporation | Terms of Use | *Trademarks | Privacy | Cookies | Supply Chain Transparency | Site Map