Note: This datasheet may be out of date.

Please download the latest datasheet of FSRC240150RX000# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=FSRC240150RX000%23

"#" indicates a package specification code.

# FSRC240150RX000#







### < List of part numbers with package codes > FSRC240150RX000T



## Appearance & Shape







## **Features**

### **Features**

Murata offers the largest line-up of this type in the world. Our wide offering of core products enables us to meet many of today's application requirements.

### **Applications**

- 1. For data-processing equipment (PC, PDA, game machine, etc.), and peripheral equipment (printer, HDD, display, etc.)
- 2. For digital equipment (DSC, DVC, DVD recorder, mobile phone, digital audio, optical drive, PDP/LCD/FED, facsimile, etc.)



## **Applications**

Other Usage For general



# Packaging Information

Packaging	Specifications	Standard Packing Quantity
Т	Вох	1600

1 of 3

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

FSRC240150RX000#

Note: This datasheet may be out of date.

Please download the latest datasheet of FSRC240150RX000# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=FSRC240150RX000%23

"#" indicates a package specification code.



# **Specifications**

Material	RX
Mass	9.0g
Impedance at 10MHz(typ.)	38Ω (1Turn)
Impedance at 100MHz(typ.)	76Ω (1Turn)
A : Outer Dimension	23.8mm
A : Outer Dimension Tolerance	±0.5mm
B : Inner Dimension	18.8mm
B : Inner Dimension Tolerance	±0.5mm
H : Length Dimension	15.0mm
H Length Dimension Tolerance	±0.4mm
E : Width Dimension	6.3mm
E: Width Dimension Tolerance	±0.4mm
C: Gap Dimension	1.1mm
C: Gap Dimension Tolerance	±0.3mm
Number of Turn	1
(ref)Number of Lead	17

2 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



# FSRC240150RX000#


Note: This datasheet may be out of date.


Please download the latest datasheet of FSRC240150RX000# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=FSRC240150RX000%23

"#" indicates a package specification code.







Impedance-Frequency Characteristics

Cases to use

3 of 3

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

