

# USD List Price Guide ■ ■ ■

Effective January 2014



**datamax•o'neil**  
right by our customers.

## Summary of Price/Part Changes

Effective January 1st 2014



Printer	Part	Part Desc	New Part	NewPart Desc	Old USD	New USD	Notes/Action
H-Class	C42-**-*****	H-4212 - 4"-203 DPI, 12 IPS, Thermal Transfer Printer	N/A	N/A	\$2,645.00	\$2,745.00	Price Change
H-Class	C43-**-*****	H-4310 - 4"-300 DPI, 10 IPS, Thermal Transfer Printer	N/A	N/A	\$2,845.00	\$2,945.00	Price Change
H-Class	C34-**-*****	H-4408 - 4"-400 DPI, 8 IPS, Thermal Transfer Printer	N/A	N/A	\$3,845.00	\$3,945.00	Price Change
H-Class	C36-**-*****	H-4606 - 4"-600 DPI, 6 IPS, Thermal Transfer Printer	N/A	N/A	\$4,845.00	\$4,945.00	Price Change
H-Class	C**-**-**1****	H-Class w/Present Sensor	N/A	N/A	\$95.00	\$105.00	Price Change
H-Class	C42-**-**4****	H-4212 w/Internal Rewind	N/A	N/A	\$200.00	\$220.00	Price Change
H-Class	C43-**-**4****	H-4310 w/Internal Rewind	N/A	N/A	\$200.00	\$220.00	Price Change
H-Class	C34-**-**4****	H-4408 w/Internal Rewind	N/A	N/A	\$200.00	\$220.00	Price Change
H-Class	C36-**-**4****	H-4606 w/Internal Rewind	N/A	N/A	\$200.00	\$220.00	Price Change
H-Class	C82-**-**4****	H-6210 w/Internal Rewind	N/A	N/A	\$225.00	\$325.00	Price Change
H-Class	C93-**-**4****	H-6308 w/Internal Rewind	N/A	N/A	\$225.00	\$325.00	Price Change
H-Class	C42-**-**9****	H-4212 w/Cast Peel & Internal Rewind	N/A	N/A	\$395.00	\$415.00	Price Change
H-Class	C43-**-**9****	H-4310 w/Cast Peel & Internal Rewind	N/A	N/A	\$395.00	\$415.00	Price Change
H-Class	C34-**-**9****	H-4408 w/Cast Peel & Internal Rewind	N/A	N/A	\$395.00	\$415.00	Price Change
H-Class	C36-**-**9****	H-4606 w/Cast Peel & Internal Rewind	N/A	N/A	\$395.00	\$415.00	Price Change
H-Class	C42-**-**E****	H-4212 w/Basic Peel & Internal Rewind	N/A	N/A	\$300.00	\$320.00	Price Change
H-Class	C43-**-**E****	H-4310 w/Basic Peel & Internal Rewind	N/A	N/A	\$300.00	\$320.00	Price Change
H-Class	C34-**-**E****	H-4408 w/Basic Peel & Internal Rewind	N/A	N/A	\$300.00	\$320.00	Price Change
H-Class	C36-**-**E****	H-4606 w/Basic Peel & Internal Rewind	N/A	N/A	\$300.00	\$320.00	Price Change
H-Class	C82-**-**E****	H-6210 w/Basic Peel & Internal Rewind	N/A	N/A	\$325.00	\$425.00	Price Change
H-Class	C93-**-**E****	H-6308 w/Basic Peel & Internal Rewind	N/A	N/A	\$325.00	\$425.00	Price Change
H-Class	C42-**-**6****	H-4212 w/40mm Hub	N/A	N/A	\$15.00	\$25.00	Price Change
H-Class	C43-**-**6****	H-4310 w/40mm Hub	N/A	N/A	\$15.00	\$25.00	Price Change
H-Class	C34-**-**6****	H-4408 w/40mm Hub	N/A	N/A	\$15.00	\$25.00	Price Change
H-Class	C36-**-**6****	H-4606 w/40mm Hub	N/A	N/A	\$15.00	\$25.00	Price Change
H-Class	C**-**-**S*	H-Class w/Linear Scanner	N/A	N/A	\$1,395.00	\$1,995.00	Price Change
H-Class X	C32-**-**E****	H-4212X - 4"-203 DPI, 12 IPS, Thermal Transfer Printer	N/A	N/A	\$2,795.00	\$2,995.00	Price Change
H-Class X	C33-**-**E****	H-4310X - 4"-300 DPI, 10 IPS, Thermal Transfer Printer	N/A	N/A	\$2,995.00	\$3,195.00	Price Change
H-Class X	C46-**-**E****	H-4606X - 4"-600 DPI, 6 IPS, Thermal Transfer Printer	N/A	N/A	\$4,895.00	\$4,995.00	Price Change
H-Class X	C62-**-**E****	H-6212X - 6"-203 DPI, 12 IPS, Thermal Transfer Printer	N/A	N/A	\$4,195.00	\$4,295.00	Price Change
H-Class X	C63-**-**E****	H-6310X - 6"-300 DPI, 10 IPS, Thermal Transfer Printer	N/A	N/A	\$4,395.00	\$4,495.00	Price Change
H-Class X	C83-**-**E****	H-8308X - 8"-300 DPI, 8 IPS, Thermal Transfer Printer	N/A	N/A	\$5,795.00	\$6,495.00	Price Change
H-Class X	C32-**-**4****	H-4212X w/Internal Rewind	N/A	N/A	\$325.00	\$335.00	Price Change
H-Class X	C33-**-**4****	H-4310X w/Internal Rewind	N/A	N/A	\$325.00	\$335.00	Price Change
H-Class X	C46-**-**4****	H-4606X w/Internal Rewind	N/A	N/A	\$325.00	\$335.00	Price Change
H-Class X	C62-**-**4****	H-6212X w/Internal Rewind	N/A	N/A	\$520.00	\$525.00	Price Change
H-Class X	C63-**-**4****	H-6310X w/Internal Rewind	N/A	N/A	\$520.00	\$525.00	Price Change
H-Class X	C83-**-**4****	H-8308X w/Internal Rewind	N/A	N/A	\$725.00	\$755.00	Price Change
H-Class X	C32-**-**9****	H-4212X w/Cast Peel & Internal Rewind	N/A	N/A	\$520.00	\$530.00	Price Change
H-Class X	C33-**-**9****	H-4310X w/Cast Peel & Internal Rewind	N/A	N/A	\$520.00	\$530.00	Price Change
H-Class X	C46-**-**9****	H-4606X w/Cast Peel & Internal Rewind	N/A	N/A	\$520.00	\$530.00	Price Change
H-Class X	C32-**-**E****	H-4212X w/Basic Peel & Internal Rewind	N/A	N/A	\$425.00	\$435.00	Price Change
H-Class X	C33-**-**E****	H-4310X w/Basic Peel & Internal Rewind	N/A	N/A	\$425.00	\$435.00	Price Change
H-Class X	C46-**-**E****	H-4606X w/Basic Peel & Internal Rewind	N/A	N/A	\$425.00	\$435.00	Price Change
H-Class X	C62-**-**E****	H-6212X w/Basic Peel & Internal Rewind	N/A	N/A	\$620.00	\$625.00	Price Change
H-Class X	C63-**-**E****	H-6310X w/Basic Peel & Internal Rewind	N/A	N/A	\$620.00	\$625.00	Price Change
H-Class X	C83-**-**E****	H-8308X w/Basic Peel & Internal Rewind	N/A	N/A	\$825.00	\$855.00	Price Change
H-Class X	C32-**-**6****	H-4212X w/40mm Hub	N/A	N/A	\$15.00	\$25.00	Price Change
H-Class X	C33-**-**6****	H-4310X w/40mm Hub	N/A	N/A	\$15.00	\$25.00	Price Change
H-Class X	C46-**-**6****	H-4606X w/40mm Hub	N/A	N/A	\$15.00	\$25.00	Price Change
I-Class Mark II	I12-**-*****	I-4212e 4" - 203DPI/12IPS Printer w/graphic display	N/A	N/A	\$1,565.00	\$1,595.00	Price Change
I-Class Mark II	I13-**-*****	I-4310e 4" - 300DPI/10IPS Printer w/graphic display	N/A	N/A	\$1,960.00	\$1,990.00	Price Change
I-Class Mark II	I16-**-*****	I-4606e 4" - 600DPI/6IPS Printer w/graphic display	N/A	N/A	\$3,170.00	\$3,200.00	Price Change
I-Class Mark II	I**-**-**4****	I-Class Mark II w/Internal Rewind	N/A	N/A	\$175.00	\$200.00	Price Change
I-Class Mark II	I**-**-**4****	I-Class Mark II w/Cutter	N/A	N/A	\$670.00	\$695.00	Price Change
I-Class Mark II	I**-**-**L**	I-Class Mark II w/Wired LAN	N/A	N/A	\$275.00	\$295.00	Price Change
I-Class Mark II	I**-**-**P**	I-Class Mark II w/GPIO	N/A	N/A	\$195.00	\$225.00	Price Change
I-Class Mark II	I**-**-**6****	I-Class Mark II w/40mm Hub	N/A	N/A	\$15.00	\$25.00	Price Change

## Summary of Price/Part Changes

Effective January 1st 2014



Printer	Part	Part Desc	New Part	NewPart Desc	Old USD	New USD	Notes/Action
MP Compact Mark II	XA1-**-*****	MP Compact4 200 DPI	N/A	N/A	\$1,945.00	\$1,995.00	Price Change
MP Compact Mark II	XA2-**-*****	MP Compact4 300 DPI	N/A	N/A	\$2,245.00	\$2,295.00	Price Change
MP Compact Mark II	XA3-**-*****	MP Compact4 200 DPI WIRELESS	N/A	N/A	\$2,515.00	\$2,565.00	Price Change
MP Compact Mark II	XA5-**-*****	MP Compact4 200 DPI W/150mm Label Roll Support	N/A	N/A	\$2,025.00	\$2,085.00	Price Change
MP Compact Mark II	XA6-**-*****	MP Compact4 300 DPI W/150mm Label Roll Support	N/A	N/A	\$2,280.00	\$2,385.00	Price Change
MP Compact Mark II	XA7-**-*****	MP Compact4 200 DPI WIRELESS W/150mm Label Roll Support	N/A	N/A	\$2,600.00	\$2,655.00	Price Change
MP Compact Mark II	XA8-**-*****	MP Compact4 300 DPI WIRELESS W/150mm Label Roll Support	N/A	N/A	\$2,850.00	\$2,955.00	Price Change
MP Compact Mark II	XA9-**-*****	MP Compact4 200 DPI W/PEEL-OFF KIT	N/A	N/A	\$2,200.00	\$2,270.00	Price Change
MP Compact Mark II	XB0-**-*****	MP Compact4 200 DPI WIRELESS W/PEEL-OFF KIT	N/A	N/A	\$2,775.00	\$2,840.00	Price Change
MP Compact Mark II	XB2-**-*****	MP Compact4 200 DPI WIRELESS W/LTS KIT	N/A	N/A	\$2,635.00	\$2,645.00	Price Change
MP Compact Mark II	XB3-**-*****	MP Compact4 200 DPI W/CUTTER	N/A	N/A	\$2,800.00	\$2,890.00	Price Change
MP Compact Mark II	XB4-**-*****	MP Compact4 300 DPI W/CUTTER	N/A	N/A	\$3,060.00	\$3,190.00	Price Change
MP Compact Mark II	XB5-**-*****	MP Compact4 200 DPI WIRELESS W/CUTTER	N/A	N/A	\$3,375.00	\$3,460.00	Price Change
MP Compact Mark II	XB7-**-*****	MP Compact4 200 DPI W/LTS KIT & 150mm Label Roll Support	N/A	N/A	\$2,285.00	\$2,165.00	Price Change
MP Compact Mark II	XB8-**-*****	MP Compact4 200 DPI WIRELESS W/LABELROLL & LTS	N/A	N/A	\$2,855.00	\$2,645.00	Price Change
MP Compact Mark II	XB9-**-*****	MP Compact4 200 DPI W/PEELOFF & LTS KIT	N/A	N/A	\$2,280.00	\$2,350.00	Price Change
MP Compact Mark II	XC0-**-*****	MP Compact4 300 DPI W/PEELOFF & LTS KIT	N/A	N/A	\$2,550.00	\$2,650.00	Price Change
MP Compact Mark II	XC1-**-*****	MP Compact4 200 DPI WIRELESS W/PEELOFF & LTS KIT	N/A	N/A	\$2,850.00	\$2,350.00	Price Change
MP Compact Mark II	XC2-**-*****	MP Compact4 300 DPI WIRELESS W/PEELOFF & LTS KIT	N/A	N/A	\$3,115.00	\$3,220.00	Price Change
MP Mobile Mark II	XD1-**-*****	MP Compact4 Mobile 200 DPI	N/A	N/A	\$2,850.00	\$2,895.00	Price Change
MP Mobile Mark II	XD2-**-*****	MP Compact4 Mobile 300 DPI	N/A	N/A	\$3,150.00	\$3,195.00	Price Change
MP Mobile Mark II	XD3-**-*****	MP Compact4 Mobile 200 DPI WIRELESS	N/A	N/A	\$3,425.00	\$3,470.00	Price Change
MP Mobile Mark II	XD4-**-*****	MP Compact4 Mobile 300 DPI WIRELESS	N/A	N/A	\$3,685.00	\$3,770.00	Price Change
MP Mobile Mark II	XD5-**-*****	MP Compact4 Mobile 200 DPI W/PEEL-OFF KIT	N/A	N/A	\$3,115.00	\$3,180.00	Price Change
MP Mobile Mark II	XD8-**-*****	MP Compact4 Mobile 200 DPI WIRELESS W/LTS KIT	N/A	N/A	\$3,685.00	\$3,730.00	Price Change
MP Mobile Mark II	XD9-**-*****	MP Compact4 Mobile 200 DPI W/PEELOFF & LTS	N/A	N/A	\$3,115.00	\$3,440.00	Price Change
MP Mobile Mark II	XE0-**-*****	MP Compact4 Mobile 200 DPI WIRELESS W/PEELOFF & LTS	N/A	N/A	\$3,685.00	\$4,015.00	Price Change
S-Class	Q52-**-*****	ST-3210 Printer 203DPI, 6MB FLASH	N/A	N/A	\$1,370.00	\$1,445.00	Price Change
S-Class	Q53-**-*****	ST-3306 Printer 300DPI, 6MB FLASH	N/A	N/A	\$1,520.00	\$1,595.00	Price Change
S-Class	Q92-**-*****	SV-3210 Printer 203DPI, 6MB FLASH	N/A	N/A	\$1,275.00	\$1,345.00	Price Change
S-Class	Q93-**-*****	SV-3306 Printer 300DPI, 6MB FLASH	N/A	N/A	\$1,425.00	\$1,495.00	Price Change
S-Class	Q52-**-**B****	ST-3210 w/Media Hanger	N/A	N/A	\$95.00	\$110.00	Price Change
S-Class	Q53-**-**B****	ST-3306 w/Media Hanger	N/A	N/A	\$95.00	\$110.00	Price Change
S-Class	Q92-**-*****2	SV-3210 w/Cutter, Ticket Present, Standard TOF Sensor	N/A	N/A	\$450.00	\$550.00	Price Change
S-Class	Q93-**-*****2	SV-3306 w/Cutter, Ticket Present, Standard TOF Sensor	N/A	N/A	\$450.00	\$550.00	Price Change
S-Class	Q92-**-*****Z	SV-3210 w/Cutter, Ticket Present, Top TOF Sensor	N/A	N/A	\$450.00	\$550.00	Price Change
S-Class	Q93-**-*****Z	SV-3306 w/Cutter, Ticket Present, Top TOF Sensor	N/A	N/A	\$450.00	\$550.00	Price Change
S-Class	Q52-**-*****2	ST-3210 w/Cutter, Standard TOF Sensor & 3.25" Ticket Tray	N/A	N/A	\$300.00	\$400.00	Price Change
S-Class	Q53-**-*****2	ST-3306 w/Cutter, Standard TOF Sensor & 3.25" Ticket Tray	N/A	N/A	\$300.00	\$400.00	Price Change
S-Class	Q52-**-*****8	ST-3210 w/Cutter, Top TOF Sensor & 3.25" Ticket Tray	N/A	N/A	\$300.00	\$400.00	Price Change
S-Class	Q53-**-*****8	ST-3306 w/Cutter, Top TOF Sensor & 3.25" Ticket Tray	N/A	N/A	\$300.00	\$400.00	Price Change
S-Class	Q52-**-*****P	ST-3210 w/Cutter, Standard TOF Sensor & 2" Ticket Tray	N/A	N/A	\$300.00	\$400.00	Price Change
S-Class	Q53-**-*****P	ST-3306 w/Cutter, Standard TOF Sensor & 2" Ticket Tray	N/A	N/A	\$300.00	\$400.00	Price Change
S-Class	Q52-**-*****Q	ST-3210 w/Cutter, Top TOF Sensor & 2" Ticket Tray	N/A	N/A	\$300.00	\$400.00	Price Change
S-Class	Q53-**-*****Q	ST-3306 w/Cutter, Top TOF Sensor & 2" Ticket Tray	N/A	N/A	\$300.00	\$400.00	Price Change
E-Class Mark III	N/A	N/A	OPT78-2906-01	Security Kit, EM3 Pro+	N/A	\$50.00	New
E-Class Mark III	OPT78-2836-01	Label Peeler Kit w/sensor	OPT78-2836-02	Label Peeler Kit w/sensor	\$145.00	\$145.00	Part# Change
MCL	DPO78-2536-02	Dual serial port cable for I and W-Class	DPO78-2536-02	Dual serial port cable for I and W-Class	\$65.00	\$130.00	Price Change
H-Class	OPT78-2615-01	Internal Rewinder 4"	N/A	N/A	\$200.00	\$220.00	Price Change
H-Class	OPT78-2615-11	Internal Rewinder 6"	N/A	N/A	\$225.00	\$325.00	Price Change
H-Class	OPT78-2619-01	Present Sensor	N/A	N/A	\$95.00	\$105.00	Price Change
H-Class	OPT78-2629-01	Linear Barcode Scanner 4"	N/A	N/A	\$1,395.00	\$1,995.00	Price Change
H-Class	OPT78-2629-11	Linear Barcode Scanner 6"	N/A	N/A	\$1,395.00	\$1,995.00	Price Change
H-Class	OPT78-2629-21	Linear Barcode Scanner 8"	N/A	N/A	\$1,395.00	\$1,995.00	Price Change
H-Class X	OPT78-2627-01	Internal Rewinder 4" (Powered)	N/A	N/A	\$325.00	\$335.00	Price Change
H-Class X	OPT78-2627-11	Internal Rewinder 6" (Powered)	N/A	N/A	\$520.00	\$525.00	Price Change
H-Class X	OPT78-2627-21	Internal Rewinder 8" (Powered)	N/A	N/A	\$725.00	\$755.00	Price Change
I-Class Mark II	OPT78-2295-02	Standard Cutter Kit for 10 mil stock	N/A	N/A	\$670.00	\$695.00	Price Change

## Summary of Price/Part Changes

Effective January 1st 2014



Printer	Part	Part Desc	New Part	NewPart Desc	Old USD	New USD	Notes/Action
I-Class Mark II	OPT78-2302-01	Internal Rewinder	N/A	N/A	\$175.00	\$200.00	Price Change
I-Class Mark II	OPT78-2887-01	Ethernet Wired LAN 10/100	N/A	N/A	\$275.00	\$295.00	Price Change
I-Class Mark II	OPT78-2889-01	GPIO Applicator interface card	N/A	N/A	\$195.00	\$225.00	Price Change
S-Class	DPO11-5228-01	Cutter Tray for 3.25" tickets (ST Only)	N/A	N/A	\$50.00	\$55.00	Price Change
S-Class	DPO12-2978-01	Media Hangerfor Roll Media (ST Only)	N/A	N/A	\$95.00	\$110.00	Price Change
S-Class	DPO15-3081-01	Cutter Tray for 2" tickets (ST Only)	N/A	N/A	\$50.00	\$55.00	Price Change
S-Class	DPO32-2300-01	DB9 RS232 Serial Data Cable	N/A	N/A	\$35.00	\$40.00	Price Change
S-Class	DPO32-2502-01	USB cable	N/A	N/A	\$25.00	\$35.00	Price Change
S-Class	OPT15-2775-01	Cutter Option (ST Only)	N/A	N/A	\$300.00	\$395.00	Price Change
S-Class	OPT15-2869-01	Cutter Option (SV Only)	N/A	N/A	\$450.00	\$550.00	Price Change

# A-Class Mark II



## Common Standard Features

RAM: 16MB

Flash Memory: 8MB

Serial/Parallel/Ethernet/USB connectivity

Bitmapped Fonts: 9

Scalable Fonts: 3

Microprocessor: 32 bit: 200MHz

Media Viewing Window

Real Time Clock

GPIO Applicator Card

### A-4212

Maximum Print Speed: 12 ips

Maximum Print Width: 4.09"

Printhead Density: 203 dpi

240 X 320 LCD Display

### A-4310

Maximum Print Speed: 10 ips

Maximum Print Width: 4.16"

Printhead Density: 300 dpi

240 X 320 LCD Display

### A-4408

Maximum Print Speed: 8 ips

Maximum Print Width: 4.09"

Printhead Density: 400 dpi

240 X 320 LCD Display

### A-4606

Maximum Print Speed: 6 ips

Maximum Print Width: 4.09"

Printhead Density: 600 dpi

240 X 320 LCD Display

### A-6212

Maximum Print Speed: 12 ips

Maximum Print Width: 6.61"

Printhead Density: 203 dpi

240 X 320 LCD Display

### A-6310

Maximum Print Speed: 10 ips

Maximum Print Width: 6.40"

Printhead Density: 300 dpi

240 X 320 LCD Display

Prices and specifications subject to change without notice. Effective January 1, 2014

# A-4212, A-4310, A-4408, & A-4606

Please refer to your supplier for Printer Model pricing

USD

## Printer Model

Right Hand, A-4212E 8MB FLASH	A2
Right Hand, A-4310E 8MB FLASH	A3
Right Hand, A-4408E 8MB FLASH	A4
Right Hand, A-4606E 8MB FLASH	A6
Left Hand, A-4212E 8MB FLASH	B2
Left Hand, A-4310E 8MB FLASH	B3
Left Hand, A-4408E 8MB FLASH	B4
Left Hand, A-4606E 8MB FLASH	B6

## Custom Kit

Datamax Standard Kit	\$0	00
China Kit	\$0	07

## Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

## A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Not Used

Do not Include this Option	\$0	0
----------------------------	-----	---

## Cutter / Ribbon Saver / Top Pinch Roller Option

Do Not Include This Option	\$0	0
Cutter Option (RH models only)	\$2,995	4
Top Pinch Roller Option	\$225	5
Ribbon Saver and Top Pinch Roller Option	\$1,025	C
Top Pinch Roller and Cutter Option (RH models only)	\$3,220	D
Ribbon Saver, Top Pinch Roller, and Cutter Option (RH models only)	\$4,020	E

## Font Expansion Option

Do Not Include This Option	\$0	0
Kanji Gothic B	\$0	H
Simplified Chinese	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2

## Interface Options

Do Not Include This Option	\$0	0
DMXrfNet III Wireless B/G & USB/SDIO Option	\$695	J
USB & SDIO Option	\$100	E
DMXrfNet III Wireless B/G Option	\$595	S

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## Misc. Options

Do Not Include This Option	\$0	0
Remote Display Option	\$600	F
Remote Display "Ready" Option	\$400	G
Cover Open Sensor	\$200	V
Remote Display Option & Cover Open Sensor	\$800	X
Remote Display "Ready" Option & Cover Open Sensor	\$600	Z

Prices and specifications subject to change without notice. Effective January 1, 2014

## A-6212 & A-6310

Please refer to your supplier for Printer Model pricing

USD

### Printer Model

Right Hand, A-6212E 8MB FLASH	C2
Right Hand, A-6310E 8MB FLASH	C3
Left Hand, A-6212E 8MB FLASH	D2
Left Hand, A-6310E 8MB FLASH	D3

### Custom Kit

Datamax Standard Kit	\$0	00
China Kit	\$0	07

### Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

### A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

### Not Used

Do not Include this Option	\$0	0
----------------------------	-----	---

### Ribbon Saver / Top Pinch Roller Option

Do Not Include This Option	\$0	0
Top Pinch Roller Option	\$300	5
Ribbon Saver and Top Pinch Roller Option	\$1,100	C

### Font Expansion Option

Do Not Include This Option	\$0	0
Kanji Gothic B	\$0	H
Simplified Chinese	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2

### Interface Options

Do Not Include This Option	\$0	0
DMXrfNet III Wireless B/G & USB/SDIO Option	\$695	J
USB & SDIO Option	\$100	E
DMXrfNet III Wireless B/G Option	\$595	S

### Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

### Misc. Options

Do Not Include This Option	\$0	0
Remote Display Option	\$600	F
Remote Display "Ready" Option	\$400	G
Cover Open Sensor	\$200	V
Remote Display Option & Cover Open Sensor	\$800	X
Remote Display "Ready" Option & Cover Open Sensor	\$600	Z

Prices and specifications subject to change without notice. Effective January 1, 2014

## A-Class Mark II

### Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list)	N/A
DPO78-2660-02	Kanji Gothic Font Kit	\$0.00
DPO78-2660-03	Simplified Chinese Font Kit	\$0.00
DPO78-2660-04	Korean Hangul Font Kit	\$0.00
OPT78-2807-02	Remote Display ( <i>for "remote display ready" equipped models only</i> )	\$200.00
OPT78-2873-02	DMXrfNet III Internal 802.11b/g WiFi Card	\$595.00
DPO32-2562-01	PE / A-Class Applicator Converter Cable	\$35.00



# E-Class Mark III Desktop Printer Series



## Common Features

**Print Technology:** Thermal or Thermal Transfer (optional) at 203dpi or 300dpi (optional) print density

**Construction:** Rugged Split Case with Rear Concentric Hinge, Double Walled High Strength Thermoplastic, Clear Wrap Around Media Window

**Typical Usage:** Business operation critical printing from low to high duty of barcoded labels or tags in individual, batch, and serialized demand.

**Media Compatibility:** Thermal Labels, Tags, Wristbands, Tickets, Receipt Paper in Rolls or Fanfolded Packaging

**Industries/Applications:** Transportation/Shipping Labels; Retail/Shelf Tags, Product Labels; Manufacturing/Product Serial Labels; Healthcare/Lab Specimen ID, Patient ID, Prescription Labels; Postal/Tray Tags, Postage, Special Labels

Models	Basic	Advanced	Professional	Professional +
Model Numbers	E-4204B (203dpi) E-4304B (300dpi)	E-4205A (203dpi) E-4305A (300dpi)	E-4206P (203dpi) E-4305P (300dpi)	E-4206L (203dpi) E-4305L (300dpi)
User Interface	Single Feed/Pause Button w/two three color LEDs		4 Navigational Buttons, two three color LEDs and Enter/Feed Button	
Media Capacity	Roll: (wound in or out): 5" [127mm] max OD Core: 1" [25mm] min 1.5" [38mm] max Fanfold: External only			Roll: (wound in or out): 7.2" [183mm] max OD Core: 1" [25mm] min 1.5" [38mm] max Fanfold (internal): 4.25"[108mm] wide x 6.5"[165mm] deep x 4.5"[114mm] tall
Ribbon Capacity	0.5" [13mm] core with 361' [110m] long ribbon or 1" [25mm] core with 984' [300m] long ribbon			
Memory	64MB Flashable NVRAM/16MB DRAM		64MB Flashable NVRAM/32MB DRAM	
Performance	4ips[101mm/s]	5ips[127mm/sec]	6ips[152dots/mm] @ 203dpi; 5 ips[127mm/sec] @ 300dpi	
Communication Ports	USB Serial	USB Serial Parallel Ethernet	USB Serial Parallel Ethernet	USB Host Wireless LAN (optional) Bluetooth v2.0 (optional)
Options	Label Peeler Dispenser	Label Peeler Dispenser Label/Tag Cutter	Label Peeler Dispenser Label/Tag Cutter WiFi 802.11 b/g Bluetooth	
Accessories	Power Supply Cabinet Battery Pack External Media Feed Chute External Rewinder			Cabinet Lock External Rewinder

Prices and specifications subject to change without notice. Effective January 1, 2014

## E-Class Mark III

E

0

USD

### Printer Model

Basic Desktop Barcode Printer: E-4204B, 203dpi, 4ips, LED/Button U	\$495	B2
Basic Desktop Barcode Printer: E-4304B, 300dpi, 4ips, LED/Button U	\$595	B3
Advanced Desktop Barcode Printer: E-4205A, 203dpi, 5ips, Adjustable Sensor, LED/Button UI	\$595	A2
Advanced Desktop Barcode Printer: E-4305A, 300dpi, 5ips, Adjustable Sensor, LED/Button UI	\$695	A3
Professional Desktop Barcode Printer: E-4206P, 203dpi, 6ips, Adjustable Sensor, LCD/Navigation Buttons UI	\$695	P2
Professional Desktop Barcode Printer: E-4305P, 300dpi, 5ips, Adjustable Sensor, LCD/Navigation Buttons UI	\$795	P3
Professional+ Desktop Barcode Printer: E-4206L, 203dpi, 6ips, Adjustable Sensor, LCD/Navigation Buttons UI, Large Case	\$745	L2
Professional+ Desktop Barcode Printer: E-4305L, 300dpi, 5ips, Adjustable Sensor, LCD/Navigation Buttons UI, Large Case	\$845	L3

### Product Kit

Standard Kit - Includes: Packaging, Quick Start Guide, CD, Warranty Card	\$0	00
No Kit - Includes: No additional contents	\$0	01
China Kit	\$0	07

### Printing Technology

Direct Thermal	0	0
Thermal Transfer and Direct Thermal	\$100	1

### A/C Power Supply and International Cord

No Power Supply or Cord	\$0	0
Autoranging Power Supply With South Africa Cord	\$0	B
Autoranging Power Supply With British & European Power Cord:	\$0	E
Autoranging Power Supply With Israel Power Cord	\$0	G
Autoranging Power Supply Without Power Cord	\$0	H
Autoranging Power Supply With US Power Cord	\$0	J
Autoranging Power Supply With British Power Cord	\$0	K
Autoranging Power Supply With European Power Cord	\$0	L
Autoranging Power Supply With Swiss Power Cord	\$0	M
Autoranging Power Supply With Chinese Power Cord	\$0	S
Autoranging Power Supply With Australian Power Cord	\$0	T
Autoranging Power Supply With Italian Power Cord	\$0	V
Autoranging Power Supply With Argentinian Power Cord	\$0	W
Autoranging Power Supply With Japanese Power Cord	\$0	Z
Autoranging Power Supply With Straight Brazil Power Cord	\$0	5

### Exit Options

Tear Edge	\$0	0
Peeler w/Label Sensor	\$35	P
Cutter w/Label Sensor (Advanced and Professional Models Only)	\$195	G

### ILPC Font Option

Standard Font Set (see spec sheet)	\$0	0
ILPC - CG Times Font Family - unlock	\$0	A
Kanji Gothic B Font	\$0	K
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V

### Command Language Compatibility

DPL; Standard (Pro & Pro+ Models Only)	\$0	0
Auto - DPL, PL-Z(ebra), PL-E(iron) Emulation (Pro & Pro+ Models Only)	\$0	1
PL-I - Intermec Emulation (Pro & Pro+ Models Only)	\$0	2
PL-B - Boca/FGL Emulation (Pro & Pro+ Models Only)	\$0	3
Netira - Auto (Basic & Advanced Models Only)	\$0	5

### Interface Options

64MB FLASH, 32MB DRAM, Serial, USB (Basic Model Only)	\$0	B
64MB FLASH, 32MB DRAM, Serial, Parallel, USB & LAN (Advanced Models Only)	\$0	A
64MB FLASH, 32MB DRAM, Serial, Parallel, USB, LAN, USB Host, RTC (Pro Models Only)	\$0	P
64MB FLASH, 32MB DRAM, Serial, Parallel, USB, LAN, USB Host, RTC, & 802.11 Wireless A/B/G (Pro Models Only)	\$245	Q
64MB FLASH, 32MB DRAM, Serial, Parallel, USB, LAN, USB Host, RTC, & Bluetooth (Pro Models Only)	\$145	V

### Power Case

Not Used	\$0	0
MPU-4000 Mobile Power Unit (battery pack); Power supply option is assembled into the unit. Only attaches to Basic, Advanced and Pro model.	\$595	4

### Misc. Options

No Option (standard)	\$0	0
Media Guide Chute (for loading external media; not compatible with Pro+ model)	\$25	1
Cabinet Lock and Tethering Slot (Pro+ only)	\$100	L

Prices and specifications subject to change without notice. Effective January 1, 2014

## E-Class Mark III

### Accessories

Part#	Description	USD
DPO32-2300-01	DB9 RS232 Serial Data Cable	\$40.00
DPO32-2670-01	Communications Cable, Mini-Parallel, IEEE 1284, 6FT	\$40.00
OPT78-2872-01	External Media Supply (10" dia. max roll)	\$80.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt Euro Plug (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2856-01	Auto-switching power supply	\$120.00
OPT78-2907-01	MPU-4000 Mobile Power Unit (Mountable rechargeable battery pack; does not attach to Pro+)	\$695.00

\* Items do not qualify for standard contract discounts.

### Replacement/Field Upgrade Kits

Part#	Description	USD
OPT78-2835-01	Cutter Kit, Guillotine, w/sensor (not compatible with Basic model)	\$195.00
OPT78-2836-02	Peeler Kit w/sensor (Can also be used for tear-off sensing)	\$145.00
OPT78-2840-01	Wireless LAN Kit (Compatible with Pro, and Pro+ models)	\$245.00
OPT78-2841-01	Bluetooth Kit (Compatible with Pro, and Pro+ models)	\$145.00
PHD20-2267-01	203 dpi Printhead Replacement Kit	\$115.00
PHD20-2268-01	300 dpi Printhead Replacement Kit	\$155.00
ROL78-2867-01	Platen Kit, (Drive roller assembly includes gear and all parts necessary for installation)	\$35.00
DPO78-2868-01	1" Ribbon Adaptor Kit (includes two 1" ribbon adaptors)	\$21.00
DPO78-2842-01	Fan-Fold/External Media Guide, 1 Set (not compatible with Pro+ model)	\$25.00
OPT78-2906-01	Security Kit, EM3 Pro+	\$50.00
OPT78-2970-01	Media Guide Extensions	\$20.00
OPT78-2973-01	(10PK) Printhead Spring Upgrade (upgrades 5 printers)	\$20.00

# H-Class



## Common Standard Features

RAM: 16MB

Flash Memory: 8MB

Serial/Parallel/Ethernet/USB connectivity

Bitmapped Fonts: 9

Scalable Fonts: 3

Revolving Media Hub 3"

Microprocessor: 32 bit:200MHz

Media Viewing Window

Real Time Clock

### **H-4212**

Maximum Print Speed: 12 ips

Maximum Print Width: 4.09"

Printhead Density: 203 dpi

240 X 320 LCD Display

### **H-4310**

Maximum Print Speed: 10 ips

Maximum Print Width: 4.16"

Printhead Density: 300 dpi

240 X 320 LCD Display

### **H-4408**

Maximum Print Speed: 8 ips

Maximum Print Width: 4.09"

Printhead Density: 400 dpi

240 X 320 LCD Display

### **H-4606**

Maximum Print Speed: 6 ips

Maximum Print Width: 4.09"

Printhead Density: 600 dpi

240 X 320 LCD Display

### **H-6210**

Maximum Print Speed: 10 ips

Maximum Print Width: 6.61"

Printhead Density: 203 dpi

240 X 320 LCD Display

### **H-6308**

Maximum Print Speed: 8 ips

Maximum Print Width: 6.40"

Printhead Density: 300 dpi

240 X 320 LCD Display

Prices and specifications subject to change without notice. Effective January 1, 2014

 **datamax • o'neil**  
right by our customers.

# H-4212, H-4310, H-4408, & H-4606

USD

C - 4

## Printer Model

H-4212 - 4"-203 DPI, 12 IPS, Thermal Transfer Printer	\$2,745	42
H-4310 - 4"-300 DPI, 10 IPS, Thermal Transfer Printer	\$2,945	43
H-4408 - 4"-400 DPI, 8 IPS, Thermal Transfer Printer	\$3,945	34
H-4606 - 4"-600 DPI, 6 IPS, Thermal Transfer Printer	\$4,945	36

## Custom Kit

Datamax Standard Kit	\$0	00
China Kit	\$0	07

## Direct Thermal/Thermal Transfer

Bi-Directional Thermal Transfer	\$0	4
---------------------------------	-----	---

## A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$105	1
Internal Rewinder	\$220	4
Present Sensor and Internal Rewinder	\$295	6
Cast Peel & Present Option and Internal Rewind	\$415	9
Basic Peel & Internal Rewind	\$320	E

## Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$695	4

## Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

## Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & USB/SDIO Option	\$495	F
Applicator Card & Wireless B/G Option	\$990	K
Applicator Card, Wireless B/G Option & USB/SDIO	\$1,090	M
Internal LAN & Wireless B/G & USB/SDIO Option	\$695	J
USB & SDIO Option	\$100	E
Wireless B/G Option	\$595	S

## Scanner/RFID Option

Do Not Include This Option	\$0	0
Linear Barcode Scanner	\$1,995	S
RFID Ready Option	\$200	Z

## Misc. Options

40mm Media Hub	\$25	6
3.0" Plastic Media Hub	\$0	7

Prices and specifications subject to change without notice. Effective January 1, 2014

# H-6210 & H-6308

USD

C - 4

## Printer Model

H-6210 - 6"-203 DPI, 10 IPS, Thermal Transfer Printer	\$3,795	82
H-6308 - 6"-300 DPI, 8 IPS, Thermal Transfer Printer	\$3,995	93

## Custom Kit

Datamax Standard Kit	\$0	00
China Kit	\$0	07

## Direct Thermal/Thermal Transfer

Bi-Directional Thermal Transfer	\$0	4
---------------------------------	-----	---

## A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$105	1
Internal Rewinder	\$325	4
Present Sensor and Internal Rewinder	\$320	6
Basic Peel, Present & Internal Rewind	\$425	E

## Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$795	4

## Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

## Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & USB/SDIO Option	\$495	F
Applicator Card & Wireless B/G Option	\$990	K
Applicator Card, Wireless B/G Option & USB/SDIO	\$1,090	M
Internal LAN & Wireless B/G & USB/SDIO Option	\$695	J
USB & SDIO Option	\$100	E
Wireless B/G Option	\$595	S

## Scanner/RFID Option

Do Not Include This Option	\$0	0
Linear Barcode Scanner	\$1,995	S
RFID Ready Option	\$200	Z

## Misc. Options

3.0" Metal Media Hub	\$0	4
Static Brush Kit	\$0	L

Prices and specifications subject to change without notice. Effective January 1, 2014

## H-Class

### Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list)	N/A
DPR78-2694-02	Large Display (320 X 240)	\$200.00
DPR78-2622-02	SDIO/USB Option	\$100.00
OPT78-2619-01	Present Sensor	\$105.00
OPT78-2649-01	GPIO Applicator Interface Card	\$395.00
DPO32-2603-01	GPIO RJ-45 to DB9 Serial Adapter Cable	\$79.00
OPT78-2873-01	DMXrfNet III Internal 802.11b/g WiFi Card	\$595.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt Euro Plug (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2393-01	External Rewinder / Unrewinder DMXREW2 110 volt (10" wide and 12" OD roll)*	\$895.00
DPO78-2393-02	External Rewinder / Unrewinder DMXREW2 220 volt Euro Plug (10" wide and 12" OD roll)*	\$895.00
OPT78-2667-01	RFID Ready Upgrade Option, H4 - L1	\$1,500.00
OPT78-2667-02	RFID Ready Upgrade Option, H4 - L2	\$1,500.00
OPT78-2667-05	RFID Ready Upgrade Option, H4 - L5	\$1,500.00
OPT78-2667-06	RFID Ready Upgrade Option, H4 - L6	\$1,500.00
OPT78-2667-07	RFID Ready Upgrade Option, H4 - L7	\$1,500.00
OPT78-2667-08	RFID Ready Upgrade Option, H4 - L8	\$1,500.00
OPT78-2667-09	RFID Ready Upgrade Option, H4 - L9	\$1,500.00
OPT78-2667-10	RFID Ready Upgrade Option, H4 - R1	\$1,500.00
OPT78-2667-11	RFID Ready Upgrade Option, H4 - R2	\$1,500.00

\* Items do not qualify for standard contract discounts.

### 4" Model Options

Part#	Description	USD
OPT78-2617-01	HD Peel Mechanism and Present Sensor - requires Internal Rewinder	\$195.00
OPT78-2655-01	Basic Peel and Present Sensor - requires Internal Rewinder Mechanism	\$100.00
OPT78-2615-01	Internal Rewinder	\$220.00
OPT78-2629-01	Linear Barcode Scanner	\$1,995.00
OPT78-2618-01	Standard Cutter Kit for 10 mil stock	\$695.00

### 6" Model Options

Part#	Description	USD
OPT78-2655-11	Basic Peel and Present Sensor - requires Internal Rewinder Mechanism	\$100.00
OPT78-2615-11	Internal Rewinder	\$325.00
OPT78-2629-11	Linear Barcode Scanner	\$1,995.00
OPT78-2618-11	Standard Cutter Kit for 10 mil stock	\$795.00



# H-Class

"X" models



## Common Standard Features

RAM: 16MB

Flash Memory: 8MB

Serial/Parallel/Ethernet/USB connectivity

2 USB Host Ports/ SDIO Slot

Bitmapped Fonts: 9

Scalable Fonts: 3

Revolving Media Hub 3"

Microprocessor: 32 bit: 200MHz

Media Viewing Window

Real Time Clock

### H-4212X

Maximum Print Speed: 12 ips

Maximum Print Width: 4.10"

Printhead Density: 203 dpi

240 X 320 LCD Display

### H-4310X

Maximum Print Speed: 10 ips

Maximum Print Width: 4.16"

Printhead Density: 300 dpi

240 X 320 LCD Display

### H-4606X

Maximum Print Speed: 6 ips

Maximum Print Width: 4.16"

Printhead Density: 600 dpi

240 X 320 LCD Display

### H-6212X

Maximum Print Speed: 12 ips

Maximum Print Width: 6.61"

Printhead Density: 203 dpi

240 X 320 LCD Display

### H-6310X

Maximum Print Speed: 10 ips

Maximum Print Width: 6.40"

Printhead Density: 300 dpi

240 X 320 LCD Display

### H-8308X

Maximum Print Speed: 8 ips

Maximum Print Width: 8.52"

Printhead Density: 300 dpi

240 X 320 LCD Display

Prices and specifications subject to change without notice. Effective January 1, 2014

 **datamax • o'neil**  
right by our customers.



# H-4212X, H-4310X & H-4606X

USD

C - 4

## Printer Model

H-4212X - 4"-203 DPI, 12 IPS, Thermal Transfer Printer	\$2,995	32
H-4310X - 4"-300 DPI, 10 IPS, Thermal Transfer Printer	\$3,195	33
H-4606X - 4"-600 DPI, 6 IPS, Thermal Transfer Printer	\$4,995	46

## Custom Kit

Datamax Standard Kit	\$0	00
China Kit	\$0	07

## Direct Thermal/Thermal Transfer

Bi-Directional Thermal Transfer	\$0	4
---------------------------------	-----	---

## A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$105	1
Internal Rewinder	\$335	4
Present Sensor and Internal Rewinder	\$420	6
Cast Peel & Present Option and Internal Rewind	\$530	9
Basic Peel & Internal Rewind	\$435	E

## Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$695	4

## Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

## Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & Wireless B/G Option	\$990	K
Wireless B/G	\$595	S

## Scanner/RFID Option

Do Not Include This Option	\$0	0
Linear Barcode Scanner	\$1,995	S
RFID Ready Option	\$200	Z

## Misc. Options

3.0" Metal Media Hub	\$0	4
40mm Media Hub	\$25	6

# H-6212X & H-6310X

USD

## Printer Model

H-6212X - 6"-203 DPI, 12 IPS, Thermal Transfer Printer	\$4,295	62
H-6310X - 6"-300 DPI, 10 IPS, Thermal Transfer Printer	\$4,495	63

## Custom Kit

Datamax Standard Kit	\$0	00
China Kit	\$0	07

## Direct Thermal/Thermal Transfer

Bi-Directional Thermal Transfer	\$0	4
---------------------------------	-----	---

## A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$105	1
Internal Rewinder	\$525	4
Present Sensor and Internal Rewinder	\$615	6
Basic Peel, Present & Internal Rewind	\$625	E

## Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$795	4

## Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

## Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & Wireless B/G Option	\$990	K
Wireless B/G	\$595	S

## Scanner/RFID Option

Do Not Include This Option	\$0	0
Linear Barcode Scanner	\$1,995	S
RFID Ready Option	\$200	Z

## Misc. Options

3.0" Metal Media Hub	\$0	4
Static Brush Kit	\$0	L

# H-8308X

USD

C - 4

## Printer Model

H-8308X - 8"-300 DPI, 8 IPS, Thermal Transfer Printer

\$6,495 83

## Custom Kit

Datamax Standard Kit

\$0 00

China Kit

\$0 07

## Direct Thermal/Thermal Transfer

Bi-Directional Thermal Transfer

\$0 4

## A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied

\$0 0

220v: Black Power Cord With Straight-In European Plug

\$0 3

220v: Black Power Cord With 90 Deg British Plug

\$0 4

220v: Black Power Cords, British And European

\$0 6

100v: Black Power Cord With Japanese Plug

\$0 7

110v: Black Power Cord With U.S. Plug

\$0 8

220v: Black Power Cord With South Africa Plug

\$0 9

220v: Black Power Cord With Straight-In Swiss Plug

\$0 F

220v: Black Power Cord With Straight-In Australian Plug

\$0 N

220v: Black Power Cord With Straight-In Italian Plug

\$0 P

220v: Black Power Cord With Israel Plug

\$0 U

220v: Black Power Cord With Straight-In Argentinean Plug

\$0 W

220v: Black Power Cord With Straight-In Chinese Plug

\$0 Y

250v: Black Power Cord With Straight-In Brazil Plug

\$0 5

## Peel & Present and Internal Rewind Option

No Internal Rewinder

\$0 0

Present Sensor and No Internal Rewinder

\$105 1

Internal Rewinder

\$755 4

Present Sensor and Internal Rewinder

\$820 6

Basic Peel, Present & Internal Rewind

\$855 E

## Cutter Option

Do Not Include This Option

\$0 0

Standard Cutter

\$1,395 4

## Font Expansion Option

Do Not Include This Option

\$0 0

PL-Z Emulation

\$0 1

PL-I Emulation

\$0 2

Kanji Gothic B Font

\$0 H

Simplified Chinese Font

\$0 N

Korean Hangul Font

\$0 V

PL-Z Emulation and Kanji Font

\$0 P

PL-Z Emulation and Chinese Font

\$0 Q

## Interface Options

Do Not Include This Option

\$0 0

Applicator Card Kit

\$395 P

Applicator Card & Wireless B/G Option

\$990 K

Wireless B/G

\$595 S

## Scanner/RFID Option

Do Not Include This Option

\$0 0

Linear Barcode Scanner

\$1,995 S

## Misc. Options

3.0" Metal Media Hub

\$0 4

## H-Class "X"

### Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list)	N/A
OPT78-2619-01	Present Sensor Option	\$105.00
OPT78-2649-01	GPIO Applicator Interface Card	\$395.00
DPO32-2603-01	GPIO RJ-45 to DB9 Serial Adapter Cable	\$79.00
OPT78-2873-01	DMXrfNet III Internal 802.11b/g WiFi Card	\$595.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt Euro Plug (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2393-01	External Rewinder / Unrewinder DMXREW2 110 volt (10" wide and 12" OD roll)*	\$895.00
DPO78-2393-02	External Rewinder / Unrewinder DMXREW2 220 volt Euro Plug (10" wide and 12" OD roll)*	\$895.00

\* Items do not qualify for standard contract discounts.

### 4" Model Options

Part#	Description	USD
OPT78-2627-01	Internal Rewinder (Powered)	\$335.00
OPT78-2655-01	Basic Peel and Present Sensor - requires Internal Rewinder Mechanism	\$100.00
OPT78-2617-01	HD Peel Mechanism and Present Sensor - requires Internal Rewinder	\$195.00
OPT78-2629-01	Linear Barcode Scanner	\$1,995.00
OPT78-2618-01	Standard Cutter Kit for 10 mil stock	\$695.00
OPT78-2667-01	RFID Ready Upgrade Option, H4 - L1	\$1,500.00
OPT78-2667-02	RFID Ready Upgrade Option, H4 - L2	\$1,500.00
OPT78-2667-05	RFID Ready Upgrade Option, H4 - L5	\$1,500.00
OPT78-2667-06	RFID Ready Upgrade Option, H4 - L6	\$1,500.00
OPT78-2667-07	RFID Ready Upgrade Option, H4 - L7	\$1,500.00
OPT78-2667-08	RFID Ready Upgrade Option, H4 - L8	\$1,500.00
OPT78-2667-09	RFID Ready Upgrade Option, H4 - L9	\$1,500.00
OPT78-2667-10	RFID Ready Upgrade Option, H4 - R1	\$1,500.00
OPT78-2667-11	RFID Ready Upgrade Option, H4 - R2	\$1,500.00

### 6" Model Options

Part#	Description	USD
OPT78-2627-11	Internal Rewinder (Powered)	\$525.00
OPT78-2655-11	Basic Peel and Present Sensor - requires Internal Rewinder Mechanism	\$100.00
OPT78-2629-11	Linear Barcode Scanner	\$1,995.00
OPT78-2618-11	Standard Cutter Kit for 10 mil stock	\$795.00
OPT78-2667-01	RFID Ready Upgrade Option, H4 - L1	\$1,500.00
OPT78-2667-02	RFID Ready Upgrade Option, H4 - L2	\$1,500.00
OPT78-2667-05	RFID Ready Upgrade Option, H4 - L5	\$1,500.00
OPT78-2667-06	RFID Ready Upgrade Option, H4 - L6	\$1,500.00
OPT78-2667-07	RFID Ready Upgrade Option, H4 - L7	\$1,500.00
OPT78-2667-08	RFID Ready Upgrade Option, H4 - L8	\$1,500.00
OPT78-2667-09	RFID Ready Upgrade Option, H4 - L9	\$1,500.00
OPT78-2667-10	RFID Ready Upgrade Option, H4 - R1	\$1,500.00
OPT78-2667-11	RFID Ready Upgrade Option, H4 - R2	\$1,500.00

### 8" Model Options

Part#	Description	USD
OPT78-2627-21	Internal Rewinder (Powered)	\$755.00
OPT78-2655-21	Basic Peel and Present Sensor - requires Internal Rewinder Mechanism	\$100.00
OPT78-2629-21	Linear Barcode Scanner	\$1,995.00
OPT78-2618-21	Standard Cutter Kit for 10 mil stock	\$1,395.00

Prices and specifications subject to change without notice. Effective January 1, 2014

# I-Class Mark II



## Common Standard Features

Serial/Parallel/USB Communications  
32 bit 400MHz Processor  
Graphic LCD Display

Convertible 1.5"/3.0" Media Hub or Hanger    Media Viewing Window  
Direct Thermal  
Real Time Clock

### ***I-4212e***

Maximum Print Speed: 12 ips  
Maximum Print Width: 4.09"

Printhead Density: 203 dpi  
Flash Memory: 64MB

RAM: 32MB

### ***I-4310e***

Maximum Print Speed: 10 ips  
Maximum Print Width: 4.09"

Printhead Density: 300 dpi  
Flash Memory: 64MB

RAM: 32MB

### ***I-4606e***

Maximum Print Speed: 6 ips  
Maximum Print Width: 4.16"

Printhead Density: 600 dpi  
Flash Memory: 64MB

RAM: 32MB

# I-4212e, I-4310e, & I-4606e

USD

## Printer Model

I-4212e 4" - 203DPI/12IPS Printer w/graphic display	\$1,595	12
I-4310e 4" - 300DPI/10IPS Printer w/graphic display	\$1,990	13
I-4606e 4" - 600DPI/6IPS Printer w/graphic display	\$3,200	16

## Custom Kit

Datamax Kit	\$0	00
China Kit	\$0	07

## Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

## A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Internal Rewinder	\$200	4
Cast Peel & Present Option and Internal Rewind	\$350	9

## Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter (10mil)	\$695	4

## Font Expansion Option

Auto Detect: DPL, PLZ & PLI	\$0	0
Kanji Gothic B Font	\$0	H
Simplified Chinese	\$0	N
Korean Hangul Font	\$0	V

## Interface Options

Base Model (includes 64MB Flash, 32MB RAM, Serial, Parallel, & USB)	\$0	0
Base Model w/Wired & Wireless LAN	\$500	C
Base Model w/USB Host & SDIO Slot	\$100	E
Base Model w/Wired LAN	\$295	L
Base Model w/GPIO Interface Card	\$225	P

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## Misc. Options

Fixed Media Hanger (Max speed 8ips)	\$0	0
3.0"/1.5" Media Hub	\$0	7
40mm Media Hub	\$25	6

## I-Class Mark II

### Options

Part#	Description	USD
OPT78-2885-01	Bi-Directional Thermal Transfer Option	\$100.00
OPT78-2905-01	Peel Mechanism and Present Sensor - requires Internal Rewinder	\$205.00
OPT78-2302-01	Internal Rewinder	\$200.00
OPT78-2887-01	Ethernet Wired LAN 10/100	\$295.00
OPT78-2887-02	Wired LAN with W-LAN 802.11 a/b/g with WPA2 security protocol	\$500.00
OPT78-2889-01	GPIO Applicator interface card	\$225.00
OPT78-2888-01	2 USB Host ports and SDIO	\$100.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt Euro Plug (4.5" wide and 8" OD roll)*	\$495.00
OPT78-2295-02	Standard Cutter Kit for 10 mil stock	\$695.00
OPT78-2909-01	Media Tray for cutter	\$90.00
DPO32-2300-01	DB9 RS232 Serial Data Cable	\$40.00
PHD20-2278-01	Printhead 203 DPI - I-4212e	\$450.00
PHD20-2279-01	Printhead 300 DPI - I-4310e	\$550.00
PHD20-2281-01	Printhead 600 DPI - I-4606e	\$1,150.00

\* Items do not qualify for standard contract discounts.

# MCL



## Supported Printer Models

**A-Class Printers:** All Models

**A-Class Mark II Printers:** All Models

**M-Class Printers:** M-4208, M-4306

**M-Class Mark II Printers:** M-4210, M-4308

**I-Class Printers:** I-4210, I-4212, I-4308, I-4406, I-4604

**W-Class Printers:** All Models

**H-Class Printers:** All Models

---

### NOTE:

- ONLY Datamax-O'Neil/MCL Certified Partners can purchase and activate Datamax-O'Neil/MCL enabled printers and software.
  - Datamax-O'Neil/MCL software products that are installed and licensed to a specific personal computer can NOT be installed and licensed on any other computer. The initial purchase of a hardware key is required if there is a need to move the software from one computer to another.
-



## MCL

### MCL Collection

Part#	Description	USD
DPO78-2678-01	MCL-123 Print	\$775.00
DPO78-2679-01	DMXNet Manager	N/C
DPO78-2547-01	MCL-Collection for Datamax Text Display (non-graphic display models only) Includes: MCL-Designer, MCL-Link, MCL-Net (5 Users)	\$1,745.00
DPO78-2547-02	MCL-Collection for Datamax Graphical Display (A-Class Mark II, H-Class, M-Class <i>MarkII</i> , 4210 & 4308 only) Includes: MCL-Designer, MCL-Link, MCL-Net (5 Users)	\$1,745.00
DPO78-2547-03	MCL-Collection for Datamax for ALL Datamax Printers Includes: MCL-Designer, MCL-Link, MCL-Net (5 Users)	\$2,325.00

### MCL Designer

Part#	Description	USD
N/A	MCL-Designer Engine (requires at least one of the following two plug-in licenses)	N/C
DPO78-2505-01	MCL-Designer Plug-in for Text Display (non-graphic display models only)	\$1,295.00
DPO78-2505-02	MCL-Designer Plug-in for Graphical Display (A-Class Mark II, H-Class, M-Class <i>MarkII</i> , 4210 & 4308 only)	\$1,295.00
DPO78-2506-01	MCL-R/3 Bridge Designer Add-On	\$1,295.00

### MCL Link

Part#	Description	USD
DPO78-2508-01	MCL-Link	\$295.00
DPO78-2508-02	MCL-Link 4 Com Port	\$795.00
DPO78-2508-03	MCL-Link 8 Com Port	\$1,295.00

### MCL Net

Part#	Description	USD
DPO78-2509-01	MCL-Net (5 Users)	\$425.00
DPO78-2509-02	MCL-Net (25 Users)	\$1,295.00
DPO78-2509-03	MCL-Net (50 Users)	\$2,595.00
DPO78-2509-04	MCL-Net (100 Users)	\$3,895.00
DPO78-2509-05	MCL-Net (250 Users)	\$6,495.00
DPO78-2510-01	MCL-Net (5 User - Add-On)	\$775.00
DPO78-2510-02	MCL-Net (25 User - Add-On)	\$1,945.00
DPO78-2510-03	MCL-Net (250 User - Add-On)	\$3,895.00

### MCL Bridge

Part#	Description	USD
DPO78-2511-01	MCL-R/3 Bridge - IDOC Component	\$9,695.00
DPO78-2512-01	MCL-R/3 Bridge - RFC/BAPI Component	\$3,895.00

### Keys

Part#	Description	USD
DPO78-2549-01	Hardware Key - USB (dealer discount does NOT apply)	\$60.00
DPO78-2550-01	Hardware Key - Parallel (dealer discount does NOT apply)	\$60.00

### Accessories

Part#	Description	USD
DPO78-2570-01	PS/2 keyboard serial adapter cable	\$50.00
DPO32-2549-01	PS/2 keyboard 25 to 9 pin serial adapter cable (for A & M Class) (Requires DPO78-2570-01)	\$25.00
DPO78-2536-01	Dual serial port cable for A and M-Class	\$145.00
DPO78-2536-02	Dual serial port cable for I and W-Class	\$130.00
DPO78-2669-01	MCL, 25-pin COM2 Port/GPIO Board for I and W-Class	\$165.00

Prices and specifications subject to change without notice. Effective January 1, 2014

# M-Class Mark II



## Common Standard Features

RAM: 16MB  
Flash Memory: 8MB  
Serial/Parallel/USB connectivity

Bitmapped Fonts: 9  
Scalable Fonts: 3  
Three Media Hub Configurations

Media Viewing Window  
Real Time Clock

## M-4206

Maximum Print Speed: 6 ips  
Maximum Print Width: 4.25"

Printhead Density: 203 dpi  
LCD Display

## M-4210

Maximum Print Speed: 10 ips  
Maximum Print Width: 4.25"

Printhead Density: 203 dpi  
LCD Display

## M-4308

Maximum Print Speed: 8 ips  
Maximum Print Width: 4.25"

Printhead Density: 300 dpi  
LCD Display

# M-4206, M-4210, & M-4308

USD

## Printer Model

M-4206 - 4"-203 DPI, 6 IPS, Printer with Graphic Display	\$1,145	D2
M-4210 - 4"-203 DPI, 10 IPS, Printer with Graphic Display	\$1,395	J2
M-4308 - 4"-300 DPI, 8 IPS, Printer with Graphic Display	\$1,595	A3

## Custom Kit

Datamax Kit	\$0	00
China Kit	\$0	07

## Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

## A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Internal Rewinder	\$200	4
Cast Peel & Present Option and Internal Rewind	\$375	9
Cast Peel & Present Option w/Center Sensor and Internal Rewind	\$375	8

## Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter (10mil)	\$495	4

## Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

## Interface Options

Do Not Include This Option	\$0	0
Internal LAN Option	\$250	Y
Internal LAN & Wireless B/G	\$475	S

## Scanner/RFID Option

Do Not Include This Option	\$0	0
----------------------------	-----	---

## Misc. Options

Fixed Media Hanger	\$0	0
40mm Media Hub	\$0	6
3.0" Media Hub	\$0	7

## M-Class Mark II

### Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list) (M4210 & M-4308 only)	N/A
OPT78-2697-01	Thermal Transfer Option (CSI/CSO)	\$100.00
OPT78-2737-01	Peel Mechanism and Present Sensor - recommend use with IR	\$175.00
OPT78-2482-02	Peel Mechanism and Present Sensor - recommend use with IR (M-4308)	\$205.00
OPT78-2482-32	Peel Mechanism and Center Sensor Present Sensor - recommend use with IR (M-4308)	\$205.00
OPT78-2482-33	Peel Mechanism and Center Sensor Present Sensor - recommend use with IR	\$205.00
OPT78-2735-02	Internal Rewind	\$200.00
OPT78-2736-01	Present Sensor Only Option	\$125.00
OPT78-2738-01	Standard Cutter Kit for 10 mil stock	\$495.00
DPO32-2300-01	DB9 RS232 Serial Data Cable	\$40.00
OPT78-2724-03	DMXNet II LAN Card	\$250.00
OPT78-2829-02	DMXrfNet III WPA2 802.11b/g Wireless and LAN Card	\$475.00
OPT78-2754-XX	RFID Field Upgrade Kit UHF (M4210 & M-4308 only); -XX designates country frequency	\$1,500.00
OPT78-2754-00	RFID Field Upgrade Kit HF (M4210 & M-4308 only)	\$955.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt Euro Plug (4.5" wide and 8" OD roll)*	\$495.00

\* Items do not qualify for standard contract discounts.

# MP Compact 4 Mark II

## MP Compact 4 Mobile Mark II

## MP Nova



### MP Compact4 Mark II Standard Features

Print Speed: 5IPS	SRAM: 512K	Wireless Ethernet Option
Resolution: 200 or 300 DPI	DRAM: 8MB	Real Time Clock
Max. Print Width: 4.10"	Flash: 4MB	10 Resident Fonts
Labelpoint or DPL Firmware	Serial/Ethernet/USB connectivity	Supports 3.9" (100mm) O.D. Label Roll

### MP Compact4 Mobile Mark II Standard Features

Print Speed: 5IPS	SRAM: 512K	Wireless Ethernet Option
Resolution: 200 or 300 DPI	DRAM: 8MB	Real Time Clock
Max. Print Width: 4.10"	Flash: 4MB	10 Resident Fonts
Labelpoint or DPL Firmware	Serial/Ethernet/USB connectivity	Supports 3.9" (100mm) O.D. Label Roll

### MP Nova Standard Features

Print Speed Range: 6 to 10 IPS	SRAM: 512K	Real Time Clock
Resolution: 200 or 300 DPI	DRAM: 8MB	10 Resident Fonts
Print Width Range: 4.1" or 6.6"	Flash: 4MB	
Labelpoint Firmware	Serial/Ethernet/USB connectivity	

# MP Compact4 Mark II

USD

X		-	00	-								0	
---	--	---	----	---	--	--	--	--	--	--	--	---	--

## Printer Model

MP Compact4 200 DPI	\$1,995	A1
MP Compact4 300 DPI	\$2,295	A2
MP Compact4 200 DPI WIRELESS	\$2,565	A3
MP Compact4 200 DPI W/150mm Label Roll Support	\$2,085	A5
MP Compact4 300 DPI W/150mm Label Roll Support	\$2,385	A6
MP Compact4 200 DPI WIRELESS W/150mm Label Roll Support	\$2,655	A7
MP Compact4 300 DPI WIRELESS W/150mm Label Roll Support	\$2,955	A8
MP Compact4 200 DPI W/PEEL-OFF KIT	\$2,270	A9
MP Compact4 200 DPI WIRELESS W/PEEL-OFF KIT	\$2,840	B0
MP Compact4 200 DPI WIRELESS W/LTS KIT	\$2,645	B2
MP Compact4 200 DPI W/CUTTER	\$2,890	B3
MP Compact4 300 DPI W/CUTTER	\$3,190	B4
MP Compact4 200 DPI WIRELESS W/CUTTER	\$3,460	B5
MP Compact4 200 DPI W/LTS KIT & 150mm Label Roll Support	\$2,165	B7
MP Compact4 200 DPI WIRELESS W/LABELROLL & LTS	\$2,645	B8
MP Compact4 200 DPI W/PEELOFF & LTS KIT	\$2,350	B9
MP Compact4 300 DPI W/PEELOFF & LTS KIT	\$2,650	C0
MP Compact4 200 DPI WIRELESS W/PEELOFF & LTS KIT	\$2,350	C1
MP Compact4 300 DPI WIRELESS W/PEELOFF & LTS KIT	\$3,220	C2

## Custom Kit

MP Compact4 Kit	\$0	00
-----------------	-----	----

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## A/C Power (Aurorance Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
Power Cord with European Plug	\$0	3
Power Cord with British Plug	\$0	4
Power Cord with U.S. & Canada Plug	\$0	8
Power Cord with Swiss Plug	\$0	F
Power Cord with Denmark Plug	\$0	W
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## Command Language Compatibility

Label Point w/o emulation (Standard)	\$0	0
DPL w/ PLZ emulation	\$0	1
DPL w/ PLI emulation	\$0	2
DPL w/ PLB emulation	\$0	3
DPL w/o emulation	\$0	4

## Interface Options

Do Not Include This Option	\$0	0
Parallel to Serial Cable	\$245	6
USB Cable	\$22	U

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## Misc. Options

Do Not Include This Option	\$0	0
Wall-Mount Kit (not available with Peel-Off option)	\$95	B

# MP Compact4 Mobile Mark II

USD

X		-	00	-							0	
---	--	---	----	---	--	--	--	--	--	--	---	--

## Printer Model

MP Compact4 Mobile 200 DPI	\$2,895	D1
MP Compact4 Mobile 300 DPI	\$3,195	D2
MP Compact4 Mobile 200 DPI WIRELESS	\$3,470	D3
MP Compact4 Mobile 300 DPI WIRELESS	\$3,770	D4
MP Compact4 Mobile 200 DPI W/PEEL-OFF KIT	\$3,180	D5
MP Compact4 Mobile 200 DPI WIRELESS W/LTS KIT	\$3,730	D8
MP Compact4 Mobile 200 DPI W/PEELOFF & LTS	\$3,440	D9
MP Compact4 Mobile 200 DPI WIRELESS W/PEELOFF & LTS	\$4,015	E0

## Custom Kit

MP Compact4 Mobile Kit	\$0	00
------------------------	-----	----

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## A/C Power (Aurorange Supply) Configuration and Cord

DC Power Cable	\$0	7
----------------	-----	---

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## Command Language Compatibility

Label Point w/o emulation (Standard)	\$0	0
DPL w/ PLZ emulation	\$0	1
DPL w/ PLI emulation	\$0	2
DPL w/ PLB emulation	\$0	3
DPL w/o emulation	\$0	4

## Interface Options

Do Not Include This Option	\$0	0
Parallel to Serial Cable	\$245	6
USB Cable	\$22	U

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## Misc. Options

Do Not Include This Option	\$0	0
----------------------------	-----	---

## MP Nova 4 & 6

USD

X		-	00	-								0	
---	--	---	----	---	--	--	--	--	--	--	--	---	--

### Printer Model

MP NOVA 4 DT 200 Printer Kit	\$3,420	41
MP NOVA 4 TT 200 Printer Kit	\$3,670	42
MP NOVA 4 TT 300 Printer Kit	\$4,045	44
MP NOVA 4 DT 200 PRT W/Peel-Off Kit & LTS	\$4,250	45
MP NOVA 4 DT 200 PRT W/215mm Kit	\$3,565	48
MP NOVA 4 DT 200 PRT W/Big Roll P-O & LTS	\$4,325	49
MP NOVA 4 TT 200 PRT W/P-O & LTS	\$4,625	51
MP NOVA 4 TT 300 PRT W/P-O & 215mm	\$4,940	52
MP NOVA 6 DT 200 Printer Kit	\$4,940	61
MP NOVA 6 TT 200 Printer Kit	\$5,090	62
MP NOVA 6 TT 200 PRT W/215MM Kit	\$5,245	63
MP NOVA 6 DT 200 PRT W/Peel-Off Kit & LTS	\$5,845	65
MP NOVA 6 TT 200 PRT W/Peel-Off & LTS	\$6,085	66

### Custom Kit

Nova 4 Kit	\$0	00
Nova 6 Kit	\$0	00

### Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

### A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
Power Cord with European Plug	\$0	3
Power Cord with British Plug	\$0	4
Power Cord with U.S. & Canada Plug	\$0	8
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

### Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

### Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

### Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

### Interface Options

Do Not Include This Option	\$0	0
Parallel to Serial Cable	\$245	6
Daisy-Chain Cable	\$50	D
USB Cable	\$22	U

### Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

### Misc. Options

Do Not Include This Option	\$0	0
----------------------------	-----	---



## MP-Series

### *MP Compact4 Mark II Options*

Part#	Description	USD
540707	Parallel to Serial Converter Cable	\$475.00
000554	Cable Mains EU Black	\$15.00
001463	Cable Mains USA/Canada Black	\$15.00
001464	Cable Mains UK Black	\$22.00
100146	Cable Mains Swiss Black	\$18.00
100147	Cable Mains Denmark Black	\$39.00
502543	USB-Cable Compact Nova	\$45.00
532546	Tower mounting Kit	\$360.00
532575	Wall-mount Kit-Compact	\$185.00
502542	RJ45 Serial Cable Compact/Nova	\$45.00
400002	Cutter - Heavy Duty	\$1,395.00

### *MP Compact4 Mobile Mark II Options*

Part#	Description	USD
501139	DC Power Cable	\$30.00
540707	Parallel to Serial Converter Cable	\$475.00
502543	USB-Cable Compact Nova	\$45.00
502542	RJ45 Serial Cable Compact/Nova	\$45.00

### *MP Nova Options*

Part#	Description	USD
ENM533625	LTS-Kit (Label Taken Sensor)	\$175.00
000554	Cable Mains EU Black	\$15.00
001463	Cable Mains USA/Canada Black	\$15.00
001464	Cable Mains UK Black	\$22.00
502543	USB-Cable Compact Nova	\$45.00
502631	Daisy Chain Cable Compact Nova	\$55.00
502542	RJ45 Serial Cable Compact/Nova	\$45.00

# Performance Series



## Common Standard Features

USB & 10/100 Ethernet Communications	Convertible 1.5"/3.0" Media Hub	320x240 Color Touch Screen Display
PCL5e Standard Language	Direct Thermal	
Media Viewing Window	Real Time Clock	

### ***p1115***

Maximum Print Speed: 6 ips	Printhead Density: 300 dpi	SDRAM: 64MB
Maximum Print Width: 4.16"	Flash Memory: 32MB	

### ***p1115s***

Maximum Print Speed: 6 ips	Printhead Density: 600 dpi	SDRAM: 64MB
Maximum Print Width: 4.16"	Flash Memory: 64MB	

### ***p1120n***

Maximum Print Speed: 8 ips	Printhead Density: 300 dpi (Near Edge)	SDRAM: 64MB
Maximum Print Width: 4.27"	Flash Memory: 32MB	

### ***p1125***

Maximum Print Speed: 10 ips	Printhead Density: 300 dpi	SDRAM: 64MB
Maximum Print Width: 4.27"	Flash Memory: 32MB	

### ***p1725***

Maximum Print Speed: 10 ips	Printhead Density: 300 dpi	SDRAM: 64MB
Maximum Print Width: 6.83"	Flash Memory: 64MB	

## Performance Series p1115

USD

P AA - 00 - 0 0 0

### Printer Model

p1115 4" - 300DPI / 6IPS Printer, USB & Ethernet

\$1,395

AA

### Custom Kit

Datamax Standard Kit

\$0

00

### Direct Thermal/Thermal Transfer

Direct Thermal

\$0

0

Bi-Directional Thermal Transfer

\$100

4

### A/C Power (Autorange Supply) Configuration and Cord

US Power Cord

\$0

8

UK & European Power Cord

\$0

6

Continental Europe Power Cord

\$0

3

UK & Ireland Power Cord

\$0

4

Denmark Power Cord

\$0

2

Switzerland Power Cord

\$0

F

Italy Power Cord

\$0

P

India Power Cord

\$0

9

### Present Sensor/Rewinder Options

Do Not Include This Option

\$0

0

Present Sensor (Downward Looking)

\$100

1

Internal Rewinder

\$225

4

Internal Rewinder and Present Sensor (Downward Looking)

\$325

F

Internal Rewinder and Present Sensor (Upward Looking)

\$325

9

### Cutter Option

Do Not Include This Option

\$0

0

Cutter

\$995

4

### Font Expansion Option

Do Not Include This Option

\$0

0

### Interface Option

Do Not Include This Option

\$0

0

GPIO & Serial Port

\$195

A

### Scanner/RFID Options

Do Not Include This Option

\$0

0

### Misc. Options

3.0" Media Hub

\$0

0

1.0" Media Hub Kit

\$0

1

1.5" Media Hub Kit

\$0

2

Synchronized Media Hanger

\$0

4

# Performance Series p1115s

USD

P AD - 00 - 0 0

## Printer Model

p1115s 4" - 600DPI / 6IPS Printer, USB & Ethernet

\$3,495

AD

## Custom Kit

Datamax Standard Kit

\$0

00

## Direct Thermal/Thermal Transfer

Direct Thermal

\$0

0

Bi-Directional Thermal Transfer

\$100

4

## A/C Power (Autorange Supply) Configuration and Cord

US Power Cord

\$0

8

UK & European Power Cord

\$0

6

Continental Europe Power Cord

\$0

3

UK & Ireland Power Cord

\$0

4

Denmark Power Cord

\$0

2

Switzerland Power Cord

\$0

F

Italy Power Cord

\$0

P

India Power Cord

\$0

9

## Present Sensor/Rewinder Options

Do Not Include This Option

\$0

0

Present Sensor (Downward Looking)

\$100

1

Internal Rewinder

\$225

4

Internal Rewinder and Present Sensor (Downward Looking)

\$325

F

Internal Rewinder and Present Sensor (Upward Looking)

\$325

9

## Cutter Option

Do Not Include This Option

\$0

0

Cutter

\$995

4

## Font Expansion Option

Do Not Include This Option

\$0

0

## Interface Option

GP I/O & Serial Port and 64MB Flash

\$195

C

GP I/O & Serial Port and 802.11b/g Wireless and 64MB Flash

\$590

D

GP I/O & Serial Port and USB Host and 64MB Flash

\$370

G

GP I/O & Serial Port and USB Host and 802.11b/g Wireless and 64MB Flash

\$765

H

USB Host and 64MB Flash

\$175

K

USB Host and 802.11b/g Wireless and 64MB Flash

\$570

L

64MB Flash

\$0

N

802.11b/g Wireless and 64MB Flash

\$395

P

## Scanner/RFID Options

Do Not Include This Option

\$0

0

## Misc. Options

3.0" Media Hub

\$0

0

1.0" Media Hub Kit

\$0

1

1.5" Media Hub Kit

\$0

2

Synchronized Media Hanger

\$0

4

3.0" Media Hub and Audio Alarm

\$50

5

1.0" Media Hub Kit and Audio Alarm

\$50

6

1.5" Media Hub Kit and Audio Alarm

\$50

7

Synchronized Media Hanger and Audio Alarm

\$50

8

# Performance Series p1120n

USD

P AB - 00 - 0 0

## Printer Model

p1120n 4" - 300DPI Near Edge / 8IPS Printer, USB & Ethernet

\$1,695

AB

## Custom Kit

Datamax Standard Kit

\$0

00

## Direct Thermal/Thermal Transfer

Direct Thermal

\$0

0

Bi-Directional Thermal Transfer

\$100

4

## A/C Power (Autorange Supply) Configuration and Cord

US Power Cord

\$0

8

UK & European Power Cord

\$0

6

Continental Europe Power Cord

\$0

3

UK & Ireland Power Cord

\$0

4

Denmark Power Cord

\$0

2

Switzerland Power Cord

\$0

F

Italy Power Cord

\$0

P

India Power Cord

\$0

9

## Present Sensor/Rewinder Options

Do Not Include This Option

\$0

0

Present Sensor (Downward Looking)

\$100

1

Internal Rewinder

\$225

4

Internal Rewinder and Present Sensor (Downward Looking)

\$325

F

Internal Rewinder and Present Sensor (Upward Looking)

\$325

9

## Cutter Option

Do Not Include This Option

\$0

0

Cutter

\$995

4

## Font Expansion Option

Do Not Include This Option

\$0

0

## Interface Option

Do Not Include This Option

\$0

0

GP I/O & Serial Port

\$195

A

GP I/O & Serial Port and 802.11b/g Wireless

\$590

B

GP I/O & Serial Port and 64MB Flash

\$1,045

C

GP I/O & Serial Port and 802.11b/g Wireless and 64MB Flash

\$1,320

D

GP I/O & Serial Port and USB Host

\$370

E

GP I/O & Serial Port and USB Host and 802.11b/g Wireless

\$765

F

GP I/O & Serial Port and USB Host and 64MB Flash

\$1,220

G

GP I/O & Serial Port and USB Host and 802.11b/g Wireless and 64MB Flash

\$1,495

H

USB Host

\$175

I

USB Host and 802.11b/g Wireless

\$570

J

USB Host and 64MB Flash

\$1,025

K

USB Host and 802.11b/g Wireless and 64MB Flash

\$1,300

L

802.11b/g Wireless

\$395

M

64MB Flash

\$850

N

802.11b/g Wireless and 64MB Flash

\$1,125

P

## Scanner/RFID Options

Do Not Include This Option

\$0

0

## Misc. Options

3.0" Media Hub

\$0

0

1.0" Media Hub Kit

\$0

1

1.5" Media Hub Kit

\$0

2

Synchronized Media Hanger

\$0

4

3.0" Media Hub and Audio Alarm

\$50

5

1.0" Media Hub Kit and Audio Alarm

\$50

6

1.5" Media Hub Kit and Audio Alarm

\$50

7

Synchronized Media Hanger and Audio Alarm

\$50

8

Prices and specifications subject to change without notice. Effective January 1, 2014

## Performance Series p1125

USD

P AC - 00 - 0 0

### Printer Model

p1125 4" - 300DPI / 10IPS Printer, USB & Ethernet

\$1,795

AC

### Custom Kit

Datamax Standard Kit

\$0

00

### Direct Thermal/Thermal Transfer

Direct Thermal

\$0

0

Bi-Directional Thermal Transfer

\$100

4

### A/C Power (Autorange Supply) Configuration and Cord

US Power Cord

\$0

8

UK & European Power Cord

\$0

6

Continental Europe Power Cord

\$0

3

UK & Ireland Power Cord

\$0

4

Denmark Power Cord

\$0

2

Switzerland Power Cord

\$0

F

Italy Power Cord

\$0

P

India Power Cord

\$0

9

### Present Sensor/Rewinder Options

Do Not Include This Option

\$0

0

Present Sensor (Downward Looking)

\$100

1

Internal Rewinder

\$225

4

Internal Rewinder and Present Sensor (Downward Looking)

\$325

F

Internal Rewinder and Present Sensor (Upward Looking)

\$325

9

### Cutter Option

Do Not Include This Option

\$0

0

Cutter

\$995

4

### Font Expansion Option

Do Not Include This Option

\$0

0

### Interface Option

Do Not Include This Option

\$0

0

GP I/O & Serial Port

\$195

A

GP I/O & Serial Port and 802.11b/g Wireless

\$590

B

GP I/O & Serial Port and 64MB Flash

\$1,045

C

GP I/O & Serial Port and 802.11b/g Wireless and 64MB Flash

\$1,320

D

GP I/O & Serial Port and USB Host

\$370

E

GP I/O & Serial Port and USB Host and 802.11b/g Wireless

\$765

F

GP I/O & Serial Port and USB Host and 64MB Flash

\$1,220

G

GP I/O & Serial Port and USB Host and 802.11b/g Wireless and 64MB Flash

\$1,495

H

USB Host

\$175

I

USB Host and 802.11b/g Wireless

\$570

J

USB Host and 64MB Flash

\$1,025

K

USB Host and 802.11b/g Wireless and 64MB Flash

\$1,300

L

802.11b/g Wireless

\$395

M

64MB Flash

\$850

N

802.11b/g Wireless and 64MB Flash

\$1,125

P

### Scanner/RFID Options

Do Not Include This Option

\$0

0

### Misc. Options

3.0" Media Hub

\$0

0

1.0" Media Hub Kit

\$0

1

1.5" Media Hub Kit

\$0

2

Synchronized Media Hanger

\$0

4

3.0" Media Hub and Audio Alarm

\$50

5

1.0" Media Hub Kit and Audio Alarm

\$50

6

1.5" Media Hub Kit and Audio Alarm

\$50

7

Synchronized Media Hanger and Audio Alarm

\$50

8

Prices and specifications subject to change without notice. Effective January 1, 2014

 **datamax • o'neil**  
right by our customers.

## Performance Series

### p1115 Options

Part#	Description	USD
SP-105039-001	Thermal Transfer - 3.72in/94.48mm max OD on 1in/25mm core, Up to 1968ft/600m length	\$100.00
SP-105040-004	Rewinder, Internal - Accepts a full roll of 8in liner only, or 3.5in roll of media	\$225.00
SP-105554-001	Present Sensor (downward looking) - Detects removal of center justified media from the tear bar	\$100.00
SP-106150-001	Present Sensor (upward looking) - Detects removal of center justified media from the tear bar	\$100.00
SP-105361-001	Cutter - Capable of cutting .003 to .010 thick media for 500,000 cuts	\$995.00
SP-105481-001	Cutter Tray, Catches cut media, capacity 100 (2" to 6" long)	\$170.00
SP-104822-001	GP I/O & Serial Port - To support external print and apply applicators - On a separate connector plate - 4 pins in, 4 pins out, 5v out - RS-232 on a separate connector plate	\$195.00

### p1115s Options

Part#	Description	USD
SP-105039-001	Thermal Transfer - 3.72in/94.48mm max OD on 1in/25mm core, Up to 1968ft/600m length	\$100.00
SP-105040-004	Rewinder, Internal - Accepts a full roll of 8in liner only, or 3.5in roll of media	\$225.00
SP-105532-001	USB Host - USB 2.0 Host port on front of printer (Type A connector)	\$175.00
SP-105554-001	Present Sensor (downward looking) - Detects removal of center justified media from the tear bar	\$100.00
SP-106150-001	Present Sensor (upward looking) - Detects removal of center justified media from the tear bar	\$100.00
SP-105361-001	Cutter - Capable of cutting .003 to .010 thick media for 500,000 cuts	\$995.00
SP-105481-001	Cutter Tray, Catches cut media, capacity 100 (2" to 6" long)	\$170.00
SP-104822-001	GP I/O & Serial Port - To support external print and apply applicators - On a separate connector plate - 4 pins in, 4 pins out, 5v out - RS-232 on a separate connector plate	\$195.00
SP-105778-001	Wireless 802.11b/g	\$395.00
SP-105784-001	Audio Alarm - Used to elevate error or warning conditions	\$50.00

### p1120n Options

Part#	Description	USD
SP-105039-001	Thermal Transfer - 3.72in/94.48mm max OD on 1in/25mm core, Up to 1968ft/600m length	\$100.00
SP-105040-004	Rewinder, Internal - Accepts a full roll of 8in liner only, or 3.5in roll of media	\$225.00
SP-105532-001	USB Host - USB 2.0 Host port on front of printer (Type A connector)	\$175.00
SP-105554-001	Present Sensor (downward looking) - Detects removal of center justified media from the tear bar	\$100.00
SP-106150-001	Present Sensor (upward looking) - Detects removal of center justified media from the tear bar	\$100.00
SP-105361-001	Cutter - Capable of cutting .003 to .010 thick media for 500,000 cuts	\$995.00
SP-105481-001	Cutter Tray, Catches cut media, capacity 100 (2" to 6" long)	\$170.00
SP-104822-001	GP I/O & Serial Port - To support external print and apply applicators - On a separate connector plate - 4 pins in, 4 pins out, 5v out - RS-232 on a separate connector plate	\$195.00
SP-105778-001	Wireless 802.11b/g (requires Flash Expanded Memory SP105960-003)	\$395.00
SP-105960-003	64MB DRAM/64MB Flash Expanded Memory (for use with additional fonts)	\$850.00
SP-105784-001	Audio Alarm - Used to elevate error or warning conditions	\$50.00

### p1125 Options

Part#	Description	USD
SP-105039-001	Thermal Transfer - 3.72in/94.48mm max OD on 1in/25mm core, Up to 1968ft/600m length	\$100.00
SP-105040-004	Rewinder, Internal - Accepts a full roll of 8in liner only, or 3.5in roll of media	\$225.00
SP-105532-001	USB Host - USB 2.0 Host port on front of printer (Type A connector)	\$175.00
SP-105554-001	Present Sensor (downward looking) - Detects removal of center justified media from the tear bar	\$100.00
SP-106150-00	Present Sensor (upward looking) - Detects removal of center justified media from the tear bar	\$100.00
SP-105361-001	Cutter - Capable of cutting .003 to .010 thick media for 500,000 cuts	\$995.00
SP-105481-001	Cutter Tray, Catches cut media, capacity 100 (2" to 6" long)	\$170.00
SP-104822-001	GP I/O & Serial Port - To support external print and apply applicators - On a separate connector plate - 4 pins in, 4 pins out, 5v out - RS-232 on a separate connector plate	\$195.00
SP-105778-001	Wireless 802.11b/g (requires Flash Expanded Memory SP105960-003)	\$395.00
SP-105960-003	64MB DRAM/64MB Flash Expanded Memory (for use with additional fonts)	\$850.00
SP-105784-001	Audio Alarm - Used to elevate error or warning conditions	\$50.00

Prices and specifications subject to change without notice. Effective January 1, 2014

# A-Class Mark II *R-Series*



## Common Standard Features

RAM: 16MB

Flash Memory: 8MB

Serial/Parallel/Ethernet/USB connectivity

Bitmapped Fonts: 9

Scalable Fonts: 3

Microprocessor: 32 bit: 200MHz

Media Viewing Window

Real Time Clock

GPIO Applicator Card

### **A-4212**

Maximum Print Speed: 12 ips

Maximum Print Width: 4.09"

Printhead Density: 203 dpi

240 X 320 LCD Display

### **A-4310**

Maximum Print Speed: 10 ips

Maximum Print Width: 4.16"

Printhead Density: 300 dpi

240 X 320 LCD Display

### **A-4408**

Maximum Print Speed: 8 ips

Maximum Print Width: 4.09"

Printhead Density: 400 dpi

240 X 320 LCD Display

### **A-4606**

Maximum Print Speed: 6 ips

Maximum Print Width: 4.09"

Printhead Density: 600 dpi

240 X 320 LCD Display

### **A-6212**

Maximum Print Speed: 12 ips

Maximum Print Width: 6.61"

Printhead Density: 203 dpi

240 X 320 LCD Display

### **A-6310**

Maximum Print Speed: 10 ips

Maximum Print Width: 6.40"

Printhead Density: 300 dpi

240 X 320 LCD Display

Prices and specifications subject to change without notice. Effective January 1, 2014





## A-6212 & A-6310

Please refer to your supplier for Printer Model pricing

USD

### Printer Model

Right Hand, A-6212E 8MB FLASH	C2
Right Hand, A-6310E 8MB FLASH	C3
Left Hand, A-6212E 8MB FLASH	D2
Left Hand, A-6310E 8MB FLASH	D3

### Custom Kit

Datamax RFID MP FCC/IC Kit (For Use In U.S. And Canada)	\$0	L1
Datamax RFID MP 302 - 208 Kit (For Use In Germany, Denmark, Finland, Iceland, Switzerland, Cyprus, United Kingdom, Malta, Sebria, France,Bulgaria, Slovenia, Poland, Lithuania, Estonia, Czech, Republic, Luxembourg, Greece, Netherlands, Ireland, Belgium, Hungary, Italy, Norway, Portugalugal, Spain, Sweden & Slovak Republic	\$0	L2
Datamax RFID MP Kit (For Use In Australia, Hong Kong, Thailand, & Singapore)	\$0	L5
Datamax RFID MP Kit (For Use In New Zealand)	\$0	L6
Datamax RFID MP Kit (For Use In Israel )	\$0	L7
Datamax RFID MP Kit Japan Kit	\$0	L8
Datamax RFID MP Kit Korea Kit	\$0	L9
Datamax RFID MP Kit India Kit	\$0	R1
Datamax RFID MP Kit Taiwan Kit	\$0	R2

### Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

### A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

### Not Used

Do not Include this Option	\$0	0
----------------------------	-----	---

### Ribbon Saver / Top Pinch Roller Option

Do Not Include This Option	\$0	0
Top Pinch Roller Option	\$300	5
Ribbon Saver and Top Pinch Roller Option	\$1,100	C

### Font Expansion Option

Do Not Include This Option	\$0	0
Kanji Gothic B	\$0	H
Simplified Chinese	\$0	N
Korean Hangul Font	\$0	V

### Interface Options

Do Not Include This Option	\$0	0
DMXrfNet III Wireless B/G & USB/SDIO Option	\$695	J
USB & SDIO Option	\$100	E
DMXrfNet III Wireless B/G Option	\$595	S

### RFID

UHF 915MHz MP RFID Option	\$1,500	R
---------------------------	---------	---

### Misc. Options

Do Not Include This Option	\$0	0
Remote Display Option	\$600	F
Remote Display "Ready" Option	\$400	G
Cover Open Sensor	\$200	V
Remote Display Option & Cover Open Sensor	\$800	X
Remote Display "Ready" Option & Cover Open Sensor	\$600	Z

Prices and specifications subject to change without notice. Effective January 1, 2014

## A-Class Mark II R-Series

### Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list)	N/A
DPO78-2660-02	Kanji Gothic Font Kit	\$0.00
DPO78-2660-03	Simplified Chinese Font Kit	\$0.00
DPO78-2660-04	Korean Hangul Font Kit	\$0.00
OPT78-2807-02	Remote Display (for "remote display ready" equipped models only)	\$200.00
OPT78-2873-02	DMXrfNet III Internal 802.11b/g WiFi Card	\$595.00
DPO32-2562-01	PE / A-Class Applicator Converter Cable	\$35.00

# H-Class *R-Series*



## Common Standard Features

RAM: 16MB

Flash Memory: 8MB

Serial/Parallel/Ethernet/USB connectivity

Bitmapped Fonts: 9

Scalable Fonts: 3

Revolving Media Hub 3"

Microprocessor: 32 bit: 200MHz

Media Viewing Window

Real Time Clock

### **H-4212**

Maximum Print Speed: 12 ips

Maximum Print Width: 4.09"

Printhead Density: 203 dpi

240 X 320 LCD Display

### **H-4310**

Maximum Print Speed: 12 ips

Maximum Print Width: 4.16"

Printhead Density: 300 dpi

240 X 320 LCD Display

### **H-4408**

Maximum Print Speed: 12 ips

Maximum Print Width: 4.09"

Printhead Density: 400 dpi

240 X 320 LCD Display

### **H-4606**

Maximum Print Speed: 12 ips

Maximum Print Width: 4.09"

Printhead Density: 600 dpi

240 X 320 LCD Display

### **H-6210**

Maximum Print Speed: 12 ips

Maximum Print Width: 6.40"

Printhead Density: 203 dpi

240 X 320 LCD Display

### **H-6308**

Maximum Print Speed: 12 ips

Maximum Print Width: 6.61"

Printhead Density: 300 dpi

240 X 320 LCD Display

Prices and specifications subject to change without notice. Effective January 1, 2014

# H-4212, H-4310, H-4408, & H-4606

USD

## Printer Model

H-4212 - 4"-203 DPI, 12 IPS, Thermal Transfer Printer	\$2,745	42
H-4310 - 4"-300 DPI, 10 IPS, Thermal Transfer Printer	\$2,945	43
H-4408 - 4"-400 DPI, 8 IPS, Thermal Transfer Printer	\$3,945	34
H-4606 - 4"-600 DPI, 6 IPS, Thermal Transfer Printer	\$4,945	36

## Custom Kit

Datamax RFID HF Kit	\$0	J2
Datamax RFID MP FCC/IC Kit (For Use In U.S. And Canada)	\$0	L1
Datamax RFID MP 302 - 208 Kit (For Use In Germany, Denmark, Finland, Iceland, Switzerland, Cyprus, United Kingdom, Malta, Sebia, France, Bulgaria, Slovenia, Poland, Lithuania, Estonia, Czech, Republic, Luxembourg, Greece, Netherlands, Ireland, Belgium, Hungary, Italy, Norway, Portugal, Spain, Sweden & Slovak Republic)	\$0	L2
Datamax RFID MP Kit (For Use In Australia, Hong Kong, Thailand, & Singapore)	\$0	L5
Datamax RFID MP Kit (For Use In New Zealand)	\$0	L6
Datamax RFID MP Kit (For Use In Israel )	\$0	L7
Datamax RFID MP Kit Japan Kit	\$0	L8
Datamax RFID MP Kit Korea Kit	\$0	L9
Datamax RFID MP Kit India Kit	\$0	R1
Datamax RFID MP Kit Taiwan Kit	\$0	R2

## Direct Thermal/Thermal Transfer

Bi-Directional Thermal Transfer	\$0	4
---------------------------------	-----	---

## A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$105	1
Internal Rewinder	\$220	4
Present Sensor and Internal Rewinder	\$295	6
Cast Peel & Present Option and Internal Rewind	\$415	9
Basic Peel & Internal Rewind	\$320	E

## Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$695	4

## Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

## Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & USB/SDIO Option	\$495	F
Applicator Card & Wireless B/G Option	\$990	K
Applicator Card, Wireless B/G Option & USB/SDIO	\$1,090	M
Internal LAN & Wireless B/G & USB/SDIO Option	\$695	J
USB & SDIO Option	\$100	E
Wireless B/G Option	\$595	S

## Scanner/RFID Option

RFID HF (for J2 kit only)	\$955	R
RFID UHF	\$1,500	V

## Misc. Options

40mm Media Hub	\$25	6
3.0" Plastic Media Hub	\$0	7

Prices and specifications subject to change without notice. Effective January 1, 2014



## H-6210 & H-6308

USD

C - 4

### Printer Model

H-6210 - 6"-203 DPI, 10 IPS, Thermal Transfer Printer	\$3,795	82
H-6308 - 6"-300 DPI, 8 IPS, Thermal Transfer Printer	\$3,995	93

### Custom Kit

Datamax RFID HF Kit	\$0	J2
Datamax RFID MP FCC/IC Kit (For Use In U.S. And Canada)	\$0	L1
Datamax RFID MP 302 - 208 Kit (For Use In Germany, Denmark, Finland, Iceland, Switzerland, Cyprus, United Kingdom, Malta, Sebia, France, Bulgaria, Slovenia, Poland, Lithuania, Estonia, Czech, Republic, Luxembourg, Greece, Netherlands, Ireland, Belgium, Hungary, Italy, Norway, Portugal, Spain, Sweden & Slovak Republic)	\$0	L2
Datamax RFID MP Kit (For Use In Australia, Hong Kong, Thailand, & Singapore)	\$0	L5
Datamax RFID MP Kit (For Use In New Zealand)	\$0	L6
Datamax RFID MP Kit (For Use In Israel )	\$0	L7
Datamax RFID MP Kit Japan Kit	\$0	L8
Datamax RFID MP Kit Korea Kit	\$0	L9
Datamax RFID MP Kit India Kit	\$0	R1
Datamax RFID MP Kit Taiwan Kit	\$0	R2

### Direct Thermal/Thermal Transfer

Bi-Directional Thermal Transfer	\$0	4
---------------------------------	-----	---

### A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

### Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$105	1
Internal Rewinder	\$325	4
Present Sensor and Internal Rewinder	\$320	6
Basic Peel, Present & Internal Rewind	\$425	E

### Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$795	4

### Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

### Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & USB/SDIO Option	\$495	F
Applicator Card & Wireless B/G Option	\$990	K
Applicator Card, Wireless B/G Option & USB/SDIO	\$1,090	M
Internal LAN & Wireless B/G & USB/SDIO Option	\$695	J
USB & SDIO Option	\$100	E
Wireless B/G Option	\$595	S

### Scanner/RFID Option

RFID HF (for J2 kit only)	\$955	R
RFID UHF	\$1,500	V

### Misc. Options

3.0" Metal Media Hub	\$0	4
Static Brush Kit	\$0	L

Prices and specifications subject to change without notice. Effective January 1, 2014

## H-Class R-Series

### Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list)	N/A
DPR78-2694-02	Large Display (320 X 240)	\$200.00
DPR78-2622-02	SDIO/USB Option	\$100.00
OPT78-2619-01	Present Sensor	\$105.00
OPT78-2649-01	GPIO Applicator Interface Card	\$395.00
DPO32-2603-01	GPIO RJ-45 to DB9 Serial Adapter Cable	\$79.00
OPT78-2873-01	DMXrfNet III Internal 802.11b/g WiFi Card	\$595.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt Euro Plug (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2393-01	External Rewinder / Unrewinder DMXREW2 110 volt (10" wide and 12" OD roll)*	\$895.00
DPO78-2393-02	External Rewinder / Unrewinder DMXREW2 220 volt Euro Plug (10" wide and 12" OD roll)*	\$895.00

\* Items do not qualify for standard contract discounts.

### 4" Model Options

Part#	Description	USD
OPT78-2617-01	HD Peel Mechanism and Present Sensor - requires Internal Rewinder	\$195.00
OPT78-2655-01	Basic Peel and Present Sensor - requires Internal Rewinder Mechanism	\$100.00
OPT78-2615-01	Internal Rewinder	\$220.00
OPT78-2618-01	Standard Cutter Kit for 10 mil stock	\$695.00

### 6" Model Options

Part#	Description	USD
OPT78-2655-11	Basic Peel and Present Sensor - requires Internal Rewinder Mechanism	\$100.00
OPT78-2615-11	Internal Rewinder	\$225.00
OPT78-2618-11	Standard Cutter Kit for 10 mil stock	\$795.00

# H-Class *R-Series*

"X" models



## Common Standard Features

RAM: 16MB

Flash Memory: 8MB

Serial/Parallel/Ethernet/USB connectivity

2 USB Host Ports/ SDIO Slot

Bitmapped Fonts: 9

Scalable Fonts: 3

Revolving Media Hub 3"

Microprocessor: 32 bit: 200MHz

Media Viewing Window

Real Time Clock

### **H-4212X**

Maximum Print Speed: 12 ips

Maximum Print Width: 4.10"

Printhead Density: 203 dpi

240 X 320 LCD Display

### **H-4310X**

Maximum Print Speed: 10 ips

Maximum Print Width: 4.16"

Printhead Density: 300 dpi

240 X 320 LCD Display

### **H-4606X**

Maximum Print Speed: 6 ips

Maximum Print Width: 4.16"

Printhead Density: 600 dpi

240 X 320 LCD Display

### **H-6212X**

Maximum Print Speed: 12 ips

Maximum Print Width: 6.61"

Printhead Density: 203 dpi

240 X 320 LCD Display

### **H-6310X**

Maximum Print Speed: 10 ips

Maximum Print Width: 6.40"

Printhead Density: 300 dpi

240 X 320 LCD Display

Prices and specifications subject to change without notice. Effective January 1, 2014

 **datamax • o'neil**  
right by our customers.



# H-4212X, H-4310X & H-4606X

USD

C - 4

## Printer Model

H-4212X - 4"-203 DPI, 12 IPS, Thermal Transfer Printer	\$2,995	32
H-4310X - 4"-300 DPI, 10 IPS, Thermal Transfer Printer	\$3,195	33
H-4606X - 4"-600 DPI, 6 IPS, Thermal Transfer Printer	\$4,995	46

## Custom Kit

Datamax RFID HF Kit	\$0	J2
Datamax RFID MP FCC/IC Kit (For Use In U.S. And Canada)	\$0	L1
Datamax RFID MP 302 - 208 Kit (For Use In Germany, Denmark, Finland, Iceland, Switzerland, Cyprus, United Kingdom, Malta, Sebria, France,Bulgaria, Slovenia, Poland, Lithuania, Estonia, Czech, Republic, Luxembourg, Greece, Netherlands, Ireland, Belgium, Hungary, Italy, Norway, Portugalugal, Spain, Sweden & Slovak Republic	\$0	L2
Datamax RFID MP Kit (For Use In Australia, Hong Kong, Thailand, & Singapore)	\$0	L5
Datamax RFID MP Kit (For Use In New Zealand)	\$0	L6
Datamax RFID MP Kit (For Use In Israel )	\$0	L7
Datamax RFID MP Kit Japan Kit	\$0	L8
Datamax RFID MP Kit Korea Kit	\$0	L9
Datamax RFID MP Kit India Kit	\$0	R1
Datamax RFID MP Kit Taiwan Kit	\$0	R2

## Direct Thermal/Thermal Transfer

Bi-Directional Thermal Transfer	\$0	4
---------------------------------	-----	---

## A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$105	1
Internal Rewinder	\$335	4
Present Sensor and Internal Rewinder	\$420	6
Cast Peel & Present Option and Internal Rewind	\$530	9
Basic Peel & Internal Rewind	\$435	E

## Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$695	4

## Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

## Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & Wireless B/G Option	\$990	K
Wireless B/G	\$595	S

## Scanner/RFID Option

RFID HF (for J2 kit only)	\$955	R
RFID UHF	\$1,500	V

## Misc. Options

3.0" Plastic Media Hub	\$0	4
40mm Media Hub	\$25	6

Prices and specifications subject to change without notice. Effective January 1, 2014



# H-6212X & H-6310X

USD

C - 4

## Printer Model

H-6212X - 6"-203 DPI, 12 IPS, Thermal Transfer Printer	\$4,295	62
H-6310X - 6"-300 DPI, 10 IPS, Thermal Transfer Printer	\$4,495	63

## Custom Kit

Datamax RFID HF Kit	\$0	J2
Datamax RFID MP FCC/IC Kit (For Use In U.S. And Canada)	\$0	L1
Datamax RFID MP 302 - 208 Kit (For Use In Germany, Denmark, Finland, Iceland, Switzerland, Cyprus, United Kingdom, Malta, Sebria, France,Bulgaria, Slovenia, Poland, Lithuania, Estonia, Czech, Republic, Luxembourg, Greece, Netherlands, Ireland, Belgium, Hungary, Italy, Norway, Portugalugal, Spain, Sweden & Slovak Republic	\$0	L2
Datamax RFID MP Kit (For Use In Australia, Hong Kong, Thailand, & Singapore)	\$0	L5
Datamax RFID MP Kit (For Use In New Zealand)	\$0	L6
Datamax RFID MP Kit (For Use In Israel )	\$0	L7
Datamax RFID MP Kit Japan Kit	\$0	L8
Datamax RFID MP Kit Korea Kit	\$0	L9
Datamax RFID MP Kit India Kit	\$0	R1
Datamax RFID MP Kit Taiwan Kit	\$0	R2

## Direct Thermal/Thermal Transfer

Bi-Directional Thermal Transfer	\$0	4
---------------------------------	-----	---

## A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$105	1
Internal Rewinder	\$525	4
Present Sensor and Internal Rewinder	\$615	6
Basic Peel, Present & Internal Rewind	\$625	E

## Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$795	4

## Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

## Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & USB/SDIO Option	\$495	F
Applicator Card & Wireless B/G Option	\$990	K

## Scanner/RFID Option

RFID HF (for J2 kit only)	\$955	R
RFID UHF	\$1,500	V

## Misc. Options

3.0" Metal Media Hub	\$0	4
Static Brush Kit	\$0	L

Prices and specifications subject to change without notice. Effective January 1, 2014

## H-Class "X" R-Series

### Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list)	N/A
OPT78-2619-01	Present Sensor Option	\$105.00
OPT78-2649-01	GPIO Applicator Interface Card	\$395.00
DPO32-2603-01	GPIO RJ-45 to DB9 Serial Adapter Cable	\$79.00
OPT78-2873-01	DMXrfNet III Internal 802.11b/g WiFi Card	\$595.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt Euro Plug (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2393-01	External Rewinder / Unrewinder DMXREW2 110 volt (10" wide and 12" OD roll)*	\$895.00
DPO78-2393-02	External Rewinder / Unrewinder DMXREW2 220 volt Euro Plug (10" wide and 12" OD roll)*	\$895.00

\* Items do not qualify for standard contract discounts.

### 4" Model Options

Part#	Description	USD
OPT78-2627-01	Internal Rewinder (Powered)	\$335.00
OPT78-2655-01	Basic Peel and Present Sensor - requires Internal Rewinder Mechanism	\$100.00
OPT78-2617-01	HD Peel Mechanism and Present Sensor - requires Internal Rewinder	\$195.00
OPT78-2618-01	Standard Cutter Kit for 10 mil stock	\$695.00

### 6" Model Options

Part#	Description	USD
OPT78-2627-11	Internal Rewinder (Powered)	\$525.00
OPT78-2655-11	Basic Peel and Present Sensor - requires Internal Rewinder Mechanism	\$100.00
OPT78-2618-11	Standard Cutter Kit for 10 mil stock	\$795.00

# M-Class Mark II *R-Series*



## Common Standard Features

RAM: 16MB

Flash Memory: 8MB

Serial/Parallel/USB connectivity

Bitmapped Fonts: 9

Scalable Fonts: 3

Three Media Hub Configurations

Media Viewing Window

Real Time Clock

## ***M-4210***

Maximum Print Speed: 10 ips

Maximum Print Width: 4.25"

Printhead Density: 203 dpi

LCD Display

## ***M-4308***

Maximum Print Speed: 8 ips

Maximum Print Width: 4.25"

Printhead Density: 300 dpi

LCD Display

K		-		-						0	
---	--	---	--	---	--	--	--	--	--	---	--

Printer Model		
M-4210 - 4"-203 DPI, 10 IPS, Printer with Graphic Display	\$1,395	J2
M-4308 - 4"-300 DPI, 8 IPS, Printer with Graphic Display	\$1,595	A3

Datamax RFID HF Kit	\$0	J2
Datamax RFID MP FCC/IC Kit (For Use In U.S. And Canada)	\$0	L1
Datamax RFID MP 302 - 208 Kit (For Use In Germany, Denmark, Finland, Iceland, Switzerland, Cyprus, United Kingdom, Malta, Sebria, France,Bulgaria, Slovenia, Poland, Lithuania, Estonia, Czech, Republic, Luxembourg, Greece, Netherlands, Ireland, Belgium, Hungary, Italv, Norway, Portugal, Spain, Sweden & Slovak Republic	\$0	L2

### Direct Thermal/Thermal Transfer

### A/C Power (Autorange Supply) Configuration and Cord

### Peel & Present and Internal Rewind Option

Cutter Option

### Font Expansion Option

## Interface Options

**Scanner/RFID Option**

### Misc. Options

Fixed Media Hanger	\$0	0
40mm Media Hub	\$0	6
3.0" Media Hub	\$0	7



datamax • o'neil  
right by our customers.

## M-Class Mark II R-Series

### Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list) (M4210 & M-4308 only)	N/A
OPT78-2697-01	Thermal Transfer Option (CSI/CSO)	\$100.00
OPT78-2737-01	Peel Mechanism and Present Sensor - recommend use with IR	\$175.00
OPT78-2482-02	Peel Mechanism and Present Sensor - recommend use with IR (M-4308 only)	\$205.00
OPT78-2735-02	Internal Rewind	\$200.00
OPT78-2736-01	Present Sensor Only Option	\$125.00
OPT78-2738-01	Standard Cutter Kit for 10 mil stock	\$495.00
DPO32-2300-01	DB9 RS232 Serial Data Cable	\$40.00
OPT78-2724-03	DMXNet II LAN Card	\$250.00
OPT78-2724-15	DMXNet II 802.11b/g Wireless and LAN Card	\$450.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt Euro Plug (4.5" wide and 8" OD roll)*	\$495.00

\* Items do not qualify for standard contract discounts.

# S-Class Ticket Printers



## Common Standard Features

RAM: 4MB

Flash Memory: 6MB

Serial/Parallel/USB connectivity

Real Time Clock

10 Resident Fonts

3 Button/ 3LED Control Panel

DPL and DTPL Emulation Modes

## ST-3210

Maximum Print Speed: 10 ips

Maximum Print Width: 3.15"

Printhead Density: 203 dpi

Metal construction with media cover lock

## ST-3306

Maximum Print Speed: 6 ips

Maximum Print Width: 3.2"

Printhead Density: 300 dpi

Metal construction with media cover lock

## SV-3210

Maximum Print Speed: 10 ips

Maximum Print Width: 3.15"

Printhead Density: 203 dpi

Metal construction - Counter Mount

## SV-3306

Maximum Print Speed: 6 ips

Maximum Print Width: 3.2"

Printhead Density: 300 dpi

Metal construction - Counter Mount

# ST-3210 & ST-3306

USD

Q - 00 - - - - - 0

## Printer Model

ST-3210 Printer 203DPI, 6MB FLASH	\$1,445	52
ST-3306 Printer 300DPI, 6MB FLASH	\$1,595	53

## Custom Kit

ST-3210, 203 DPI Kit	\$0	00
ST-3210, 203 DPI KIT w/Multi-Lang Manual	\$0	01
ST-3306, 300 DPI Kit	\$0	00
ST-3306, 300 DPI KIT w/Multi-Lang Manual	\$0	01

## Direct Thermal/Thermal Transfer

Direct Thermal Only	\$0	0
---------------------	-----	---

## A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Media Hub Option

Do Not Include This Option	\$0	0
Media Roll Support	\$110	B

## ILPC Font Options

Do Not Include This Option	\$0	0
ILPC - CG Times Only Font - download	\$0	A
ILPC - CG Times Font Family (requires Printer Model 52 or 53)	\$0	G
Korean Font Option (requires Printer Model 52 or 53)	\$0	V
Simplified Chinese Option (requires Printer Model 52 or 53)	\$0	N

## Printer Programming Language Setting

DTPL (Boca Emmulation)	\$0	0
DPL	\$0	1
Auto Detect	\$0	2

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## Lock Sets

Lock Set, Keyed Different, No Master Key	\$0	0
Lock Set, Keyed Different, With Master Key	\$0	A
Lock Set, Keyed Alike	\$0	B

## Misc. Options

No Cutter With Standard TOF Sensor	\$0	0
Cutter Kit With Standard TOF Sensor & 3.25" Ticket Tray	\$400	2
Cutter Kit With TOF, Top Sensor & 3.25" Ticket Tray	\$400	8
No Cutter With TOF, Top Sensor	\$50	M
Cutter Kit With Standard TOF Sensor & 2" Ticket Tray	\$400	P
Cutter Kit With TOF, Top Sensor & 2" Ticket Tray	\$400	Q

Prices and specifications subject to change without notice. Effective January 1, 2014



# SV-3210 & SV-3306

USD

Q - 00 - - - - - 0

## Printer Model

SV-3210 Printer 203DPI, 6MB FLASH	\$1,345	92
SV-3306 Printer 300DPI, 6MB FLASH	\$1,495	93

## Custom Kit

SV-3210, 203 DPI Kit	\$0	00
SV-3210, 203 DPI KIT w/Multi-Lang Manual	\$0	01
SV-3306, 300 DPI Kit	\$0	00
SV-3306, 300 DPI KIT w/Multi-Lang Manual	\$0	01

## Direct Thermal/Thermal Transfer

Direct Thermal Only	\$0	0
---------------------	-----	---

## A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
250v: Black Power Cord With Straight-In Brazil Plug	\$0	5

## Media Hub Option

Do Not Include This Option	\$0	0
----------------------------	-----	---

## ILPC Font Options

Do Not Include This Option	\$0	0
ILPC - CG Times Only Font - download	\$0	A
ILPC - CG Times Font Family (requires Printer Model 52 or 53)	\$0	G
Korean Font Option (requires Printer Model 52 or 53)	\$0	V
Simplified Chinese Option (requires Printer Model 52 or 53)	\$0	N

## Printer Programming Language Setting

DTPL (Boca Emulation)	\$0	0
DPL	\$0	1
Auto Detect	\$0	2

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

## Misc. Options

Assy, Tearbar - Standard TOF Sensor	\$0	0
Assy, Cutter, Ticket Present - Standard TOF Sensor	\$550	2
No Option	\$0	N
Assy, Tearbar - Top TOF Sensor	\$0	Y
Assy, Cutter, Ticket Present - Top TOF Sensor	\$550	Z

## S-Class

### Common Options

Part#	Description	USD
OPT15-2775-01	Cutter Option (ST Only)	\$395.00
OPT15-2869-01	Cutter Option (SV Only)	\$550.00
DPO12-2978-01	Media Hangerfor Roll Media (ST Only)	\$110.00
DPO32-2300-01	DB9 RS232 Serial Data Cable	\$40.00
DPO32-2502-01	USB cable	\$35.00
DPO32-2549-01	25pin-to-9pin Serial Adapter Cable	\$25.00
DPO15-3081-01	Cutter Tray for 2" tickets (ST Only)	\$55.00
DPO11-5228-01	Cutter Tray for 3.25" tickets (ST Only)	\$55.00
OPT78-2278-01	DMX-100 External Ethernet Print Server	\$495.00

# Workstation Series



## Common Standard Features

USB & 10/100 Ethernet Communications  
PCL5e Standard Language  
Media Viewing Window

Self-Centering Media Hanger  
Direct Thermal  
1" & 1.5" Media Core Support

## w1110


Maximum Print Speed: 4 ips  
Maximum Print Width: 4.0"

Printhead Density: 300 dpi  
Flash Memory: 32MB

SDRAM: 32MB

## STw.1110 Custom Configurator


STw.1110		CA	-	0	0	1	1	0	0	-	0			0	0		0	0	
STw.1110 Base Model		\$525																	
<b>Printing Type Option</b>																			
1	Direct Thermal	Inc																	
<b>Media Hanger</b>																			
0	1" & 1.5" Media Hanger	Inc																	
<b>Present Sensor Option</b>																			
0	No Option	Inc																	
1	Present Sensor	\$60																	
<b>Serial Port Option</b>																			
0	No Option	Inc																	
1	Serial Port	\$50																	
<b>Power Cord Options</b>																			
1	US Power Cord	Inc																	
2	Continental Europe Power Cord	n/c																	
3	UK & Ireland Power Cord	n/c																	
4	Denmark Power Cord	n/c																	
5	Switzerland Power Cord	n/c																	
6	Italy Power Cord	n/c																	
7	India Power Cord	n/c																	



Prices and specifications are subject to change without notice. Effective May 29, 2013

## RXSafe Scripts™ Custom Configurator

RxSafe Scripts™		CA	-	0	0	1	1	0	0	-	0			0	0		0	1
RXSafe Scripts™ Base Model		\$555																
<b>Printing Type Option</b>																		
1	Direct Thermal	Inc																
<b>Media Hanger</b>																		
0	1" & 1.5" Media Hanger	Inc																
<b>Present Sensor Option</b>																		
0	No Option	Inc																
1	Present Sensor	\$60																
<b>Serial Port Option</b>																		
0	No Option	Inc																
1	Serial Port	\$50																
<b>Power Cord Options</b>																		
1	US Power Cord	Inc																
2	Continental Europe Power Cord	n/c																
3	UK & Ireland Power Cord	n/c																
4	Denmark Power Cord	n/c																
5	Switzerland Power Cord	n/c																
6	Italy Power Cord	n/c																
7	India Power Cord	n/c																
<b>Lock Option</b>																		
1	Cover Lock	Inc																



Prices and specifications are subject to change without notice. Effective May 29, 2013

## Workstation Series

### w1110 Options

Part#	Description	USD
SP106499-001	Peel & Present Sensor	\$60.00
SP106399-001	Serial Port: RS-232 on a separate connector plate	\$50.00

Prices and specifications subject to change without notice. Effective November 1, 2013



## Summary of Price/Part Changes

Effective January 1st 2014



Printer	Part	Part Desc	New Part	NewPart Desc	Old USD	New USD	Notes/Action
Apex	151133	10.6V to 30V In-Vehicle Charger	N/A	N/A	\$75.00	\$106.00	Price Change
Atlas3&4	767700	FOUR BAY BATTERY CHARGER	N/A	N/A	\$237.00	\$410.00	Price Change
Atlas3&4	220211-100	Kit, MF4t Truck Mount Paper Tray	N/A	N/A	\$358.00	\$393.00	Price Change
MF2Te	220529-000	IP54 Soft Case, MF2te	N/A	N/A	\$56.00	\$99.00	Price Change
MF4T	210156-001	Swivel Belt Loop	N/A	N/A	\$20.00	\$23.00	Price Change
MF4T	210164-109	Cable, Coiled, Right Angle, Symbol 1700/2700/2800	N/A	N/A	\$95.00	\$128.00	Price Change
MF4T	210164-115	Cable, Coiled, Right Angle, Symbol PDT-8100	N/A	N/A	\$112.00	\$136.00	Price Change
MF4T	210164-117	Cable, Coiled, Symbol MC9000 Adapter (3)	N/A	N/A	\$56.00	\$68.00	Price Change
MF4T	210164-122	Cable, Coiled, Right Angle, Symbol MC-50/PPT 8800 Adapter (4)	N/A	N/A	\$56.00	\$76.00	Price Change
MF4T	210247-100	DC Power Extension	N/A	N/A	\$11.00	\$16.00	Price Change
MF4te	210164-121	Cable, Coiled, Right Angle, Symbol MC-70 Adapter	N/A	N/A	\$90.00	\$99.00	Price Change
MF4te	220528-000	IP54 Soft Case, MF4te	N/A	N/A	\$56.00	\$109.00	Price Change
MF4te	210216-001	Swivel Mount Charging Bracket	N/A	N/A	\$106.00	\$110.00	Price Change
MF4te	220226-103	Kit, Depot Charger, E-Charge	N/A	N/A	\$461.00	\$600.00	Price Change
MF8i	210050-100	Data Cable DB9F (coiled)	N/A	N/A	\$36.00	\$44.00	Price Change
MF8i	550036-100	Battery, 12V NiMH 4000 mAh (2)	N/A	N/A	\$130.00	\$156.00	Price Change
MF8i	750044-000	Softcase for Printer	N/A	N/A	\$154.00	\$185.00	Price Change
MF8i	750063-000	Softcase for Printer and Cradle	N/A	N/A	\$176.00	\$226.00	Price Change
MF8i	220142-000	Economy Mounting Bracket (for vehicle mount applications)	N/A	N/A	\$95.00	\$125.00	Price Change
OC	220259-000	Kit, OC Swivel Mount Bracket	N/A	N/A	\$40.00	\$46.00	Price Change
OC	220530-000	IP54 Soft Case, OC3	N/A	N/A	\$56.00	\$104.00	Price Change
OC2	220527-000	IP54 Soft Case, OC2	N/A	N/A	\$56.00	\$99.00	Price Change
Print Pad MC70/75	220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	N/A	N/A	\$116.00	\$124.00	Price Change
PrintPad	220267-101	Kit, 5-Up E-Charge Settlement Room Bracket, PrintPAD	N/A	N/A	\$600.00	\$675.00	Price Change
RL Series	210300-000	RL Hand strap	N/A	N/A	\$10.00	\$12.00	Price Change
RL Series	220284-000	Multiple Unit Charging Adapter with Power Supply (1 to 4), US Plug	N/A	N/A	\$152.00	\$179.00	Price Change
RL Series	220285-000	Multiple Unit Charging Adapter with Power Supply (1 to 4), EU Plug	N/A	N/A	\$152.00	\$179.00	Price Change
RL Series	220286-000	Multiple Unit Charging Adapter with Power Supply (1 to 4), UK Plug	N/A	N/A	\$152.00	\$179.00	Price Change
RL Series	210302-000	RL Shoulder Strap	N/A	N/A	\$10.00	\$12.00	Price Change
S2000	767600	SINGLE BAY BATTERY CHARGER 120 VAC	N/A	N/A	\$51.00	\$95.00	Price Change
S3500	7AS3500BCB	S3500 BCB ASSEMBLY	N/A	N/A	\$80.00	\$99.00	Price Change
VMP	220151-100	25 deg. Dashmount Bracket with Paper Tray	N/A	N/A	\$174.00	\$265.00	Price Change
VMP	220154-100	Kit, Deluxe Dashmount and Paper Tray (1)	N/A	N/A	\$270.00	\$365.00	Price Change
VMP	220180-100	AC Adapter, Universal High Capacity, U.S. plug	N/A	N/A	\$122.00	\$134.00	Price Change
VMP	220181-100	AC Adapter, Universal High Capacity, Euro plug	N/A	N/A	\$122.00	\$134.00	Price Change
VMP	220182-100	AC Adapter, Universal High Capacity, U.K. plug	N/A	N/A	\$122.00	\$134.00	Price Change
VMP	220185-100	AC Adapter, Universal High Capacity, Australian plug	N/A	N/A	\$122.00	\$134.00	Price Change
VMP	220199-000	VMP 1000/2000 Wall Mounting Vibration Bracket Kit	N/A	N/A	\$130.00	\$295.00	Price Change
VMP	220207-100	Kit, 10' (AMP) Straight Power Extension Cable	N/A	N/A	\$104.00	\$129.00	Price Change
VMP	220155-000	Paper Tray for Box of Paper	N/A	N/A	\$35.00	\$44.00	Price Change
VMP	220146-001	VMP 1000/2000 Horizontal Mount Vibration Bracket Kit	N/A	N/A	\$65.00	\$95.00	Price Change

## Apex 2

### Printers include the following items:

- Universal AC Adapter (3 Hours Fast Charge)
- Lithium Ion Battery
- Belt Clip
- 1 Thermal Paper Roll
- 12 month warranty (including print head)



### Printers

Part#	Description	USD
78728S1-3	Apex 2, RS-232, Bluetooth	\$595.00
78728S1R-3	Apex 2, RS-232, Bluetooth, Magnetic Card Reader	\$675.00
78728I1	Apex 2, RS-232, IrDA	\$565.00
78728S1-3-2	Apex 2, RS-232, Bluetooth without Power Supply	\$575.00
78728S1-4	Apex2, RS232, iOS Bluetooth	\$595.00
78728S1R-4	Apex2, RS232, iOS Bluetooth, Magnetic Card Reader	\$675.00

### Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
157261	Universal AC Adapter ( US, UK, Euro & Australian Plugs)	\$35.00
151133	10.6V to 30V In-Vehicle Charger (Must use battery in printer)	\$106.00
767400-1	Apex Bat. Charger (2 Bay) 100v-240v w/US, EU, UK and AU plugs	\$140.00

### Comm. Cables

5892RJD9-1	Cable, Coiled, DB9 F	\$30.00
5892RJD9	Cable, Coiled, Right Angle DB9 F	\$30.00
5892RJOPEN	Cable, Coiled, Untermated	\$20.00

### Accessories

756998-2	Belt Loop System (Compatible with 2" and 4" Apex Printers)	\$35.00
757351	Shoulder Strap System (Compatible with all Apex Printers)	\$35.00
756983	IP 54 Certified Environmental Case for all Apex 2 Printers	\$99.00
757160	Magnetic Card Reader Cleaning Cards (5 per order)	\$7.00
7A100014-1	Battery, 7.4v, 2250 mAH Lithium Ion	\$65.00



# Apex 3

## Printers include the following items:

- Universal AC Adapter (3 Hours Fast Charge)
- Lithium Ion Battery
- Belt Clip
- 1 Thermal Paper Roll
- 12 month warranty (including print head)



## Printers

Part#	Description	USD
78828S1-3	Apex 3, RS-232, Bluetooth	\$695.00
78828S1R-3	Apex 3, RS-232, Bluetooth, Magnetic Card Reader	\$775.00
78828I1	Apex 3, RS-232, IrDA	\$665.00
78828S1-3-2	Apex 3, RS-232, Bluetooth without Power Supply	\$675.00
78828U1-3	Apex 3, USB, Bluetooth	\$695.00
78828S1-4	Apex3, RS232, iOS Bluetooth	\$695.00
78828S1R-4	Apex3, RS232, iOS Bluetooth, Magnetic Card Reader	\$775.00
78828U1-4	Apex3, USB, iOS Bluetooth	\$695.00
78828U1R-4	Apex3, USB, iOS Bluetooth, Magnetic Card Reader	\$775.00

## Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
157261	Universal AC Adapter ( US, UK, Euro & Australian Plugs)	\$35.00
151133	10.6V to 30V In-Vehicle Charger (Must use battery in printer)	\$106.00
767400-1	Apex Bat. Charger (2 Bay) 100v-240v w/US, EU, UK and AU plugs	\$140.00
<b>Comm. Cables</b>		
5892RJD9-1	Cable, Coiled, DB9 F	\$30.00
5892RJD9	Cable, Coiled, Right Angle DB9 F	\$30.00
5892RJOPEN	Cable, Coiled, Unterminated	\$20.00
7A300210	Cable, USB, Right Angle to Type A	\$30.00
<b>Accessories</b>		
756998-1	Belt Loop System (Compatible with 3" Apex Printers)	\$35.00
757351	Shoulder Strap System (Compatible with all Apex Printers)	\$35.00
756985	IP 54 Certified Environmental Case for 3" Apex Printers	\$125.00
757160	Magnetic Card Reader Cleaning Cards (5 per order)	\$7.00
7A100014-1	Battery (Lithium Ion; 7.4V, 2250 mAh)	\$65.00

# Apex 4

## Printers include the following items:

- Universal AC Adapter (3 Hours Fast Charge)
- Lithium Ion Battery
- Shoulder Strap
- 1 Thermal Paper Roll
- 12 month warranty (including print head)



## Printers

Part#	Description	USD
78928U1-3	Apex 4, USB and Bluetooth	\$895.00
78928U1R-3	Apex 4, USB, Bluetooth and Magnetic Card Reader	\$979.00
78928I1	Apex 4, RS-232 and IrDA	\$869.00
78928U1-3-1	Apex 4, USB and Bluetooth without Power Supply	\$875.00
78928U1-4	Apex4, USB, iOS Bluetooth	\$895.00
78928U1R-4	Apex4, USB, iOS Bluetooth, Magnetic Card Reader	\$979.00
78928S1-4	Apex4, RS232, iOS Bluetooth	\$895.00
78928S1R-4	Apex4, RS232, iOS Bluetooth, Magnetic Card Reader	\$979.00

## Peripherals and Accessories

Part#	Description	USD
-------	-------------	-----

### Chargers

157261	Universal AC Adapter ( US, UK, Euro & Australian Plugs)	\$35.00
151133	10.6V to 30V In-Vehicle Charger (Must use battery in printer)	\$106.00
151134	Car Adapter 7.5V 4 Amp	\$95.00
767400-1	Apex Bat. Charger (2 Bay) 100v-240v w/US, EU, UK and AU plugs	\$140.00

### Comm. Cables

5892USB	Cable, USB 2.0, Standard Type A to B	\$30.00
5892RJD9-1	Cable, Coiled, DB9 F	\$30.00
5892RJD9	Cable, Coiled, Right Angle DB9 F	\$30.00
5892RJOPEN	Cable, Coiled, Unterminated	\$20.00

### Accessories

756998-2	Belt Loop System (Compatible with 2" and 4" Apex Printers)	\$35.00
757351	Shoulder Strap System (Compatible with all Apex Printers)	\$35.00
756984	IP 54 Certified Environmental Case for 4" Apex Printers	\$130.00
757160	Magnetic Card Reader Cleaning Cards (5 per order)	\$7.00
7A100014-1	Battery, 7.4v, 2250 mAH Lithium Ion	\$65.00

# LP3



## Ordering Notes:

- 1) All LP3 printers include two batteries and carrying strap.
- 2) Order ADP9000-100, MC90XX Cable Adapter, separately from Symbol.
- 3) Power supply must be ordered separately.
- 4) All LP3 printers shipped after 1/1/06 include a standard factory warranty period of one year.

## Printers

Part#	Description	USD
200268-100	<b>LP3, RS-232 (2)</b> Includes battery LED, 4MB flash memory, 2MB RAM, two batteries, and carrying strap.	\$995.00
200270-100	<b>LP3, RS-232, Bluetooth</b> Integrated Bluetooth module supports Bluetooth wireless data communications and version 1.1 and 1.2 of the Bluetooth standard (SIG certified).	\$1,125.00
200271-100	<b>LP3, RS-232, 802.11b/g, U.S.</b> The LP3 WLAN configurations incorporate a compact, integrated on-board 802.11b/g module which supports advanced security encryptions.	\$1,325.00
200271-200	<b>LP3, RS2, 802.11b/g, ETSI</b> Includes an integrated 802.11b/g module that is programmed to support European operating channels.	\$1,325.00

## Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
220515-100	AC Adapter for Charging with U.S. plug	\$52.00
220516-100	AC Adapter for Charging with EU plug	\$57.00
220517-100	AC Adapter for Charging with UK plug	\$64.00
220521-100	AC Adapter for Charging with Swiss plug	\$64.00
220518-100	AC Adapter for Charging with AU plug	\$66.00
220220-100	Double Bay Battery Charger (3)	\$260.00
<b>Comm. Cables</b>		
210267-100	Cable, Right Angle, USB	\$39.00
210164-100	Cable, Coiled, Right Angle, DB9 F	\$39.00
210164-104	Cable, Coiled Right Angle, Teklogix	\$134.00
210164-117	Cable, Coiled, Symbol MC9000 Adapter (2)	\$68.00
210164-120	Cable, Coiled, Right Angle, Symbol MC3000 Adapter	\$85.00
210164-121	Cable, Coiled, Right Angle, Symbol MC-70 Adapter	\$99.00
<b>Accessories</b>		
220244-000	LP3 Shoulder Strap Kit	\$28.00
220233-000	LP3 Shopping Cart Tray	\$95.00
240266-000	LP3 Wire Form Media Holder	\$20.00
240267-000	LP3 Wire Form Printer Holder	\$35.00
550039-100	Replacement Battery, 7.2V, 2200 mAh, Lithium Ion	\$77.00

# microFlash 2te



## Ordering Notes:

- 1) All microFlash 2te printers include swivel belt clip (280480-001), battery, cleaning card, one roll of thermal paper or linerless labels, and include a standard factory warranty period of two years.
- 2) Order ADP9000-100, MC90XX Cable Adapter, separately from Symbol.

## Printers

Part#	Description	USD
200383-100	<b>MF2te, RS-232</b> Includes a USB and RS-232 port, 4MB flash, 2MB RAM, integrated battery and charging system, belt clip, paper, cleaning card, and User Guide. Supports printing of 1-D and 2-D bar codes, graphics, and signature capture.	\$550.00
200380-100	<b>MF2te, RS-232, Bluetooth</b> Includes all of the features of 200383-100, with an integrated Bluetooth module (version 2.0).	\$700.00
200381-100	<b>MF2te, RS-232, Bluetooth, Magnetic Card Reader</b> Includes all of the features of 200380-100, with a compact, rugged and easy to use swipe style magnetic card reader.	\$850.00
200382-100	<b>MF2te, Linerless, RS-232, Bluetooth</b> Includes all of the features of 200380-100 and incorporates design features that are compatible with linerless media.	\$750.00

## Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
220515-100	AC Adapter for Charging with U.S. plug	\$52.00
220516-100	AC Adapter for Charging with EU plug	\$57.00
220517-100	AC Adapter for Charging with UK plug	\$64.00
220521-100	AC Adapter for Charging with Swiss plug	\$64.00
220518-100	AC Adapter for Charging with AU plug	\$66.00
510116-001	Cigarette Lighter Vehicle Power for Thermal Printers	\$17.00
<b>Comm. Cables</b>		
210164-100	Cable, Coiled, Right Angle, DB9 F	\$39.00
210267-100	Cable, Right Angle, USB	\$39.00
210164-104	Cable, Coiled Right Angle, Teklogix	\$134.00
210164-117	Cable, Coiled, Symbol MC9000 Adapter (2)	\$68.00
210164-120	Cable, Coiled, Right Angle, Symbol MC3000 Adapter	\$85.00
210164-121	Cable, Coiled, Right Angle, Symbol MC-70 Adapter	\$99.00
<b>Accessories</b>		
280480-001	Belt Clip, OC/MF Swivel (Spare)	\$6.00
210156-001	Swivel Belt Loop	\$23.00
220529-000	IP54 Soft Case, MF2te	\$99.00
210216-000	Swivel Mount Bracket (supports all configurations)	\$40.00
750092-000	Swivel Mount Shoulder Strap	\$40.00
220531-000	Kit, Battery MF2Te	\$109.00
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$124.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00

Prices and specifications subject to change without notice. Effective January 1, 2014

# microFlash 4te

## Ordering Notes:

- 1) All printers include two batteries, one cleaning card, and one roll of thermal paper or linerless labels.
- 2) Swivel belt loop, part# 210156-001, or swivel belt clip, part# 280480-001, must be ordered separately.
- 3) Two batteries recommended.
- 4) Power supply must be ordered separately.
- 5) All microFlash 4te printers include a standard factory warranty period of two years.



## Printers

Part#	Description	USD
200601-100	<b>MF4te, RS-232, Magnetic Card Reader, Swivel Belt Clip (2)</b> Includes built-in intelligent battery charging, RS-232 port, Magnetic Card Reader, two batteries, paper, cleaning card, and User Guide.	\$1,145.00
200600-100	<b>MF4te, RS-232, Swivel Belt Clip (2)</b> Includes built-in intelligent battery charging, RS-232 port, two batteries, paper, cleaning card, and User	\$945.00
200370-100	<b>MF4te, RS-232, 802.11b/g U.S., Swivel Belt Clip (2)</b> Includes built-in intelligent battery charging, RS-232 port, two batteries, paper, cleaning card, and User Guide.	\$1,295.00
200370-200	<b>MF4te, RS-232, 802.11b/g ETSI, Swivel Belt Clip (2)</b> Includes an on-board 802.11b/g module that is programmed to support European operating channels.	\$1,295.00
200371-100	<b>MF4te, RS-232, 802.11b/g U.S., Swivel Belt Clip, Linerless (2)</b> Includes the U.S. radio module and supports the printing of linerless labels.	\$1,345.00
200371-200	<b>MF4te, RS-232, 802.11b/g ETSI, Swivel Belt Clip, Linerless (2)</b> Includes the Euro radio module and supports the printing of linerless labels.	\$1,345.00
200372-100	<b>MF4te, RS-232, 802.11b/g U.S., E-Charge, Swivel Belt Clip (2)</b> Incorporates the U.S. radio module and external charge contacts at the back of the printer case for use with 210216-001 swivel mount charging bracket.	\$1,295.00
200372-200	<b>MF4te, RS-232, 802.11b/g ETSI, E-Charge, Swivel Belt Clip (2)</b> Incorporates the Euro radio module and external charge contacts at the back of the printer case for use with 210216-001 swivel mount charging bracket.	\$1,295.00
200373-100	<b>MF4te, RS-232, 802.11b/g U.S., Swivel Belt Clip, External Paper Slot (2)</b> Includes the U.S. radio module and external paper slot at back of printer case to support 220211-100 Truck Mount Paper Tray installations.	\$1,295.00
200373-200	<b>MF4te, 802.11b/g, ETSI, Swivel Belt Clip, External Paper Slot (2)</b> Includes the Euro radio module and external paper slot at back of printer case to support 220211-100 Truck Mount Paper Tray installations.	n/a
200377-100	<b>MF4te, RS-232, 802.11b/g U.S., Magnetic Card Reader, Swivel Belt Clip (2)</b> Incorporates the U.S. radio module. Card reader option reads magnetic swipe track 1,2,3.	\$1,495.00
200377-200	<b>MF4te, RS-232, 802.11b/g ETSI, Magnetic Card Reader, Swivel Belt Clip (2)</b> Incorporates the Euro radio module. Card reader option reads magnetic swipe track 1,2,3	\$1,495.00
200360-100	<b>MF4te, RS-232, Bluetooth, Swivel Belt Clip (2)</b> Integrated Bluetooth module supports Bluetooth wireless data communications and version 1.1 and 1.2 of the Bluetooth standard (SIG certified).	\$1,125.00
200361-100	<b>MF4te, RS-232, Bluetooth, Swivel Belt Clip, Linerless (2)</b> This Bluetooth configuration supports the printing of linerless labels.	\$1,175.00
200362-100	<b>MF4te, RS-232, Bluetooth, E-Charge, Swivel Belt Clip (2)</b> This Bluetooth configuration incorporates external charge contacts at the back of the printer case for use with 210216-001 swivel mount charging bracket.	\$1,125.00
200363-100	<b>MF4te, RS-232, Bluetooth, Swivel Belt Clip, External Paper Slot (2)</b> Includes external paper slot at back of printer case to support 220211-100 Truck Mount Paper Tray installations.	\$1,125.00
200367-100	<b>MF4te, RS-232, Bluetooth, Magnetic Card Reader, Swivel Belt Clip (2)</b> This Bluetooth configuration includes the magnetic card reader option.	\$1,325.00

# microFlash 4te



## Ordering Notes:

- 1) All printers include two batteries, one cleaning card, and one roll of thermal paper or linerless labels.
- 2) Swivel belt loop, part# 210156-001, or swivel belt clip, part# 280480-001, must be ordered separately.
- 3) Two batteries recommended.
- 4) Power supply must be ordered separately.
- 5) All microFlash 4te printers include a standard factory warranty period of two years.

## Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
220515-100	AC Adapter for Charging with U.S. plug	\$52.00
220516-100	AC Adapter for Charging with EU plug	\$57.00
220517-100	AC Adapter for Charging with UK plug	\$64.00
220521-100	AC Adapter for Charging with Swiss plug	\$64.00
220518-100	AC Adapter for Charging with AU plug	\$66.00
510116-001	Cigarette Lighter Vehicle Power for Thermal Printers	\$17.00
220220-100	OC/MF4t 2-Bay Battery Charger (4)	\$260.00
220226-103	Kit, Depot Charger, E-Charge (use with 200372-100, 200372-200, and 200362-100 printers)	\$600.00
220226-120	Kit, Depot Charger, E-Charge (use with 200372-100, 200372-200, and 200362-100 with Euro Cord)	\$461.00
<b>Comm. Cables</b>		
210267-100	Cable, Right Angle, USB	\$39.00
210164-100	Cable, Coiled, Right Angle, DB9 F	\$39.00
<b>Accessories</b>		
210156-001	Swivel Belt Loop	\$23.00
280480-001	Belt Clip, OC/MF Swivel	\$6.00
220528-000	IP54 Soft Case, MF4te	\$109.00
210216-000	Swivel Mount Bracket (for all printer configurations without charge contacts)	\$40.00
210216-001	Swivel Mount Charging Bracket (for use with 200362-100, 200372-100, and 200372-200 printers)	\$110.00
220239-000	Kit, MF4t Truck Mount Swivel Velcro Pad	\$77.00
750092-000	Swivel Mount Shoulder Strap	\$40.00
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$124.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
550039-100	Battery, 7.2V, 2200 mAh Lithium Ion (3)	\$77.00
220211-100	Kit, MF4t Truck Mount Paper Tray	\$393.00
280228-000	3" Spindle Bracket	\$9.00



# OC2

## Ordering Notes:

- 1) All OC2 printers include a battery, paper, belt clip (280480-001) and User Guide.
- 2) Order ADP9000-100, MC90XX Cable Adapter, separately from Symbol.
- 3) Power supply must be ordered separately.
- 4) Includes 220180-100, AC Adapter, Universal High Capacity, U.S.
- 5) Includes 220180-100, AC Adapter, Universal High Capacity, U.S. and 220220-100, 2-Bay Charger.
- 6) All OC2 printers include a standard factory warranty of one year.



## Printers

Part#	Description	USD
200320-101	<b>OC2 Receipt, RS-232</b> Includes built-in intelligent battery charging, RS-232 port, 4MB flash memory, 2MB RAM, battery, swivel belt clip, paper, and User Guide.	\$650.00
200323-101	<b>OC2 Receipt, RS-232, Bluetooth</b> Integrated Bluetooth module for WPAN communications supports versions 1.1 and 1.2 of the Bluetooth standard (SIG certified).	\$800.00
200325-101	<b>OC2 Receipt, RS-232, 802.11b/g U.S.</b> The OC2 WLAN configurations incorporate a compact, integrated on-board 802.11b/g module which supports advanced security encryptions.	\$975.00
200325-201	<b>OC2 Receipt, RS-232, 802.11b/g ETSI</b> Includes an on-board 802.11b/g module that is programmed to support European operating channels.	\$975.00

## Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
220515-100	AC Adapter for Charging with U.S. plug	\$52.00
220516-100	AC Adapter for Charging with EU plug	\$57.00
220517-100	AC Adapter for Charging with UK plug	\$64.00
220521-100	AC Adapter for Charging with Swiss plug	\$64.00
220518-100	AC Adapter for Charging with AU plug	\$66.00
510116-001	Cigarette Lighter Vehicle Power for Thermal Printers	\$17.00
220236-000	OC Series, 5-Bay Desktop Cradle Kit (4)	\$554.00
220237-000	OC Series, 4-Bay Desktop Cradle & 2-Bay Battery Charger (5)	\$778.00
220220-100	Battery Charger, OC/MF4t, Double Bay (3)	\$260.00
210259-000	OC Series, Desktop Cradle Charger (3)	\$77.00
<b>Comm. Cables</b>		
210267-100	Cable, Right Angle, USB	\$39.00
210164-100	Cable, Coiled, Right Angle, DB9 F	\$39.00
210164-104	Cable, Coiled Right Angle, Teklogix	\$134.00
210164-117	Cable, Coiled, Symbol MC9000 Adapter (2)	\$68.00
210164-120	Cable, Coiled, Right Angle, Symbol MC3000 Adapter	\$85.00
210164-121	Cable, Coiled, Right Angle, Symbol MC-70 Adapter	\$99.00
<b>Accessories</b>		
280480-001	Belt Clip, OC/MF Swivel	\$6.00
220527-000	IP54 Soft Case, OC2	\$99.00
220259-000	Kit, OC Swivel Mount Bracket	\$46.00
220238-000	Kit, OC Series, Shoulder Strap	\$40.00
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$124.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
550039-100	Battery, 7.2V, 2200 mAh Lithium Ion	\$77.00

# OC3



## Ordering Notes:

- 1) All OC3 printers include a battery, paper, belt clip (280480-001), and User Guide
- 2) Order ADP9000-100, MC90XX Cable Adapter, separately from Symbol.
- 3) Power supply must be ordered separately.
- 4) Includes 220181-100, AC Adapter, Universal High Capacity, Euro
- 5) Includes 220181-100, AC Adapter, Universal High Capacity, Euro and 220220-100, 2-Bay Charger.
- 6) All OC3 printers include a standard factory warranty of one year.

## Printers

Part#	Description	USD
200333-100	<b>OC3, RS-232, Bluetooth</b> Integrated Bluetooth module for WPAN communications supports versions 1.1 and 1.2 of the Bluetooth standard (SIG certified).	\$1,100.00
200336-100	<b>OC3, RS-232, 802.11b/g U.S.</b> The OC3 WLAN configurations incorporate a compact, integrated on-board 802.11b/g module which supports advanced security encryptions.	\$1,275.00
200336-200	<b>OC3, RS-232, 802.11b/g ETSI</b> Includes an on-board 802.11b/g module that is programmed to support European operating channels.	\$1,275.00

## Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
220515-100	AC Adapter for Charging with U.S. plug	\$52.00
220516-100	AC Adapter for Charging with EU plug	\$57.00
220517-100	AC Adapter for Charging with UK plug	\$64.00
220521-100	AC Adapter for Charging with Swiss plug	\$64.00
220518-100	AC Adapter for Charging with AU plug	\$66.00
510116-001	Cigarette Lighter Vehicle Power for Thermal Printers	\$17.00
220236-000	OC Series, 5-Bay Desktop Cradle Kit (4)	\$554.00
220237-000	OC Series, 4-Bay Desktop Cradle & 2-Bay Battery Charger (5)	\$778.00
220220-100	Battery Charger, OC/MF4t, Double Bay (3)	\$260.00
210259-000	OC Series, Desktop Cradle Charger (3)	\$77.00
<b>Comm. Cables</b>		
210267-100	Cable, Right Angle, USB	\$39.00
210164-100	Cable, Coiled, Right Angle, DB9 F	\$39.00
210164-104	Cable, Coiled Right Angle, Teklogix	\$134.00
210164-117	Cable, Coiled, Symbol MC9000 Adapter (2)	\$68.00
210164-120	Cable, Coiled, Right Angle, Symbol MC3000 Adapter	\$85.00
210164-121	Cable, Coiled, Right Angle, Symbol MC-70 Adapter	\$99.00
<b>Accessories</b>		
280480-001	Belt Clip, OC/MF Swivel	\$6.00
220530-000	IP54 Soft Case, OC3	\$104.00
220259-000	Kit, OC Swivel Mount Bracket	\$46.00
220238-000	Kit, OC Series, Shoulder Strap	\$40.00
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$124.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
550039-100	Battery, 7.2V, 2200 mAh Lithium Ion	\$77.00



# MC65/67 PrintPAD

## Ordering Notes:

- 1) Includes two batteries, hand strap, and paper roll.
- 2) Power supply must be ordered separately.
- 3) All MC65/67 PrintPADs include a standard factory warranty period of two years.



## Printers

Part#	Description	USD
200532-100	<b>MC65/67 PrintPAD, RS-232, Bluetooth, E-Charge</b> Includes built-in intelligent battery charging, 4MB of flash memory, 2MB RAM, RS-232 port, integrated Bluetooth radio, two batteries, hand strap, paper, and User Guide. The PrintPAD MC70/75 also features an external DC charge port, LED's, and an enhanced battery compartment for easy battery removal, as well as charge contacts for the 220262-102 Charging Vehicle Mount Bracket Kit.	\$1,485.00
200533-100	<b>MC65/67 PrintPAD, RS-232, DEX, Bluetooth, Magnetic Card Reader, E-Charge</b> Includes all of the features of 200532-100 as well as a DEX port and integrated magnetic card reader.	\$1,810.00

## Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
220515-100	AC Adapter for Charging with U.S. plug	\$52.00
220516-100	AC Adapter for Charging with EU plug	\$57.00
220517-100	AC Adapter for Charging with UK plug	\$64.00
220521-100	AC Adapter for Charging with Swiss plug	\$64.00
220518-100	AC Adapter for Charging with AU plug	\$66.00
220220-100	Battery Charger, Double Bay (2)	\$260.00
510116-001	Cigarette Lighter Vehicle Power for Thermal Printers	\$17.00
<b>Comm. Cables</b>		
210237-100	Cable, DEX PrintPAD	\$33.00
210191-101	DB9F Cable, Right Angle, 7' [2m]	\$54.00
<b>Accessories</b>		
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$124.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
220513-002	Kit, Vehicle Mount Bracket, PrintPAD MC65/67, CN70, 99EX	\$179.00
220262-102	Kit, Charging Vehicle Mount Bracket, PrintPAD MC65/67, CN70, 99EX	\$213.00
220267-101	Kit, 5-Up E-Charge Settlement Room Bracket, PrintPAD (For use with E-Charge Option)	\$675.00
550039-100	Replacement Battery, 7.2V, 2200 mAh, Lithium Ion	\$77.00
280228-000	3" Spindle Bracket (MF4t, PrintPAD)	\$9.00
210223-000	PrintPAD Handle Strap Kit (non-adjustable)	\$18.00
750139-000	75" Shoulder Strap	\$13.00

# CN70/70e PrintPAD

## Ordering Notes:

- 1) Includes two batteries, hand strap, and paper roll.
- 2) Power supply must be ordered separately.
- 3) All CN70 PrintPADs include a standard factory warranty period of two years.



## Printers

Part#	Description	USD
200520-101	<b>CN70/70e PrintPAD, RS-232, E-Charge</b> Includes built-in intelligent battery charging, 4MB of flash memory, 2MB RAM, RS-232 port, two batteries, hand strap, paper, and User Guide. The PrintPAD CN70 also features an external DC charge port, LED's, and an enhanced battery compartment for easy battery removal, as well as charge contacts for the 220262-102 Charging Vehicle Mount Bracket Kit.	\$1,295.00
200523-101	<b>CN70/70e PrintPAD, RS-232, Bluetooth, E-Charge</b> Includes all of the features of 200520-100, with an integrated Bluetooth radio.	\$1,485.00
200522-101	<b>CN70/70e PrintPAD, RS-232, DEX, Bluetooth, Magnetic Card Reader, E-Charge</b> Includes all of the features of 200523-100 as well as a DEX port and integrated magnetic card reader.	\$1,810.00

## Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
220515-100	AC Adapter for Charging with U.S. plug	\$52.00
220516-100	AC Adapter for Charging with EU plug	\$57.00
220517-100	AC Adapter for Charging with UK plug	\$64.00
220521-100	AC Adapter for Charging with Swiss plug	\$64.00
220518-100	AC Adapter for Charging with AU plug	\$66.00
220220-100	Battery Charger, Double Bay (2)	\$260.00
510116-001	Cigarette Lighter Vehicle Power for Thermal Printers	\$17.00
<b>Comm. Cables</b>		
210237-100	Cable, DEX PrintPAD	\$33.00
210267-100	Cable, Right Angle, USB	\$39.00
210191-101	DB9F Cable, Right Angle, 7' [2m]	\$54.00
<b>Accessories</b>		
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$124.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
220513-002	Kit, Vehicle Mount Bracket, PrintPAD MC65/67, CN70, 99EX	\$179.00
220262-102	Kit, Charging Vehicle Mount Bracket, PrintPAD MC65/67, CN70, 99EX	\$213.00
220267-101	Kit, 5-Up E-Charge Settlement Room Bracket, PrintPAD (For use with E-Charge Option)	\$675.00
550039-100	Replacement Battery, 7.2V, 2200 mAh, Lithium Ion	\$77.00
220265-100	Hand Strap Kit, PrintPAD	\$12.00
280228-000	3" Spindle Bracket (MF4t, PrintPAD)	\$9.00
750139-000	75" Shoulder Strap	\$13.00

# 99EX PrintPAD

## Ordering Notes:

- 1) Include two batteries, hand strap, paper roll and 99EX standard battery spacer
- 2) Power supply must be ordered separately.
- 3) All 99EX PrintPADs include a standard factory warrant period of two years.



## Printers

Part#	Description	USD
200511-100	<b>Dolphin 99EX PrintPAD, RS-232, Bluetooth, E-Charge</b> Includes built-in intelligent battery charging, 4MB of flash memory, 2MB RAM, RS-232 port, two batteries, hand strap, paper, and User Guide. The PrintPAD also features an external DC charge port, LED's, and an enhanced battery compartment for easy battery removal.	\$1,535.00
200512-100	<b>Dolphin 99EX PrintPAD, RS-232, DEX, Bluetooth, Magnetic Card Reader, E-Charge</b> Includes all of the features of 200511-100 as well as a DEX port and integrated magnetic card reader.	\$1,845.00

## Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
220515-100	AC Adapter for Charging with U.S. plug	\$52.00
220516-100	AC Adapter for Charging with EU plug	\$57.00
220517-100	AC Adapter for Charging with UK plug	\$64.00
220521-100	AC Adapter for Charging with Swiss plug	\$64.00
220518-100	AC Adapter for Charging with AU plug	\$66.00
220220-100	Battery Charger, Double Bay (2)	\$260.00
510116-001	Cigarette Lighter Vehicle Power for Thermal Printers	\$17.00
<b>Comm. Cables</b>		
210237-100	Cable, DEX PrintPAD	\$33.00
210267-100	Cable, Right Angle, USB	\$39.00
210191-101	DB9F Cable, Right Angle, 7' [2m]	\$54.00
<b>Accessories</b>		
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$124.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
220513-001	Kit, Vehicle Mount Bracket, PrintPAD CN3/4/3e/4e, MC70/75, 99EX	\$179.00
220262-101	Kit, Charging Vehicle Mount Bracket, PrintPAD CN3/4/3e/4e, 99EX	\$213.00
220267-101	Kit, 5-Up E-Charge Settlement Room Bracket, PrintPAD CN3/4/3e/4e, MC70/75, 99EX (For use with E-Charge Option)	\$675.00
550039-100	Replacement Battery, 7.2V, 2200 mAh, Lithium Ion	\$77.00
220265-100	Hand Strap Kit, PrintPAD CN3/4/3e/4e and 99EX	\$12.00
280228-000	3" Spindle Bracket (MF4t, PrintPAD CN3/4/3e/4e, MC70/75, 9000, 7900, 99EX)	\$9.00
750139-000	75" Shoulder Strap	\$13.00

## CN3/4 PrintPAD

### Ordering Notes:

- 1) All PrintPADs include two batteries, hand strap, and paper roll.
- 2) Power supply must be ordered separately.
- 3) All CN3/4/3e/4e PrintPADs include a standard factory warranty period of two years.



### Printers

Part#	Description	USD
200440-101	<b>CN3/4 PrintPAD, RS-232</b> Includes built-in intelligent battery charging, 4MB of flash memory, 2MB RAM, RS-232 port, two batteries, hand strap, paper, and User Guide. The PrintPAD CN3/4 also features an external DC charge port, LED's, and an enhanced battery compartment for easy battery removal.	\$1,280.00
200451-101	<b>CN3/4 PrintPAD, RS-232, E-Charge</b> This version of the PrintPAD CN3/4 includes all of the features of 200440-100 as well as charge contacts for the 220262-101 Kit, Charging Vehicle Mount Bracket.	\$1,295.00
200443-101	<b>CN3/4 PrintPAD, RS-232, Bluetooth</b> Includes all of the features of 200440-100, with an integrated Bluetooth radio.	\$1,470.00
200452-101	<b>CN3/4 PrintPAD, RS-232, Bluetooth, E-Charge</b> Includes all of the features of 200443-100, as well as charge contacts for the 220262-101 Kit, Charging Vehicle Mount Bracket.	\$1,485.00
200455-101	<b>CN3/4 PrintPAD, RS-232, Bluetooth, Magnetic Card Reader, E-Charge</b> Includes all of the features of 200452-100, with an integrated card reader (magnetic swipe track 1,2,3)	\$1,710.00

## CN3e/4e PrintPAD

### Ordering Notes:

- 1) All PrintPADs include two batteries, hand strap, and paper roll.
- 2) Power supply must be ordered separately.
- 3) All CN3/4/3e/4e PrintPADs include a standard factory warranty period of two years.



### Printers

Part#	Description	USD
200460-101	<b>CN3e/4e PrintPAD, RS-232</b> Includes built-in intelligent battery charging, 4MB of flash memory, 2MB RAM, RS-232 port, two batteries, hand strap, paper, and User Guide. The PrintPAD CN3e/4e also features an external DC charge port, LED's, and an enhanced battery compartment for easy battery removal.	\$1,280.00
200463-101	<b>CN3e/4e PrintPAD, RS-232, Bluetooth</b> Includes all of the features of 200460-100, with an integrated Bluetooth radio.	\$1,470.00
200472-101	<b>CN3e/4e PrintPAD, RS-232, Bluetooth, E-Charge</b> Includes all of the features of 200463-100, as well as charge contacts for the 220262-101 Kit, Charging Vehicle Mount Bracket.	\$1,485.00
200466-101	<b>CN3e/4e PrintPAD, RS-232, DEX, Bluetooth, Magnetic Card Reader</b> Includes all of the features of 200465-100 as well as a Dex port and Dex cab	\$1,795.00

# CN3/4/3e/4e PrintPAD

## Ordering Notes:

Ordering Notes:

- 1) All PrintPADs include two batteries, hand strap, and paper roll.
- 2) Power supply must be ordered separately.
- 3) All CN3/4/3e/4e PrintPADs include a standard factory warranty period of two years.



## Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
220515-100	AC Adapter for Charging with U.S. plug	\$52.00
220516-100	AC Adapter for Charging with EU plug	\$57.00
220517-100	AC Adapter for Charging with UK plug	\$64.00
220521-100	AC Adapter for Charging with Swiss plug	\$64.00
220518-100	AC Adapter for Charging with AU plug	\$66.00
220220-100	Battery Charger, Double Bay (2)	\$260.00
510116-001	Cigarette Lighter Vehicle Power for Thermal Printers	\$17.00
<b>Comm. Cables</b>		
210237-100	Cable, DEX PrintPAD	\$33.00
210267-100	Cable, Right Angle, USB	\$39.00
210191-101	DB9F Cable, Right Angle, 7' [2m]	\$54.00
<b>Accessories</b>		
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$124.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
220513-001	Kit, Vehicle Mount Bracket, PrintPAD CN3/4/3e/4e, MC70/75, 99EX	\$179.00
220262-101	Kit, Charging Vehicle Mount Bracket, PrintPAD CN3/4/3e/4e, 99EX	\$213.00
220267-101	Kit, 5-Up E-Charge Settlement Room Bracket, PrintPAD CN3/4/3e/4e, MC70/75, 99EX (For use with E-Charge Option)	\$675.00
550039-100	Replacement Battery, 7.2V, 2200 mAh, Lithium Ion	\$77.00
220265-100	Hand Strap Kit, PrintPAD CN3/4/3e/4e and 99EX	\$12.00
280228-000	3" Spindle Bracket (MF4t, PrintPAD CN3/4/3e/4e, MC70/75, 9000, 7900, 99EX)	\$9.00
750139-000	75" Shoulder Strap	\$13.00

Prices and specifications subject to change without notice. Effective January 1, 2014

# MC70/75 PrintPAD

## Ordering Notes:

- 1) Includes two batteries, hand strap, and paper roll.
- 2) Power supply must be ordered separately.
- 3) All MC70/75 PrintPADs include a standard factory warranty period of two years.



## Printers

Part#	Description	USD
200410-100	<b>MC70/75 PrintPAD, RS-232</b> Includes built-in intelligent battery charging, 4MB of flash memory, 2MB RAM, RS-232 port, two batteries, hand strap, paper, and User Guide. The PrintPAD MC70/75 also features an external DC charge port, LED's, and an enhanced battery compartment for easy battery removal.	\$1,280.00
200421-100	<b>MC70/75 PrintPAD, RS-232, E-Charge</b> This version of the PrintPAD MC70/75 includes all of the features of 200410-100 as well as charge contacts for the 220262-101 Charging Vehicle Mount Bracket Kit.	\$1,295.00
200426-100	<b>MC70/75 PrintPAD, RS-232, Magnetic Card Reader, E-Charge</b> Includes all of the features of 200421-100 as well as an integrated card reader (magnetic swipe track 1,2,3).	\$1,520.00
200417-100	<b>MC70/75 PrintPAD, RS-232, DEX</b> Includes all of the features of 200410-100 as well as a Dex port and Dex cable.	\$1,380.00
200423-100	<b>MC70/75 PrintPAD, RS-232, DEX, E-Charge</b> This version of the PrintPAD MC70/75 includes all of the features of 200417-100 as well as charge contacts for the 220262-101 Charging Vehicle Mount Bracket Kit.	\$1,395.00
200425-100	<b>MC70/75 PrintPAD, RS-232, DEX, E-Charge, Magnetic Card Reader</b> This version of the PrintPAD MC70/75 includes all of the features of 200423-100 as well as an integrated card reader (magnetic swipe track 1,2,3).	\$1,620.00
200411-100	<b>MC70/75 PrintPAD, RS-232, Magnetic Card Reader</b> Card reader option reads magnetic swipe track 1,2,3.	\$1,505.00
200412-100	<b>MC70/75 PrintPAD, RS-232, DEX, Magnetic Card Reader</b> Includes all of the features of 200411-100 as well as a Dex port and Dex cable.	\$1,605.00
200413-100	<b>MC70/75 PrintPAD, RS-232, Bluetooth</b> Includes all of the features of 200410-100, with an integrated Bluetooth radio.	\$1,470.00
200422-100	<b>MC70/75 PrintPAD, RS-232, Bluetooth, E-Charge</b> Includes all of the features of 200413-100, as well as charge contacts for the 220262-101 Charging Vehicle Mount Bracket Kit.	\$1,485.00
200424-100	<b>MC70/75 PrintPAD, RS-232, DEX, Bluetooth, E-Charge</b> Includes all of the features of 200422-100, as well as a Dex port and Dex cable.	\$1,585.00
200415-100	<b>MC70/75 PrintPAD, RS-232, Bluetooth, Magnetic Card Reader</b> Includes all of the features of 200413-100, with an integrated card reader (magnetic swipe track 1,2,3).	\$1,695.00
200416-100	<b>MC70/75 PrintPAD, RS-232, DEX, Bluetooth, Magnetic Card Reader</b> Includes all of the features of 200415-100 as well as a Dex port and Dex cable.	\$1,795.00



# MC70/75 PrintPAD

## Ordering Notes:

- 1) Includes two batteries, hand strap, and paper roll.
- 2) Power supply must be ordered separately.
- 3) All MC70/75 PrintPADs include a standard factory warranty period of two years.



## Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
220515-100	AC Adapter for Charging with U.S. plug	\$52.00
220516-100	AC Adapter for Charging with EU plug	\$57.00
220517-100	AC Adapter for Charging with UK plug	\$64.00
220521-100	AC Adapter for Charging with Swiss plug	\$64.00
220518-100	AC Adapter for Charging with AU plug	\$66.00
220220-100	Battery Charger, Double Bay (2)	\$260.00
510116-001	Cigarette Lighter Vehicle Power for Thermal Printers	\$17.00
<b>Comm. Cables</b>		
210237-100	Cable, DEX PrintPAD	\$33.00
210191-101	DB9F Cable, Right Angle, 7' [2m]	\$54.00
<b>Accessories</b>		
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$124.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
220513-001	Kit, Vehicle Mount Bracket, PrintPAD CN3/4/3e/4e, MC70/75, 99EX	\$179.00
220262-101	Kit, Charging Vehicle Mount Bracket, PrintPAD CN3/4/3e/4e, 99EX	\$213.00
220267-101	Kit, 5-Up E-Charge Settlement Room Bracket, PrintPAD CN3/4/3e/4e, MC70/75, 99EX (For use with E-Charge Option)	\$675.00
550039-100	Replacement Battery, 7.2V, 2200 mAh, Lithium Ion	\$77.00
280228-000	3" Spindle Bracket (MF4t, PrintPAD CN3/4/3e/4e, MC70/75, 9000, 7900, 99EX)	\$9.00
210223-000	PrintPAD Handle Strap Kit (non-adjustable)	\$18.00
750139-000	75" Shoulder Strap	\$13.00

# RL3/RL4

## Ordering Notes:

- 1) Printer includes (1) battery, (1) swivel belt clip, and external charging contacts.
- 2) Two batteries recommended.
- 3) Power supply must be ordered separately.
- 4) All RL printers include a standard factory warranty period of two years.



## RL3/RL4

	USD	R	-	-	0	0	0	0	1	0
<b>Printer Model</b>										
RL3 - 3 in / 76 mm wide with USB and LCD	\$1,095	L3								
RL4 - 4 in / 102 mm wide with USB and LCD	\$1,195	L4								
<b>Custom Kit</b>										
Datamax-O'Neil Portable	\$0	DP								
Datamax-O'Neil Portable (China)	\$0	UN								
<b>Not Used</b>										
Not Used	\$0	0								
<b>A/C Power (Autorange Supply) Configuration and Cord</b>										
No Power Cord Supplied	\$0	0								
<b>Special Media Handling Options</b>										
None (with external paper slot capacity)	\$0	0								
Liner-less Media Capability	\$50	1								
<b>Not Used</b>										
Not Used	\$0	0								
<b>Not Used</b>										
Not Used	\$0	0								
<b>Communication Interface Options</b>										
RS-232 and USB only (Serial)	\$0	0								
Serial and Bluetooth v2.1	\$100	1								
Serial and 802.11 b/g/a	\$200	2								
<b>External Charging Contacts</b>										
External contacts for charging	\$0	1								
<b>Not Used</b>										
Not Used	\$0	0								



# RL3/RL4



## Peripherals and Accessories

Part#	Description	USD
<b>Chargers</b>		
220515-100	AC Adapter for Charging with U.S. plug	\$52.00
220516-100	AC Adapter for Charging with EU plug	\$57.00
220517-100	AC Adapter for Charging with UK plug	\$64.00
220521-100	AC Adapter for Charging with Swiss plug	\$64.00
220518-100	AC Adapter for Charging with AU plug	\$66.00
220282-000	DC/DC Voltage converter (12v-60v)	\$395.00
220207-200	Vehicle Charge Cable Kit, 10'/3m	\$124.00
510116-001	Cigarette Lighter Vehicle Power for Thermal Printers	\$17.00
220275-000	Battery Charging Cradle, 2 bay ( <i>does not include power supply</i> )	\$170.00
550046-001	Spare Battery	\$110.00
220284-000	Multiple Unit Charging Adapter with Power Supply (1 to 4), US Plug	\$179.00
220285-000	Multiple Unit Charging Adapter with Power Supply (1 to 4), EU Plug	\$179.00
220286-000	Multiple Unit Charging Adapter with Power Supply (1 to 4), UK Plug	\$179.00
<b>Comm. Cables</b>		
210304-100	USB Cable (mini B to USB-A)	\$15.00
210164-100	Cable, Coiled, Right Angle, DB9 F	\$39.00
210191-101	Cable DB-9 F (7'/2.1m)	\$54.00
<b>Accessories</b>		
230112-000	RL Series Universal Mounting Bracket	\$95.00
280656-000	RL Belt Clip	\$5.00
210305-000	RL Belt Loop	\$24.00
210300-000	RL Hand strap	\$12.00
210302-000	RL Shoulder Strap	\$12.00
750332-000	RL3 IP54 Case	\$80.00
750323-001	RL4 IP54 Case	\$80.00
220280-000	RL "RAM Mount" compatible Adapter and Ball	\$85.00
280711-000	External Media Spacer, RL3	\$5.00
280688-000	External Media Spacer, RL4	\$5.00



**datamax•o'neil**  
right by our customers.