



TE Connectivity: Every Connection Counts
© 2016 TE Connectivity Ltd. family of companies. All Rights Reserved

+ CONNECTORS

RECTANGULAR POWER CONNECTORS



✓ Active

TE CONNECTIVITY (TE)

03P UMNL V0 PLUG HSG RED

MATE-N-LOK | Universal MATE-N-LOK

1-350766-2
TE Internal Number: 1-350766-2

EU RoHS Compliant
EU ELV Compliant

Product Type Housing
Housing Type Plug
Operating Temperature Range -55 – 105 °C [-67 – 221 °F]
UL Flammability Rating UL 94V-0
Glow Wire Rating Standard Part - Not Glow Wire

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

DOCUMENTATION

Product Drawings

PLUG, 3 CIRCUIT, UNIVERSAL MATE-N-LOK(TM)

PDF

English

CAD Files

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

3D PDF

PDF

English

Catalog Pages/Data Sheets

SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY

PDF

English

Agency Approvals

UL Report

UMNL, UMNL BULKHEAD AND UMNL2 CONNECTORS REPORT

PDF

English

FEATURES

+

Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Product Type Housing

Housing Type Plug

Configuration Features

Centerline (mm) 6.35

Number of Rows 1

Multiple Contact Types Without

Contact Layout Inline

Electrical Characteristics

Operating Voltage (VAC) 600

Operating Voltage (VDC) 600

Contact Features

Contact Retention Without

Mechanical Attachment

Assembly Integration Feature Without

Housing Features

UL Flammability Rating UL 94V-0**Housing Color** Red**Housing Material** Nylon

Usage Conditions

Operating Temperature Range -55 – 105 °C [-67 – 221 °F]**Sealed Condition** Not Sealed

Industry Standards

Glow Wire Rating Standard Part - Not Glow Wire**Agency/Standard** CSA, UL**CSA Rating** Certified**VDE Tested** Yes**CSA File Number** LR16455**Agency/Standard Number** E28476**UL Rating** Recognized

Packaging Features

Packaging Method Package**Packaging Quantity** 1

Other

For Use With Appropriate Universal MATE-N-LOK Cap or Header

Statement of Compliance

Statement of Compliance

PDF

