

Product data sheet

Specifications



APC Essential A/V Surge Protector, 7 outlet, coax protection

P7V

⚠ Discontinued on: Jun 10, 2022

⚠ Discontinued

Overview

Lead time Usually in Stock

Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable length	1.8 m
Number of cables	1
Provided equipment	6 ft gold plated coaxial cable User manual

Physical

Colour	Silver satin
Height	31.8 cm
Width	7.6 cm
Depth	3.6 cm
Net weight	0.5 kg
Mounting preference	No preference
Mounting mode	Not rack-mountable

Input

Network frequency	50/60 Hz +/- 5 Hz auto-sensing
Maximum line current	15 A

Output

Number of power socket outlets	7
Outlet standard	NEMA 5-15R

Conformance

Product certifications	CSA
Equipment protection policy	Lifetime : \$50000
UL 1449 TVSS rating	330

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental

Ambient air temperature for operation	0...40 °C
Operating altitude	0...10000 ft
Relative humidity	0...95 %
Ambient air temperature for storage	-15...45 °C
Storage altitude	0...15240 m
Storage Relative Humidity	0...95 %

Surge Protection and Filtering

Let through voltage rating	330 V
Response time	0 ns common mode
Peak current	10 kAcommon mode 10 kAnormal mode
Surge energy rate	840 J

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
SCC14	10731304200717

Contractual warranty

Warranty	Lifetime
----------	----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained](#) >

[How we assess product sustainability](#) >

Environmental footprint	
Environmental Disclosure	Product Environmental Profile
Use Better	
Materials and Substances	
EU RoHS Directive	Compliant with Exemptions
California proposition 65	WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Use Again	
Repack and remanufacture	
End of life manual availability	End of Life Information
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins