2N6040 2N6041 2N6042 PNP 2N6043 2N6044 2N6045 NPN

### COMPLEMENTARY SILICON POWER DARLINGTON TRANSISTORS




www.centralsemi.com

#### **DESCRIPTION:**

The CENTRAL SEMICONDUCTOR 2N6040 and 2N6043 Series types are Complementary Silicon Power Transistors, manufactured by the epitaxial base process, designed for general purpose amplifier applications.

MARKING: FULL PART NUMBER



MAXIMUM RATINGS: (T <sub>C</sub> =25°C) Collector-Base Voltage Collector-Emitter Voltage Emitter-Base Voltage Continuous Collector Current Peak Collector Current Base Current Power Dissipation Operating and Storage Junction Temperature	SYMBOL VCBO VCEO VEBO IC ICM IB PD The Teta	<b>2N6040 2N6043</b> 60 60	2N6041 2N6044 80 80 5.0 8.0 16 120 75 -65 to +150	2N6042 2N6045 100 100	UNITS V V V A A MA W °C
Thermal Resistance	T <sub>J</sub> , T <sub>stg</sub> ⊖JC		-65 to +150 1.67		°C/W
ELECTRICAL CHARACTERISTICS: (T <sub>C</sub> =25°C symbol test conditions		rise noted)	MIN	MAX	UNITS

ELECTRICAL O	CHARACTERISTICS: (T <sub>C</sub> =25°C unless otherwise noted)			
SYMBOL	TEST CONDITIONS	MIN	MAX	UNITS
I <sub>CBO</sub>	V <sub>CB</sub> =Rated V <sub>CBO</sub>		20	μΑ
I <sub>CEV</sub>	V <sub>CE</sub> =Rated V <sub>CEO</sub> , V <sub>BE(OFF)</sub> =1.5V		20	μΑ
ICEV	V <sub>CE</sub> =Rated V <sub>CEO</sub> , V <sub>BE(OFF)</sub> =1.5V, T <sub>C</sub> =150°C		200	μΑ
ICEO	V <sub>CE</sub> =Rated V <sub>CEO</sub>		20	μΑ
I <sub>EBO</sub>	V <sub>EB</sub> =5.0V		2.0	mA
BV <sub>CEO</sub>	I <sub>C</sub> =100mA (2N6040, 2N6043)	60		V
BV <sub>CEO</sub>	I <sub>C</sub> =100mA (2N6041, 2N6044)	80		V
BV <sub>CEO</sub>	I <sub>C</sub> =100mA (2N6042, 2N6045)	100		V
VCE(SAT)	I <sub>C</sub> =4.0A, I <sub>B</sub> =16mA (2N6040, 2N6041, 2N6043, 2N6044)		2.0	V
V <sub>CE(SAT)</sub>	I <sub>C</sub> =3.0A, I <sub>B</sub> =12mA (2N6042, 2N6045)		2.0	V
V <sub>CE(SAT)</sub>	I <sub>C</sub> =8.0A, I <sub>B</sub> =80mA		4.0	V
V <sub>BE</sub> (SAT)	I <sub>C</sub> =8.0A, I <sub>B</sub> =80mA		4.5	V
V <sub>BE(ON)</sub>	V <sub>CE</sub> =4.0V, I <sub>C</sub> =4.0A		2.8	V
h <sub>FE</sub>	V <sub>CE</sub> =4.0V, I <sub>C</sub> =4.0A (2N6040, 2N6041, 2N6043, 2N6044)	1,000	20,000	
hFE	V <sub>CE</sub> =4.0V, I <sub>C</sub> =3.0A (2N6042, 2N6045)	1,000	20,000	
h <sub>FE</sub>	$V_{CE}$ =4.0V, $I_{C}$ =8.0A	100		

R1 (16-November 2009)


#### 2N6040 2N6041 2N6042 PNP 2N6043 2N6044 2N6045 NPN



### COMPLEMENTARY SILICON POWER DARLINGTON TRANSISTORS

ELECTRICA	AL CHARACTERISTICS - Continued: ( )	$^{\circ}\mathrm{C}^{=25^{\circ}\mathrm{C}}$ unless o	therwise noted)	
SYMBOL	TEST CONDITIONS	MIN	MAX	UNITS
h <sub>fe</sub>	$V_{CE}$ =4.0V, $I_{C}$ =3.0A, f=1.0kHz	300		
$f_{T}$	$V_{CE}$ =4.0V, $I_{C}$ =3.0A, f=1.0MHz	4.0		MHz
$C_{ob}$	$V_{CB}$ =10V, $I_E$ =0, f=100kHz (NPN Types)		200	pF
$C_{ob}$	V <sub>CB</sub> =10V, I <sub>E</sub> =0, f=100kHz (PNP Types)		300	pF

#### **TO-220 CASE - MECHANICAL OUTLINE**



DIMENSIONS					
	INC	HES	MILLIM	ETERS	
SYMBOL	MIN	MAX	MIN	MAX	
Α	0.170	0.190	4.31	4.82	
В	0.045	0.055	1.15	1.39	
С	0.013	0.026	0.33	0.65	
D	0.083	0.107	2.10	2.72	
E	0.394	0.417	10.01	10.60	
F (DIA)	0.140	0.157	3.55	4.00	
G	0.100	0.118	2.54	3.00	
Н	0.230	0.270	5.85	6.85	
	0.560	0.625	14.23	15.87	
J	-	0.250	-	6.35	
K	0.025	0.038	0.64	0.96	
L	0.500	0.579	12.70	14.70	
М	0.090	0.110	2.29	2.79	
	•	T	O-220 (R	EV: R2)	

#### LEAD CODE:

- 1) BASE
- 2) COLLECTOR
- 3) EMITTER
- 4) COLLECTOR

MARKING:


**FULL PART NUMBER** 


R1 (16-November 2009)

www.centralsemi.com

### Package Details - TO-220

#### **Mechanical Drawing**





DIMENSIONS					
	INC	HES	MILLIM	ETERS	
SYMBOL	MIN	MAX	MIN	MAX	
Α	0.170	0.190	4.31	4.82	
В	0.045	0.055	1.15	1.39	
С	0.013	0.026	0.33	0.65	
D	0.083	0.107	2.10	2.72	
Е	0.394	0.417	10.01	10.60	
F (DIA)	0.140	0.157	3.55	4.00	
G	0.100	0.118	2.54	3.00	
Н	0.230	0.270	5.85	6.85	
	0.560	0.625	14.23	15.87	
J	-	0.250	-	6.35	
K	0.025	0.038	0.64	0.96	
L	0.500	0.579	12.70	14.70	
M	0.090	0.110	2.29	2.79	

TO-220 (REV: R2)

**Packing Information** 

Standard: Bulk

Devices are bulk packed in white corrugated box with black conductive coating

(surface resistivity of <10<sup>5</sup> ohms per square).

**Standard Packing Quantity: 500** 

**Sleeve Packing Quantity: 50** 

#### **LEAD CODE:**

TRIAC

SCR

1) MT1

CATHODE
 ANODE

2) MT23) GATE

3) GATE


#### **TRANSISTOR**

1) BASE

2) COLLECTOR

3) EMITTER

Note: TAB is Common to Pin 2



TO-220 Antistatic Sleeve



R0 (9-August 2004)

### **Material Composition Specification** TO-220 Case





Commonant	Matarial	Mat	erial	Cubatanaa	CACNE	S	ubstand	е								
Component	Material	(%wt)	(mg)	Substance	CAS No.	(%wt)	(mg)	(ppm)								
active device	doped Si	0.3%	5.67	Si	7440-21-3	0.3%	5.67	3,006								
bond wire	aluminum	0.14%	2.55	Al	7429-90-5	0.14%	2.55	1,352								
				Cu	7440-50-8	66.79%	1,260	667,944								
leadframe	leadframe Cu alloy 66.	66.89%	1261.86	Fe	7439-89-6	0.003%	0.06	32								
				Р	7723-14-0	0.1%	1.8	954								
				Pb	7439-92-1	0.3%	5.74	3,043								
die attach	high temperature solder	0 '	0.33%	6.21	Sn	7440-31-5	0.02%	0.31	164							
			Ag	7440-22-4	0.01%	0.16	82									
			silica	7631-86-9	23.22%	438	232,190									
		EMC	31.81%	600	epoxy resin	Proprietary	7.32%	138	73,156							
	EIVIC	31.81%	31.01%	31.01%	31.01%	31.01/0	31.01/0	31.01/0	31.01%	31.01/6	31.01%	Sb <sub>2</sub> O <sub>3</sub>	1309-64-4	0.64%	12	6,361
				TBBA	79-94-7	0.64%	12	6,361								
encapsulation*				silica	7631-86-9	23.86%	450	238,552								
				epoxy resin	Proprietary	4.93%	93	49,301								
	EMC GREEN	31.81%	600	epoxy polymer	Proprietary	2.39%	45	23,855								
				Sb <sub>2</sub> O <sub>3</sub>	1309-64-4	0.54%	10.2	5,406								
		carbon black	1333-86-4	0.1%	1.8	954										
	tin/load proces	0.540/	10.1	Sn	7440-31-5	0.43%	8.08	4,283								
plating**	tin/lead process	0.54%	10.1	Pb	7439-92-1	0.11%	2.02	1,071								
	matte tin	0.54%	10.1	Sn	7440-31-5	0.54%	10.1	5,354								

<sup>\*</sup>EMC GREEN molding compound is Halogen-Free.

#### Disclaimer

The information provided in this Material Composition data sheet is, to the best of our knowledge, correct. However, there is no guarantee to completeness or accuracy, as some information is derived from data sources outside the company.

R4 (16-July 2018)

www.centralsemi.com

<sup>\*\*</sup>For Lead Free plating, add suffix "PB FREE" to part number.

For Tin/Lead plating, add suffix "TIN/LEAD" to part number.

No suffix designation allows for the supply of either lead-free or tin/lead plated product depending on availability.

### **Material Composition Specification** TO-220 Case





Device average mass..... 1.89 g 

Commonant	Material	Mat	erial	Substance	CAS No.	S	ubstand	e		
Component	Materiai	(%wt)	(mg)	Substance	CAS NO.	(%wt)	(mg)	(ppm)		
active device	doped Si	0.3%	5.67	Si	7440-21-3	0.3%	5.67	3,006		
bond wire	aluminum	0.14%	2.55	Al	7429-90-5	0.14%	2.55	1,352		
leadframe				Cu	7440-50-8	66.79%	1,260	667,944		
	Cu alloy	66.89%	1261.86	Fe	7439-89-6	0.003%		32		
				Р	7723-14-0	0.1%	1.8	954		
				Pb	7439-92-1	0.3%	5.74	3,043		
die attach high temperature solder	0.33%	6.21	Sn	7440-31-5	0.02%	0.31	164			
			Ag	7440-22-4	0.01%	0.16	82			
				silica	7631-86-9	23.22%	438	232,190		
	5140	EMO	EMC	31.81%	600	epoxy resin	Proprietary	7.32%	138	73,156
	EWIC	31.01%	31.01/0	31.01/6	31.0170 000	Sb <sub>2</sub> O <sub>3</sub>	1309-64-4	0.64%	12	6,361
				TBBA	79-94-7	0.64%	12	6,361		
encapsulation*					silica	7631-86-9	23.86%	450	238,552	
				epoxy resin	Proprietary	4.93%	93	49,301		
	EMC GREEN	31.81%	600	epoxy polymer	Proprietary	2.39%	45	23,855		
				Sb <sub>2</sub> O <sub>3</sub>	1309-64-4	0.54%	10.2	5,406		
				carbon black	1333-86-4	0.1%	1.8	954		
	tin/lead process	0.54%	10.1	Sn	7440-31-5	0.43%	8.08	4,283		
plating**	un/lead process	0.54%	10.1	Pb	7439-92-1	0.11%	2.02	1,071		
	matte tin	0.54%	10.1	Sn	7440-31-5	0.54%	10.1	5,354		

<sup>\*</sup>EMC GREEN molding compound is Halogen-Free.

#### Disclaimer

The information provided in this Material Composition data sheet is, to the best of our knowledge, correct. However, there is no guarantee to completeness or accuracy, as some information is derived from data sources outside the company.

R4 (16-July 2018)

www.centralsemi.com

<sup>\*\*</sup>For Lead Free plating, add suffix "PB FREE" to part number. For Tin/Lead plating, add suffix "TIN/LEAD" to part number.

No suffix designation allows for the supply of either lead-free or tin/lead plated product depending on availability.

#### **OUTSTANDING SUPPORT AND SUPERIOR SERVICES**



#### PRODUCT SUPPORT

Central's operations team provides the highest level of support to insure product is delivered on-time.

- Supply management (Customer portals)
- · Inventory bonding
- · Consolidated shipping options

- · Custom bar coding for shipments
- Custom product packing

#### **DESIGNER SUPPORT/SERVICES**

Central's applications engineering team is ready to discuss your design challenges. Just ask.

- Free quick ship samples (2<sup>nd</sup> day air)
- Online technical data and parametric search
- SPICE models
- · Custom electrical curves
- Environmental regulation compliance
- · Customer specific screening
- Up-screening capabilities

- Special wafer diffusions
- PbSn plating options
- · Package details
- Application notes
- · Application and design sample kits
- · Custom product and package development

#### REQUESTING PRODUCT PLATING

- 1. If requesting Tin/Lead plated devices, add the suffix "TIN/LEAD" to the part number when ordering (example: 2N2222A TIN/LEAD).
- 2. If requesting Lead (Pb) Free plated devices, add the suffix "PBFREE" to the part number when ordering (example: 2N2222A PBFREE).

#### **CONTACT US**

#### Corporate Headquarters & Customer Support Team

Central Semiconductor Corp. 145 Adams Avenue Hauppauge, NY 11788 USA Main Tel: (631) 435-1110 Main Fax: (631) 435-1824

Support Team Fax: (631) 435-3388

www.centralsemi.com

Worldwide Field Representatives: www.centralsemi.com/wwreps

**Worldwide Distributors:** 

www.centralsemi.com/wwdistributors

For the latest version of Central Semiconductor's **LIMITATIONS AND DAMAGES DISCLAIMER**, which is part of Central's Standard Terms and Conditions of sale, visit: <a href="https://www.centralsemi.com/terms">www.centralsemi.com/terms</a>

www.centralsemi.com (001)



PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	Stock Only
Last Shipment Date	Stock Only

https://www.centralsemi.com

Please be advised that Central Semiconductor must immediately discontinue the product(s) listed in the attached PDN notice. Orders can only be accepted for products with available inventory on hand.

You may have purchased one or more of the products listed. Please do not hesitate to contact your local Central Semiconductor sales representative with any questions or needs you may have. Central regrets any inconvenience this may cause.

Sincerely,

Central Semiconductor, LLC

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	
Last Shipment Date	Stock Only

https://www.centralsemi.com

Summary: The following power transistors are discontinued and now classified as of End of Life (EOL). NOTE: If inventory has been depleted, some devices may be available on special order; please contact your Central salesperson, manufacturer's rep, franchised distributor, or inquiry@centralsemi.com.

Although Central Semiconductor makes every effort to continue to produce devices that have been proclaimed EOL (End of Life) by other manufacturers, it is an accepted industry practice to discontinue certain devices when customer demand falls below a minimum level of sustainability. Accordingly, the following product(s) have been transitioned to End of Life status as part of Central's ongoing Product Portfolio Management. Any replacement products are noted below. The effective date for placing last purchase orders will be six (6) months from the date of this notice and twelve (12) months from the notice date for final shipments, and minimum order quantities may apply. The last purchase and shipment dates may be extended if inventory is available.

#### \* All Plating types (PBFREE,TIN/LEAD) for each item listed are included in this notice.

Central Part Number	Suggested Replacement
BDW51	N/A
BDW51A	N/A
BDW51B	N/A
BDW51C	N/A
BDW52	N/A
BDW52A	N/A
BDW52B	N/A
BDW52C	N/A
BDW94B	N/A
BDX20	N/A
BDX54	N/A
BDX54B	N/A
BDX54C	N/A
BDX54E	N/A
BDX85	N/A
BDX85A	N/A
BDX85B	N/A
BDX85C	N/A
BDX87	N/A
BDX87A	N/A
BDX87B	N/A
BDX87C	N/A
BDY90	N/A
BD135	N/A
BD135 SL	N/A
BD135-10 SL	N/A
BD135-16	N/A
BD135-16 SL	N/A
BD136	N/A
BD136-10	N/A
BD136-10 SL	N/A
BD136-16	N/A
BD136-16 SL	N/A
BD137	N/A
*** CONTINUED ***	

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	
Last Shipment Date	Stock Only

https://www.centralsemi.com

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

<sup>\*</sup> All Plating types (PBFREE,TIN/LEAD) for each item listed are included in this notice.

Central Part Number	Suggested Replacement	
BD137-10	N/A	
BD137-10 SL	N/A	
BD137-16	N/A	
BD138	N/A	
BD138-10	N/A	
BD138-10 SL	N/A	
BD138-16	N/A	
BD138-16 SL	N/A	
BD139	N/A	
BD139-10	N/A	
BD139-10 SL	N/A	
BD139-16	N/A	
BD139-16 SL	N/A	
BD140	N/A	
BD140-10	N/A	
BD140-10 SL	N/A	
BD140-16	N/A	
BD140-16 SL	N/A	
BD157	N/A	
BD157 BD158	N/A	
BD150 BD159	N/A	
BD175	N/A	
BD176	N/A	
BD170 BD177	N/A	
BD177	N/A	
BD178 BD179	N/A	
BD180	N/A	
BD201	N/A	
BD204	N/A	
BD233	N/A	
BD234	N/A	
BD235	N/A	
BD236	N/A	
BD237	N/A	
BD238	N/A	
BD238 SL	N/A	
BD433	N/A	
BD434	N/A	
BD437	N/A	
BD438	N/A	
BD439	N/A	
BD440	N/A	
BD441	N/A	

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	
Last Shipment Date	Stock Only

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

\* All Plating types (PBFREE,TIN/LEAD) for each item listed are included in this notice.

Central Part Number	Suggested Replacement	
BD442	N/A	
BD537	N/A	
BD538	N/A	
BD675	N/A	
BD675A	N/A	
BD676	N/A	
BD676A	N/A	
BD676A SL	N/A	
BD677	N/A	
BD677A	N/A	
BD678	N/A	
BD678A	N/A	
BD679	N/A	
BD679A	N/A	
BD679A SL	N/A	
BD680	N/A	
BD680A	N/A	
BD680A SL	N/A	
BD681	N/A	
BD681 SL	N/A	
BD682	N/A	
BD682 SL	N/A	
BD683	N/A	
BD683 SL	N/A	
BD908	N/A	
BF457	N/A	
BF458	N/A	
BF459	N/A	
BF459 SL	N/A	
BF469	N/A	
BF471	N/A	
BF472	N/A	
BUW34	N/A	
BUW35	N/A	
BUW36	N/A	
BUW44	N/A	
BUW45	N/A	
BUW46	N/A	
BUX43	N/A N/A	
BUX44	N/A N/A	
BUX47	N/A N/A	
BUX48	N/A N/A	
BUX80		
* CONTINUED ***	N/A	

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



https://www.centralsemi.com

### Product End of Life Notification

PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	Stock Only
Last Shipment Date	Stock Only

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

\* All Plating types (PBFREE,TIN/LEAD) for each item listed are included in this notice.

Central Part Number	Suggested Replacement	
BUY69A	N/A	
BUY69B	N/A	
BUY69C	N/A	
BU408	N/A	
BU409	N/A	
CEN1025	N/A	
CEN1037	N/A	
CEN1063	N/A	
CEN1092	N/A	
CEN1102	N/A	
CEN1111	N/A	
CEN1177	N/A	
CEN1247	N/A	
CEN1306	N/A	
CEN1323	N/A	
CEN1328	N/A	
CEN1364 SL	N/A	
CEN1378 SL	N/A	
CEN1391	N/A	
CEN1396	N/A	
CEN1406	N/A	
CEN1416	N/A	
CEN1439	N/A	
CEN1450	N/A	
CEN496	N/A	
CEN537	N/A	
CEN591	N/A	
CEN596	N/A	
CEN644	N/A	
CEN671	N/A	
CEN698-1	N/A	
CEN698-2	N/A	
CEN774	N/A	
CEN821	N/A	
CEN844	N/A	
CEN925	N/A	
CEN951	N/A	
CEN961	N/A	
CEN972	N/A	
CEN992	N/A	
CM3441	N/A	
CP166-BUP54-WN	N/A	
CZT122 BK	N/A	
* CONTINUED ***	1 1/ 4 X	

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	
Last Shipment Date	Stock Only

https://www.centralsemi.com

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

<sup>\*</sup> All Plating types (PBFREE,TIN/LEAD) for each item listed are included in this notice.

Central Part Number	Suggested Replacement
CZT122 TR	N/A
CZT31C BK	N/A
CZT31C TR	N/A
D44C12	N/A
D44E1	N/A
D44E3	N/A
D45E3	N/A
D45H8	N/A
MJE13003	N/A
MJE13003 SL	N/A
MJE13005	N/A
MJE13005 SL	N/A
MJE13006	N/A
MJE13008	N/A
MJE13009	N/A
MJE15030	N/A
MJE15031	N/A
MJE170	N/A
MJE171	N/A
MJE172	N/A
MJE180	N/A
MJE181	N/A
MJE182	N/A
MJE200	N/A
MJE210	N/A
MJE220	N/A
MJE221	N/A
MJE222	N/A
MJE223	N/A
MJE224	N/A
MJE225	N/A
MJE230	N/A
MJE231	N/A
MJE232	N/A
MJE233	N/A
MJE234	N/A
MJE235	N/A
MJE2360T	N/A
MJE240	N/A
MJE241	N/A
MJE242	N/A
MJE243	N/A
MJE244	N/A
* CONTINUED ***	

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	
Last Shipment Date	Stock Only

https://www.centralsemi.com

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

\* All Plating types (PBFREE,TIN/LEAD) for each item listed are included in this notice.

Central Part Number	Suggested Replacement
MJE250	N/A
MJE251	N/A
MJE252	N/A
MJE253	N/A
MJE254	N/A
MJE2801T	N/A
MJE2901T	N/A
MJE2955T	N/A
MJE340	N/A
MJE341	N/A
MJE344	N/A
MJE344 SL	N/A
MJE3440	N/A
MJE350	N/A
MJE370	N/A
MJE371	N/A
MJE520	N/A
MJE521	N/A
MJE700	N/A
MJE701	N/A
MJE702	N/A
MJE703	N/A
MJE710	N/A
MJE711	N/A
MJE712	N/A
MJE720	N/A
MJE721	N/A
MJE722	N/A
MJE800	N/A
MJE800T	N/A
MJE801	N/A
MJE801T	N/A
MJE802	N/A
MJE802T	N/A
MJE803	N/A
MJE803T	N/A
MJ1000	N/A
MJ1001	N/A
MJ10012	N/A
MJ11011	N/A
MJ11012	N/A
MJ11013	N/A
MJ11014	N/A
* CONTINUED ***	- W

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



https://www.centralsemi.com

### Product End of Life Notification

PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	
Last Shipment Date	Stock Only

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

\* All Plating types (PBFREE,TIN/LEAD) for each item listed are included in this notice.

Central Part Number	Suggested Replacement	
MJ11015	N/A	
MJ11016	N/A	
MJ2501	N/A	
MJ2955	N/A	
MJ3000	N/A	
MJ3001	N/A	
MJ4033	N/A	
MJ4035	N/A	
MJ410	N/A	
MJ802	N/A	
MJ901	N/A	
PMD10K100	N/A	
PMD10K40	N/A	
PMD10K60	N/A	
PMD10K80	N/A	
PMD12K100	N/A	
PMD12K40	N/A	
PMD12K60	N/A	
PMD12K80	N/A	
PMD13K100	N/A	
PMD16K100	N/A	
PMD16K60		
	N/A	
PMD16K80	N/A	
PMD1601K	N/A	
PMD1602K	N/A	
PMD1603K	N/A	
PMD17K100	N/A	
PMD17K60	N/A	
PMD17K80	N/A	
PMD1701K	N/A	
PMD1702K	N/A	
PMD1703K	N/A	
PMD18K100	N/A	
PMD18K60	N/A	
PMD18K80	N/A	
PMD19K100	N/A	
PMD19K60	N/A	
PMD19K80	N/A	
SE9303	N/A	
SE9304	N/A	
SE9305	N/A	
TIP102	N/A	
TIP107	N/A	
* CONTINUED ***	A V/ A &	

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	
Last Shipment Date	Stock Only

https://www.centralsemi.com

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

\* All Plating types (PBFREE,TIN/LEAD) for each item listed are included in this notice.

Central Part Number	Suggested Replacement
TIP107 SL	N/A
TIP117	N/A
TIP117 SL	N/A
TIP122	N/A
TIP122 SL	N/A
TIP127	N/A
TIP127 SL	N/A
TIP132	N/A
TIP137	N/A
TIP140T	N/A
TIP141T	N/A
TIP142T	N/A
TIP145T	N/A
TIP146T	N/A
TIP147T	N/A
TIP29	N/A
TIP29A	N/A
TIP29A SL	N/A
TIP29B	N/A
TIP29C	N/A
TIP31	N/A
TIP31 SL	N/A
TIP31A	N/A
TIP31B	N/A
TIP31C SL	N/A
TIP32	N/A
TIP32A	N/A
TIP32A SL	N/A
TIP32B	N/A
TIP32C	N/A
TIP41	N/A
TIP41A	N/A
TIP41B	N/A
TIP41C	N/A
TIP41C SL	N/A
TIP42	N/A
TIP42A	N/A
TIP42B	N/A
TIP42C	N/A
TIP42C SL	N/A
TIP42D	N/A
2N3054	N/A
2N3055	N/A

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	Stock Only
Last Shipment Date	Stock Only

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

\* All Plating types (PBFREE,TIN/LEAD) for each item listed are included in this notice.

Central Part Number	Suggested Replacement	
2N3442	N/A	
2N3448	N/A	
2N3713	N/A	
2N3714	N/A	
2N3715	N/A	
2N3716	N/A	
2N3766	N/A	
2N3767	N/A	
2N3771	N/A	
2N3772	N/A	
2N3773	N/A	
2N3789	N/A	
2N3790	N/A	
2N3791	N/A	
2N3792	N/A	
2N3902	N/A	
2N4231	N/A	
2N4232	N/A	
2N4233	N/A	
2N4347	N/A	
2N4348	N/A	
2N4398	N/A	
	N/A N/A	
2N4399		
2N4901	N/A	
2N4902	N/A	
2N4903	N/A	
2N4904	N/A	
2N4905	N/A	
2N4906	N/A	
2N4910	N/A	
2N4911	N/A	
2N4912	N/A	
2N4913	N/A	
2N4914	N/A	
2N4915	N/A	
2N4918	N/A	
2N4919	N/A	
2N4920	N/A	
2N4921	N/A	
2N4922	N/A	
2N4923	N/A	
2N4923 SL	N/A	
2N5067	N/A	

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	Stock Only
Last Shipment Date	Stock Only

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

\* All Plating types (PBFREE.TIN/LEAD) for each item listed are included in this notice.

Central Part Number	Suggested Replacement	
2N5068	N/A	
2N5069	N/A	
2N5192	N/A	
2N5192 SL	N/A	
2N5195	N/A	
2N5195 SL	N/A	
2N5240	N/A	
2N5294	N/A	
2N5296	N/A	
2N5297	N/A	
2N5297 SL	N/A	
2N5298	N/A	
2N5301	N/A	
2N5302	N/A	
2N5303	N/A	
2N5490	N/A	
2N5492	N/A	
2N5494	N/A	
2N5496	N/A	
2N5629	N/A	
2N5632	N/A	
2N5655	N/A	
	N/A	
2N5656		
2N5657	N/A	
2N5745	N/A	
2N5760	N/A	
2N5838	N/A	
2N5873	N/A	
2N5875	N/A	
2N5876	N/A	
2N5877	N/A	
2N5878	N/A	
2N5879	N/A	
2N5880	N/A	
2N5881	N/A	
2N5882	N/A	
2N5883	N/A	
2N5884	N/A	
2N5885	N/A	
2N5886	N/A	
2N6029	N/A	
2N6031	N/A	
2N6034	N/A	

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	
Last Shipment Date	Stock Only

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

\* All Plating types (PBFREE.TIN/LEAD) for each item listed are included in this notice.

Central Part Number	Suggested Replacement	
2N6035	N/A	
2N6036	N/A	
2N6037	N/A	
2N6038	N/A	
2N6039 SL	N/A	
2N6040	N/A	
2N6042	N/A	
2N6043	N/A	
2N6044	N/A	
2N6045	N/A	
2N6050	N/A	
2N6051	N/A	
2N6052	N/A	
2N6055	N/A	
2N6056	N/A	
2N6057	N/A	
2N6058	N/A	
2N6059	N/A	
2N6099	N/A	
2N6109	N/A	
2N6111	N/A	
2N6121	N/A	
2N6122	N/A	
2N6123	N/A	
2N6124	N/A	
	N/A N/A	
2N6125		
2N6126	N/A	
2N6129	N/A	
2N6130	N/A	
2N6131	N/A	
2N6132	N/A	
2N6133	N/A	
2N6134	N/A	
2N6226	N/A	
2N6229	N/A	
2N6230	N/A	
2N6246	N/A	
2N6247	N/A	
2N6248	N/A	
2N6249	N/A	
2N6250	N/A	
2N6251	N/A	
2N6253	N/A	

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



https://www.centralsemi.com

## Product End of Life Notification

PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	Stock Only
Last Shipment Date	Stock Only

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

\* All Plating types (PBFREE,TIN/LEAD) for each item listed are included in this notice.

N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A N/A N/A N/A N/A N/A
N/A N/A N/A N/A N/A
N/A N/A N/A N/A
N/A N/A N/A N/A
N/A N/A N/A
N/A N/A
N/A N/A
N/A
1 V/ F1
N/A
N/A N/A

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



PDN ID:	PDN01250
Notification Date:	2/10/23
Last Buy Date:	Stock Only
Last Shipment Date	Stock Only

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

\* All Plating types (PBFREE,TIN/LEAD) for each item listed are included in this notice.

Central Part Number	Suggested Replacement
2N6532	N/A
2N6543	N/A
2N6544	N/A
2N6545	N/A
2N6546	N/A
2N6547	N/A
2N6569	N/A
2N6576	N/A
2N6577	N/A
2N6578	N/A
2N6594	N/A
2N6609	N/A
2N6666	N/A
2N6667	N/A
2N6668	N/A
2N6671	N/A
2N6672	N/A
2N6673	N/A
2N6674	N/A
2N6675	N/A
2N6677	N/A
2N6678	N/A
40250	N/A
40312	N/A

Central would be happy to assist you by providing additional information or technical data to help locate an alternate source if we have no replacement available. If you would like assistance, please visit https://my.centralsemi.com/submit-inquiry?type=ER to submit an online inquiry.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.