


④ Recommended PCB Layout



Notes  
 Material : AL 6063  
 Finished : Black Anodized

| Option | L  | Thermal resistance(K/W) |
|--------|----|-------------------------|
| V2000W | 25 | 6.5                     |
| V2000X | 38 | 5                       |
| V2000Y | 50 | 4                       |

**RoHS compliant**  
 Unit: mm

| Scale     | Free | ⑥   | Update the pin tolerance   | 04.02.2026 | Segal |              | Date       | Name  |
|-----------|------|-----|----------------------------|------------|-------|--------------|------------|-------|
| TOLERANCE |      | ⑤   | Add the direction marking  | 20.10.2021 | Segal | Drawn        | 11.08.2009 | Dean  |
|           |      | ④   | Add PCB layout information | 24.02.2014 | Amy   | Approved     | 04.02.2026 | Segal |
| UNIT      | ±0.2 | ③   | Fill profile               | 23.06.2010 | Dean  |              |            |       |
| DIM       | TOL  | ②   | Modify drawing layout      | 10.03.2010 | Dean  |              |            |       |
| X.°       | ±X°  | ①   | Drawn                      | 11.08.2009 | Dean  |              |            |       |
| X.X°      | ±X°  | Id. | Modification               | Date       | Name  |              |            |       |
| Angle     | TOL  |     |                            |            |       | A company of |            |       |

|                        |             |
|------------------------|-------------|
| Customer-No.           |             |
| ASSMANN WSW-No. V2000x |             |
| Drawing-No.            | ASS 0869 HS |
| Replace                | rev06       |
|                        | Sheet       |