


**Part Number :** [2078450003](#)

**Product Description :** KK Plus 250 Terminal Position Assurance (TPA) Retainer, 3 Circuits, Natural

**Series Number :** 207845

**Status :** Active

**Product Category :** Connector Accessories



---

## Documents and Resources

### Drawings

[2078450003\\_sd.pdf](#)

[2078450000-PK-000.pdf](#)

### 3D Models and Design Files

[STEP AP242](#)

[SOLIDWORKS](#)

[Creo](#)

### Specifications

[2079020001-AS-000.pdf](#)

[2079020001-PS-000.pdf](#)

[2079020001-PS-CH-000.pdf](#)

[2079020001-PS-ES-000.pdf](#)

[2079020001-PS-JP-000.pdf](#)


[2079020001-PS-SK-000.pdf](#)

[2079020000-TS-000.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	 per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21

REACH SVHC	Contains 1,1'-(Ethane-1,2-diyl)bis[pentabromobenzene] per D(2025)7771-DC (04 Feb 2026)
EU RoHS	Compliant per EU 2015/863

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### Substances of Interest

- PFAS

### EU RoHS Certificate of Compliance

### Additional Product Compliance Information

## Part Details

### General

Status	Active
Category	Connector Accessories
Series	207845
Description	KK Plus 250 Terminal Position Assurance (TPA) Retainer, 3 Circuits, Natural
Component Type	Terminal Position Assurance (TPA)
Product Name	KK Plus
UPC	191130124015

### Agency

CSA	152514
-----	--------

### Physical

Circuits (Loaded)	3
-------------------	---

Circuits (maximum)	3
Color - Resin	Natural
Flammability	94V-0
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	0.063/g
Number of Rows	1
Packaging Type	Bag
Temperature Range - Operating	-40° to +105°C

## Mates With / Use With

### Use with Part(s)

Description	Part Number
KK Plus 250 Receptacle Housing, 2.50mm Pitch, Single Row, 3 Circuits, UL 94V-0, Black, Glow-Wire Capable	<u><a href="#">2078410003</a></u>

---

This document was generated on Apr 23, 2026