

f	0	0	0	0	0	0	0	0	0	0					0	0	0	0	0	0	0	0	0	0	
e	5	5	5	5	5	5	5	5	5	5					5	5	5	5	5	5	5	5	5	5	6
d	5	5	5	5	5	5	5	5	5	5					5	5	5	5	5	5	5	5	5	5	6
c	5	5	5	5	5	5	5	5	5	5					5	5	5	5	5	5	5	5	5	5	6
b	5	5	5	5	5	5	5	5	5	5					5	5	5	5	5	5	5	5	5	5	6
a	5	5	5	5	5	5	5	5	5	5					5	5	5	5	5	5	5	5	5	5	6
z	0	0	0	0	0	0	0	0	0	0					0	0	0	0	0	0	0	0	0	0	0
P	0	0				1								1	2				2						
O	1	5				0								5	0				5						
S																									

The technical drawings show the following dimensions:

- Side View Dimensions:**
 - Total height: $13.45^{+0.15}_{-0.10}$
 - Base thickness: $3.00^{+0}_{-0.10}$
 - Pin array width: 15.40 ± 0.50
 - Pin pitch: 11.70 ± 0.10 (NOTE 3)
 - Overall width: $2.00 \pm 0.05 (10x)$
- Top View Dimensions:**
 - Pin pitch: 8.00
 - Pin array length: 50.0 MAX
 - Pin array width: $2.00 \pm 0.05 (4x)$
 - Pin array offset: $2.00 \pm 0.05 (10x)$
 - Pin array width: 20.0

Technical drawing showing two probe assemblies, labeled 5 and 6, positioned horizontally relative to a vertical line representing the SEATING PLANE FOR CONNECTOR.

Assembly 5 dimensions:

- Distance from the left end to the center of the probe tip: 9.70
- Distance from the center of the probe tip to the right end: 3.70

Assembly 6 dimensions:

- Distance from the left end to the center of the probe tip: 11.20
- Distance from the center of the probe tip to the right end: 3.70

A vertical line is labeled SEATING PLANE FOR CONNECTOR.

[illegible]

CATALOG NO: HM2P07PDU1H0----

[illegible]