



+ RELAYS, CONTACTORS & SWITCHES

POWER RELAYS



✓ Active

TE CONNECTIVITY (TE)
V23057-A0013-A401

Schrack | V23057 Power PCB Card Relay Card E

V23057A 13A401
TE Internal Number: 4-1393215-0
Alias ID: AMPS-4-1393215-0, CB2705-000

EU RoHS Compliant with Exemptions
Not EU ELV Compliant

Power Relay Type Standard
Coil Power Rating DC (mW) 490
Coil Voltage Rating (VDC) 48
Contact Arrangement 1 Form C (CO)
Contact Current Rating (Max) (A) 8

DOCUMENTATION

Catalog Pages/Data Sheets

Power PCB Relay Card E

PDF
English

Product Specifications

Product Specification

Definitions Relays

PDF
English

FEATURES

Please review product documents or [contact us](#) for the latest agency approval information.

Product Type Features

Power Relay Type Standard

Electrical Characteristics

- Coil Power Rating DC (mW) 490
- Coil Voltage Rating (VDC) 48
- Contact Switching Voltage (Max) (VAC) 400
- Contact Voltage Rating (VAC) 250
- Insulation Creepage Class (mm) 3 – 5.5

Contact Features

- Contact Arrangement 1 Form C (CO)
- Contact Current Rating (Max) (A) 8
- Contact Material AgCdO
- Contact Number of Poles 1
- Terminal Type PCB-THT

Mechanical Attachment

Relay Mounting Type Printed Circuit Board

Dimensions

Insulation Clearance Class (mm) 2.5 – 4

Usage Conditions

Environmental Category of Protection RTIII

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance
PDF