Part Number : 622031420
Product Description : Removal Tool for 8-by-20 NeoPress Plugs and Receptacles
Series Number : 207123
Status : Obsolete
Product Category : Application Tooling Accessories



Documents and Resources

Tooling Specifications

ATS-622031420-001.pdf

Product Environment Compliance

Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

Compliance Statements
- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest
- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

Obsolete

Downloaded from Arrow.com.

General

Status	Obsolete
Category	Application Tooling Accessories
Series	207123
Description	Removal Tool for 8-by-20 NeoPress Plugs and Receptacles
Comments	See Tooling Specification (PDF) Above
Function	Removal
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	toolingsupport@molex.com
Product Name	NeoPress
Tool Type	Press-Fit Extraction Tool
UPC	191128324311
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Obsolete

Applicable Parts

Description	Part Number
NeoPress High-Speed Mezzanine Plug, 3.50mm Pitch, 8x20, 160	1728010010

Downloaded from Arrow.com.

Triads (480 Circuits), 21.50mm Connector Height, 0.76µm Gold (Au) Plating	
NeoPress High-Speed Mezzanine Receptacle, 3.50mm Pitch, 8x20, 160 Triads (480 Circuits), 18.50mm Connector Height, 0.76µm Gold (Au) Plating	1728320010

Obsolete

Downloaded from Arrow.com.