

# Chip NTC Thermistors (Protection Device)

[Product Top Page](#)
[Search by Part No.](#)
[Search by Characteristics](#)
[Cross Reference](#)
[Catalog](#)
[Tech Notes](#)
[Technical Support Tools](#)
[FAQ](#)

## NTCG164LH223JT1



### Applications



Commercial Grade

### Features

125°C

125°C

UL

UL Certificate

### Series

NTCG


### Status



Production

### Brand

TDK



Images are for reference only and show exemplary products.

### Size

Length(L)	1.60mm ±0.10mm
Width(W)	0.80mm ±0.10mm
Thickness(T)	0.80mm ±0.10mm
Terminal Width(B)	0.20mm Min.
Recommended Land Pattern (PA)	0.70mm ±0.10mm
Recommended Land Pattern (PB)	0.70mm ±0.10mm
Recommended Land Pattern (PC)	0.70mm ±0.10mm

### Electrical Characteristics

Resistance [at 25°C]	22kΩ
Resistance Tolerance	±5%
B value (Typ.) [25/50°C]	4485K
B value (Typ.) [25/85°C]	4550K
B value (Typ.) [25/100°C]	4573K
B value Tolerance	±3%
Max. Electric Power [at 25°C] ?	100mW
Permissible Operating Current [at 25°C] ?	210μA
Thermal Dissipation Constant [at 25°C] ?	1mW/°C   1mW/K

### Other

Max. Operating Temperature	125°C
Soldering Method	Reflow
UL File No.	E250289
AEC-Q200	No
Packing	Punched (Paper)Taping [180mm Reel]
Package Quantity	4000pcs
Weight	0.005g

PDF file of this page



Buy Now



Contact



### Documents

- Catalog
- RoHS Certificate
- SVHC/REACH Certificate
- RT Sheet

### Products

» [Search by Part No.](#) » [Search by Characteristics](#) » [Distributor Inventory Check](#)

- » Capacitors
- » Inductors (Coils)
- » EMC Components
- » RF / SAW Components and Modules
- » Voltage / Current / Temperature Protection Devices
- » Sensors and Sensor Systems
- » Anechoic Chambers and Radio Wave Absorbers
- » Power Supplies
- » Magnets
- » Flash Storages
- » Wireless Charging
- » FA Systems

... Transparent Conductive Film

### Application Guides

### Technical Support

### Tech Library

### Environment

### Contact

### News

### Home

Buzzers

» Transformers

» Ferrites and Accessories

» Noise Suppressing / Magnetic Sheet

» Micro Modules (Substrates with Built-in ICs, Products Utilizing with SESUB)

» Solar Cells

» Biosensor

 About TDK

 TDK Worldwide

[Terms of Use](#)

Copyright(c) 1996-2017 TDK Corporation. All rights reserved.  
TDK logo is a trademark or registered trademark of TDK Corporation.

