

**Part Number :** 795405067

**Product Description :** In-Vehicle Dual Port Smart Charger, USB Type A and C, with Backlight, 3.0A USB-

C / 2.4A USB-A

Series Number: 79540

**Status**: Active

**Product Category: I/O Connectors** 



### **Documents & Resources**

### **Drawings**

795405067 sd.pdf

STEP AP242

**SOLIDWORKS** 

Creo

## **Product Environment Compliance**

### **Compliance**

GADSL/IMDS	Not Relevant
China RoHS	<u>⊚</u> per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Contains Lead; Diboron-trioxide; Lead monoxide per D(2023)3788- DC (14 Jun 2023)
EU RoHS	Compliant with Exemption 7(a); 7(c)-l per EU 2015/863

### **Compliance Statements**

- EU RoHS
- REACH SVHC
- Low-Halogen

### **Industry Documents**

• IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

# **Substances of Interest**

PFAS

# **EU RoHS Certificate of Compliance**

## **Additional Product Compliance Information**

# **Part Details**

#### **General**

Status	Active
Category	I/O Connectors
Series	79540
Description	In-Vehicle Dual Port Smart Charger, USB Type A and C, with Backlight, 3.0A USB-C / 2.4A USB-A
Application	Module-to-Wire
Component Type	USB Charger
Product Name	Mini50,USB
Туре	A, C
UPC	191128872768

### **Electrical**

Current - Maximum per Contact	2.4A, 3.0A
-------------------------------	------------

# **Physical**

Circuits (Loaded)	2
Circuits (maximum)	4
Color - Resin	Black
Durability (mating cycles max)	10000
Lock to Mating Part	Yes
Material - Plating Mating	N/A
Material - Resin	PC+ABS
Net Weight	43.431/g
Number of Rows	1

Orientation	Vertical
Packaging Type	Bag
Panel Mount	Yes
Pitch - Mating Interface	N/A
Polarized to Mating Part	Yes
Ports	2
Temperature Range - Operating	-40° to +85°C
Termination Interface Style	N/A
Waterproof / Dustproof	No

## Mates With / Use With

# Mates with Part(s)

Description	Part Number
Mini50 Unsealed Receptacle, Single Row, Non-Bridged, 4 Circuits, Polarization Option A, Black	<u>347910040</u>
Mates With	USB Type A and USB Type C (Front)

This document was generated on Sep 11, 2025