DEUTSCH

TE Internal #: ZPF000000000000432

Pin Contact, 24 – 20 AWG, 115 VAC, 115 VDC, .5 – .25 mm² Wire, Spring Contact Retention, Size 20, Discrete Wire, Crimp, Alumel,

Sealable

View on TE.com >



Connectors > Contacts > Connector Contacts



Contact Type: Pin

Operating Voltage: 115 VDC

Contact Retention Within Housing: With

Contact Retention Type Within Housing: Spring

Features

Product Type Features	
Sealable	Yes
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Electrical Characteristics	
Operating Voltage	115 VDC
Contact Features	
Barrel Type	Closed
Contact Type	Pin
Contact Retention Within Housing	With
Contact Size	Size 20

Termination Features

Contact Base Material

Contact Current Rating (Max)

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable
Mechanical Attachment	
Contact Retention Type Within Housing	Spring

Alumel

7.5 A



Dimensions

Wire Size	$.525 \text{ mm}^2$
Usage Conditions	
Operating Temperature Range	-65 – 200 °C[-85 – 392 °F]
Operation/Application	
Circuit Application	Power, Signal & High Speed Data

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought





TE Part #5960044018 TFER-3/8-X-SP



TE Part #5677782004 RNF-3000-6/2-6-STK



TE Part #843037-000 101A062-3-0





TE Part #T4112011041-000 M12 F, 4P GOLD A_CODE RA SHIELDED PG7



TE Part #ZPF000000000009092 983-6WS 10-05 S6



TE Part #ZPF000000000009091 983-6WS 08-03 SN



TE Part #ZPF000000000007385 983-0S 16-24 P6



TE Part #208720-1 PLUG ASSY,SZ 14,CMC

TE Part #ZPF000000000000291 006-0910-10 A499

09/19/2025 12:49AM | Page 3