# molex

Part Number: 307001120

Product Description: 2.54mm Pitch, 0.64mm Width H-DAC 64 High Density Automotive Connectors, Dual Row, Female Harness Assembly, 12 Circuits, Polarization Option 1,

Gray

Series Number: 30700

**Status:** Active

**Product Category:** Connector Housings



#### **Documents & Resources**

#### **Drawings**

307001120\_sd.pdf PK-30907-417-001.pdf

#### 3D Models and Design Files

307001120\_stp.zip

#### **Specifications**

AS-30700-000-001.pdf PS-30700-0001-001.pdf PS-30968-0001-001.pdf

# **Product Environment Compliance**

## Compliance

| GADSL/IMDS         | Compliant   |
|--------------------|---|
| China RoHS         | •   |
| EU ELV             | Compliant per 2000/53/EC                          |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21                    |
| REACH SVHC         | Not Contained per D(2024)6225-DC<br>(07 Nov 2024) |
| EU RoHS            | Compliant per EU 2015/863                         |

# **Multiple Part Product Compliance Statements**

- Eu RoHS
- REACH SVHC
- Low-Halogen

## Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

# EU RoHS Certificate of Compliance

## **Part Details**

#### General

| Status       | Active   |
|--------------|--|
| Category     | Connector Housings   |
| Series       | 30700  |
| Description  | 2.54mm Pitch, 0.64mm Width H-<br>DAC 64 High Density Automotive<br>Connectors, Dual Row, Female<br>Harness Assembly, 12 Circuits,<br>Polarization Option 1, Gray |
| Application  | Automotive, Power, Wire-to-Board,<br>Wire-to-Wire  |
| Comments     | Polarization Option 1  |
| Product Name | H-DAC 64   |
| UPC          | 800754879606   |

# **Physical**

| Circuits (maximum)       | 12                   |
|--------------------------|----------------------|
| Color - Resin            | Gray                 |
| Gender                   | Receptacle           |
| Glow-Wire Capable        | No                   |
| Lock to Mating Part      | Yes                  |
| Material - Resin         | Modified Polystyrene |
| Net Weight               | 3.630/g              |
| Number of Rows           | 2                    |
| Packaging Type           | Bag                  |
| Panel Mount              | No                   |
| Pitch - Mating Interface | 2.54mm               |
| Polarized to Mating Part | Yes                  |

| Stackable                     | No             |
|-------------------------------|----------------|
| Temperature Range - Operating | -40° to +100°C |

## **Solder Process Data**

| Lead-Free Process Capability | N/A |
|------------------------------|-----|
|------------------------------|-----|

## Mates With / Use With

# Mates with Part(s)

| Description   | Part Number      |
|---|------------------|
| 2.54mm Pitch, H-DAC 64 High<br>Density Automotive Header, Dual<br>Row, Vertical, 12 Circuits,<br>Polarization Option 1, Gray, Tray    | <u>307004120</u> |
| 2.54mm Pitch, H-DAC 64 High<br>Density Automotive Header, Dual<br>Row, Vertical, 12 Circuits,<br>Polarization Option 1, Gray, Tube    | <u>307004124</u> |
| 2.54mm Pitch, H-DAC 64 High<br>Density Automotive Header, Dual<br>Row, Right-Angle, 12 Circuits,<br>Polarization Option 1, Gray, Tray | <u>307005120</u> |
| 2.54mm Pitch, H-DAC 64 High<br>Density Automotive Header, Dual<br>Row, Right-Angle, 12 Circuits,<br>Polarization Option 1, Gray, Tube | 307005124        |
| H-DAC 64 High Density Automotive<br>Dual Row Housings   | 30968            |

# Use with Part(s)

| Description | Part Number                             |
|-------------|---|
| Use With    | Contact Molex for Terminal information. |

This document was generated on Mar 09, 2025