3240254

https://www.phoenixcontact.com/us/products/3240254



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Cable clamp, for DIN rails

Commercial Data

| Item number | 3240254 |
|--------------------------------------|---------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 25 рс |
| Sales Key | BE74 |
| Product Key | BE7421 |
| Catalog Page | Page 583 (C-3-2019) |
| GTIN | 4046356464567 |
| Weight per Piece (including packing) | 39.5 g |
| Weight per Piece (excluding packing) | 39.5 g |
| Customs tariff number | 73269098 |
| Country of origin | CN |

3240254

https://www.phoenixcontact.com/us/products/3240254



Technical Data

Product properties

| Product type | Cable screw gland | | |
|-------------------------|-------------------|--|--|
| Material specifications | | | |
| Material | Steel | | |
| Coating | galvanized | | |
| Cable/line | | | |
| External cable diameter | 18 mm 22 mm | | |
| Mounting | | | |
| Mounting type | DIN rail mounting | | |

3240254 https://www.phoenixcontact.com/us/products/3240254



Drawings



Dimensional drawing

3240254

https://www.phoenixcontact.com/us/products/3240254



Classifications

ECLASS

| ECLASS-11.0 | 23159090 |
|-------------|----------|
| ECLASS-12.0 | 23159090 |
| ECLASS-12.0 | 23159090 |

ETIM

| | ETIM 8.0 | EC000464 | |
|--------|-------------|----------|--|
| UNSPSC | | | |
| | UNSPSC 21.0 | 31162900 | |

3240254 https://www.phoenixcontact.com/us/products/3240254



Environmental Product Compliance

| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|------------|---|
| | No hazardous substances above threshold values |

3240254

https://www.phoenixcontact.com/us/products/3240254



Accessories

NS 30/15 PERF 2000MM VPE 10 - DIN rail perforated

3240262

https://www.phoenixcontact.com/us/products/3240262



DIN rail perforated, similar to EN 60715, material: Steel, galvanized, C profile, Pack of 10 (20 m) $\,$

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com